

STOP-READ LABEL BEFORE USING!

POISON
See Side Panels
for Antidote &
Precautions



DANGER
Keep Out of
Reach of
Children

ACCEPTED
APR 23 1973
FEDERAL INSECTICIDE
ACT
POISON REGISTER
148-1038

WIREWORM GRANULES

(CONTAINS 4% PARATHION)

ACTIVE INGREDIENT	
Parathion*	4%
INERT INGREDIENT	96%

WIREWORM GRANULES

(CONTAINS 4% PARATHION)

ACTIVE INGREDIENT

Parathion*	4%
INERT INGREDIENT	96%
	<hr/> 100%

*O, O-diethyl O-p-nitrophenyl thiophosphate

NOT FOR HOME USE

EPA REG. No. 148-1038

+ FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

Parathion is a cholinesterase inhibitor and treatment of severe poisoning should include the use of atropine. Thiodan (Endosulfan) produces central nervous system excitation which responds to the barbituric acid derivatives. We would feel that these treatments do not conflict with one another, but that a physician with the information listed above, and especially if he has the information contained in the booklet entitled "Clinical Handbook on Economic Poisons," should be able to treat a patient suffering simultaneously from both Parathion and Thiodan (Endosulfan) poisoning. The booklet was prepared by the U. S. Department of Health, Education, and Welfare, Public Health Service, Communicable Disease Center, Atlanta, Georgia.

NOTE TO PHYSICIAN

Antidote-administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS. TREAT SYMPTOMATICALLY.


POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CAUTION: Misuse as to quantity, timing or method of application can cause damage or injury to animals, persons, property or crops or cause residues in excess of official tolerances.

NET CONTENTS

GALLONS



DANGER—POISON—PRECAUTIONS 

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. spray mist or dust may be fatal if swallowed

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes)

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of wastes.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear waterproof pants, coat, hat, rubber boots or rubber over shoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy-duty nitrile rubber gloves.

WORK SAFETY RULES

Keep all people, including children, away from treated areas or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the product you have been exposed



tions favor drift from treated areas. Do not apply where runoff is likely to occur

Do not contaminate water by cleaning of equipment or disposal of wastes

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.



POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

DESTROY CONTAINER WHEN EMPTY

Do not reuse empty container. Destroy it by burying it or burning it in a safe place.

DIRECTIONS FOR USE

FOR CONTROL OF WIREWORMS IN NEWLY SET TOBACCO PLANTS: Apply carefully and uniformly as a broadcast application at the rate of 50 lbs. per acre, one to two weeks prior to setting. Disc into soil immediately.