

PLANTERS

DIRECTIONS FOR USE

BEANS: To control Mexican Bean Beetle and Leafhopper. Dust at the rate of 20 to 30 lbs. to the acre. Apply dust thoroughly to upper and lower leaf surfaces. Repeat applications, if necessary, every 7 to 10 days. Can be applied the day of harvest. For control of powdery mildew on bean, apply before disease appears; repeat at 4 to 7 day intervals. When it controls insects if used with lime or other lime containing materials. Do not graze treated fields or feed wash to dairy or meat animals.

WARNING

HARMFUL IF INHALED OR SWALLOWED. Avoid contact of dust. Do not take food. Skin Contact May Be Harmful. Avoid contact with eyes, nose, and face when using. Wash hands, face, nose or mouth after work. Wash clothing worn while working. Wash hands after work.

Note for Physician: Causes only a moderate irritation to some individuals. Avoid the use of ADDITIONAL EXPOSURE OF FOOD, FEED, FEEDING TROUGH, AND WATERING RECEPTS. KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

SPECIAL BEAN DUST

(CONTAINS: 5% SEVIN — 50% SULFUR)

ACTIVE INGREDIENTS:	BY WEIGHT
Carbaryl (1-naphthyl N-methylcarbamate)	5.0%
Sulfur	50.0%
INERT INGREDIENTS	45.0%
TOTAL	100.0%

CAUTION KEEP OUT OF REACH OF CHILDREN

USDA REG. No. 1868-171

Containers should be disposed of by burning (keep out of smoke). Bury ashes in non-crop lands away from water supply.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Trade-Mark of Union Carbide Corporation for the active ingredient 1-naphthyl N-methylcarbamate