

PLANTERS 2% TRITHION DUST

ACTIVE INGREDIENTS:

*Carbophenothion S-(p-chlorophenylthio)methyl O,O-diethyl
phosphorodithioate

2.00%

INERT INGREDIENTS:

98.00%

TOTAL

100.00%

Trithion is registered trademark of Stauffer Chemical Co.

DANGER KEEP OUT OF REACH OF CHILDREN.

USDA REG. No. 1868-201

COTTON: To control Cinnabar Mite and Two-Spotted Mite: Use 20-50 lbs. per acre. Repeat when necessary.
To control Thrips and Fleahopper: Use 10-15 lbs. per acre. Repeat when necessary. To control Aphids: Use 35 lbs. per acre. Repeat when necessary.

DO NOT APPLY TO COTTON AFTER BOLLS HAVE OPENED.

WORKERS ENTERING FIELDS WITHIN 5 DAYS OF APPLICATION SHOULD BE PROTECTED.

POISON



POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea and discomfort in chest.

ANTIDOTE: ATROPINE is the specific antidote. Obtain emergency supply of atropine 1/100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with TRITHION develop poisoning symptoms.

FIRST AID TREATMENT

IF SWALLOWED - Give tablespoon of salt in glass of warm water. Repeat until vomit fluid is clear.

INHALATION : Remove patient from contaminated atmosphere.

SKIN - In case of contact, immediately wash skin thoroughly with soap and water.

EYES - In case of contact, flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN (Treatment) - Give Atropine preferably by injection, grains 1/30 to 1/15 (2 to 4 mg.), at once and every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours.

WARNING

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN! DO NOT GET IN EYES OR ON SKIN! Wear natural rubber gloves, protective clothing and goggles. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for TRITHION protection. Keep all unprotected persons out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide has dissipated.

Do not contaminate feed and foodstuffs.

Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

Do not graze dairy animals or animals being finished for slaughter in treated cotton fields.

Toxic to fish and wildlife. Do not contaminate any body of water nor apply when conditions favor drift from the crop area treated.

CAUTION

Do not apply or allow to drift to areas occupied by unprotected humans, beneficial animals or onto adjoining feed and forage crops about to be harvested.

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

NORFOLK, VA.

PLANTERS CHEMICAL
ESTABLISHED 1906
FAYETTEVILLE, N. C.

ALBANY, GA.
ACCEPTED
JUL 12 1968
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROSS