[148-1079]

GENERAL DIRECTIONS

PHOSDRIN Emulsifiable Concentrate can be used in conventional hydraulic sprayers, low-volume ground applicators, or airplane sprayers. Use this product only for recommended purposes and at recommended dosages. For airplane spraying use approximately 5 gallons of water per acre.

BROCCOLI, CABBAGE, CAULIFLOWER, COLLARDS, KALE: To control Aphids, Cabbage Looper, Imported Cabbageworm, Leaf Hoppers, Salt Marsh Caterpillar, Mites, Cutworms, (Climbing), and Dipterous Leafminer (Adult). For Aphids apply at the rate of ¼ to ½ pint per acre; for other insects named, apply at the rate of ½ to 1 pint per acre. Repeat applications when necessary. Use up to 1 day of harvest on Broccoli and Cabbage; up to 3 days of harvest on others.

TURNIPS, TURNIP TOPS, MUSTARD GREENS: To control Aphids, Cabbage Looper, Imported Cabbageworm, Dipterous Leafminer (Adult), Leaf Hopper and Mites: For Aphids, apply at the rate of ¼ to ½ pint per acre; for other insects named, apply at the rate of ½ to 1 pint per acre. Repeat applications when necessary. Use up to 3 days of harvest.

LETTUCE, SPINACH: To control Aphids, Cabbage Looper, Imported Cabbageworm, Cutworms (Climbing), Dipterous Leafminer (Adult), Leaf Hopper, Mites, Salt Marsh Caterpillar, Grasshoppers, Lygus Bugs and False Chinch Bugs: For Aphids, apply at the rate of ¼ to ½ pint per acre; for other insects named, apply at the rate of ½ to 1 pint per acre. Repeat applications when necessary. Use up to 2 days of harvest on Lettuce; up to 14 days of harvest on Spinach.

DANGER

MIXING DIRECTIONS

Mix with water by agitation; agitate the mixture while spraying. If allowed to stand, agitate before use.

PRECAUTIONS IN USING

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Unprotected humans and animals should be kept off of treated fields until the day of treatment.

Keep out of reach of children and domestic animals. Decontaminate equipment by washing thoroughly with lye solutions, then destroy used containers to prevent reuse. Do not contaminate food or feed products. Keep away from heat and open flames.

This product is highly toxic to bees exposed to direct treatment or to residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

This product is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply to any area not specified on the label.

Do not apply when runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Birds feeding on treated areas may be killed.

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO PHOSDRIN INSECTICIDE POISONING.

Do not swallow or get in eyes, on skin or on clothing. Do not breathe dust or vapors. Wear clean natural rubber gloves, clean, waterproof protective clothing, and goggles. Replace gloves frequently and

CONT'D ON RIGHT PANEL

NET CONTENTS **2 GALLONS**

4 LB. PHOSDRIN*

Emulsifiable Concentrate

CONTAINS 4 LBS. PHOSDRIN PER GALLON

POISON

ACTIVE INGREDIENTS	By Weight
Alpha Isomer of 2-Carbomethoxy-1-Methylvinyl Dimethyl Phosphate	28.8%
Related Compounds	18.8%
Xylene	47.9%
INERT INGREDIENTS	5.0%
TOTAL	100%

*T.M. Shell Chemical Corp.

Equivalent to 47.1% PHOSDRIN Insecticide

DANGER KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 148-1079

See antidote statement and other required warning statements on side panel

7-13-72

T-H

THOMPSON-HAYWARD CHEMICAL CO.
PLANTERS CHEMICAL DIVISION

NORFOLK, VA FAYETTEVILLE, N.C. ALBANY, GA

des
a type
Phosdrin
with
eating or sm
eye, nasal
[illegible]
accidental contact
[illegible]
and water
[illegible]
with large amounts of water
and dispose by burning
[illegible] destroy
[illegible]

Underwriters Laboratories
Not a Copy

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR PHOSDRIN INSECTICIDE POISONING. Consult your physician and/or emergency medical service. Apply 2 to 4 mg. of Atropine Sulfate for emergency.

2-PAM is also an antidote but may be used only after administration with atropine.

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by tickling the back of the throat with a finger or by giving a glass of water or tablespoon of salt in a glass of water.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has [illegible] immediately remove patient from the vicinity of the [illegible] and wash with soap and water. If the material has been swallowed [illegible] immediately with [illegible]

IF WARNING SYMPTOMS APPEAR: [illegible]

NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR (See WARNING SYMPTOMS below).

Keep patient [illegible] physician.

WARNING SYMPTOMS

[illegible]

NOTE TO PHYSICIAN

TREATMENT: [illegible] Atropine Sulfate should be [illegible] 2 mg. intravenously until complete atropinization has occurred. Morphine is contraindicated. Clear airway by nasal drainage. Oxygen administration may be necessary. Observe patient [illegible] hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause precipitous capitulation to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been allowed, determined by blood test.

[illegible] warranty that the product [illegible] the label when used in accordance with [illegible] warranty of merchantability or fitness for a particular purpose [illegible] contrary to [illegible] under conditions not reasonably foreseeable to seller and buyer assume the risk of any such use.