


# PLANTERS POLYRAM<sup>®</sup> 5 DUST Fungicide

## ACTIVE INGREDIENT

A mixture of 5.2 parts by weight (83.9%) of ammoniates of ethylenebis(dithiocarbamate) zinc with 1 part by weight (16.1%) ethylenebis [dithiocarbamic acid] bimolecular and trimolecular cyclic anhydrosulfides and disulfides . . . . . 5.0%  
Zinc expressed as metallic . . . . . 0.95%

INERT INGREDIENTS . . . . . 95.0%  
100.0%



**CAUTION** KEEP OUT OF REACH OF CHILDREN.

USDA REG. No. 1868-

## CAUTION

May be harmful if swallowed or inhaled. Do not breathe dust. May cause irritation of eyes, nose, throat and skin. In case of contact, flush with plenty of water; for eyes get medical attention.

Use of this material in a manner or at a time other than in accordance with directions may produce plant injury, excessive residues or other undesirable results.

## DIRECTIONS FOR USE

**PEANUTS:** To control Cercospora Leaf Spot — Use 20 to 30 pounds of dust per acre to be applied by ground dusters or airplane. Apply when spots first appear on old leaves at the base of the plants. If a heavy rain occurs within 24 hours after the first application, repeat in three to seven days; otherwise, repeat at ten to fourteen day intervals. Do not feed treated forage to dairy animals or animals being finished for slaughter.

## NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

NORFOLK, VA.



ALBANY, GA.