

in 100 gallons of water. Apply 5 gallons of finished spray per 100 square yards of tobacco seed bed. Do not apply within 5 days of harvest. For control of Green June Beetle larvae in the seed bed, use 1 pint in 100 gallons of water. Apply 1 gallon of the finished spray per square yard of plant bed at first sign of larval activity.

Application of this product should begin when insect infestation reaches the point where control is desired. Full coverage of plants during application is essential for good control. The material should be used for the insects listed above, at the rate given, in sufficient water to provide uniform coverage. Applications should be made at 3 to 5 day intervals depending upon the severity of the infestation and local conditions. To mix, fill the spray tank $\frac{1}{4}$ to $\frac{1}{2}$ full of water and with the agitator running, add the required amount of this material, then finish the spray tank to the desired level with water.

This product is toxic to fish and wildlife. Keep out of any body of water. Apply only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

WARNING

Poisonous if Swallowed. Inhaled or Absorbed Through Skin! Rapidly Absorbed Through Skin! Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Methyl Parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

METHYL PARATHION THIODAN

1-2 EMULSIBLE CONCENTRATE

Contains 1.0 lb. of actual Methyl Parathion and 2.0 lbs. of actual Thiodan per gallon.

*Thiodan is a registered trademark of Farbwerke Hoechst A. G.

ACTIVE INGREDIENTS:

O, O-Dimethyl O-p-Nitrophenyl Thiophosphate	11.49%
Endosulfan (Hexachloro-hexahydro-methano-2,4,3-benzadioxathiepin oxide)	23.00%
Xylene base, aromatic petroleum solvent	56.12%
INERT INGREDIENTS	9.39%
TOTAL	100.00%

Methyl Parathion — Thiodan.

DANGER KEEP OUT OF REACH OF CHILDREN

USDA REG. No. 1868-0000

See Antidotal Statement and the Required Warning Statement on Side Panels

P-C

ATROPINE IS ANTIDOTAL

Physician
 Atropine is the antidote for Methyl Parathion and Thiodan. It should be administered immediately in case of poisoning. The amount of atropine to be administered should be determined by the physician. The use of atropine should be continued until the patient is able to breathe freely. Use of atropine may be necessary.

WARNING — INFLAMMABLE

Keep Away From Heat and Open Flame. Keep Container Closed. Leaking Packages Should Be Removed To A Safe Place.

Destroy Containers When Empty.

Caution: Do Not Use In Undiluted Form.

Do Not Store At Temperatures Below 20° F. Dealers Should Sell In Original Packages Only.

USAGE CAUTION: Use of this material in a manner or at a time other than in accordance with the directions may produce plant injury, excessive residues or other undesirable results.

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

ACCEPTED WITH RESERVE