

Pure Pool™

POOL START SPECIFICALLY FORMULATED FOR STARTING UP SWIMMING POOLS

USE POOL START JUST ONCE, THEN USE PURE POOL DRY CHLORINE
CONCENTRATE OR TABLETS TO SANITIZE YOUR SWIMMING POOL

ACTIVE INGREDIENT:

Sodium Dichloro-s-Triazinetrione .. 47.5%

INERT INGREDIENTS: 52.5%

Includes s-Triazinetrione Sodium Carbonate
(Contains 30% by weight available chlorine) 100.0%

DANGER:

KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL WARNINGS

Net Weight 25 lb.

POOL START

DANGER KEEP OUT OF REACH OF CHILDREN

Strong Oxidizer. Harmful if swallowed. May cause eye damage. Protect eyes when handling. May cause irritation to skin, nose and throat. May cause burns to broken skin. Avoid contact with skin, nose and throat.

Antidote: If inhaled, feed bread or food if possible followed by a glass of water. Get a physician if in case of contact with eyes. Material and flush with water for at least 15 minutes. If in case of contact with skin, wash with water. Do not re-use.

Store in a cool, dry, well-ventilated area. Mustard contamination may create a highly flammable and hazardous chlorine gas. Oxidizing material. Do not mix with other chlorine products. Contact with organic material may cause fire. Burning will produce a toxic, irritating, and corrosive gas. Do not re-use empty container. Re-use empty container thoroughly wash with water before discarded. Treated pool water should not be discharged directly into seas, streams or ponds.

POOL START satisfies chlorine demand of swimming pool water by oxidizing organic matter and reducing the number of bacteria and algae. It simultaneously provides calcium and stabilizer to stabilize chlorine.

POOL START is used just once to start your pool off, then use PURE POOL DRY CHLORINE CONCENTRATE or TABLETS to chlorinate your pool.

POOL START is not for maintaining a chlorine residual. It is a conditioner which prepares the swimming pool water for PURE POOL DRY CHLORINE CONCENTRATE or TABLETS which permits you to get immediate maximum chlorine effectiveness and economy.

HOW TO USE PURE POOL POOL START

1. Clear or backwash filter.
2. Using a reliable test kit test the pH level and adjust it to 7.2 to 7.6. Add pH DOWN if it is below 7.2. Add pH UP if it is above 7.6.
3. In the amount shown on the label below, add POOL START evenly through the surface of the pool.
4. Wait two hours and retest pH to 7.2 to 7.6.
5. Test for chlorine with a reliable test kit. Do not allow swimming until a minimum residual of 1.0 ppm is achieved.
6. Add DRY CHLORINE CONCENTRATE or TABLETS according to the instructions to maintain a minimum residual of 1.0 ppm at all times.

NOTICE: POOL START is not for maintaining a chlorine residual. It is a conditioner which prepares the swimming pool water for PURE POOL DRY CHLORINE CONCENTRATE or TABLETS which permits you to get immediate maximum chlorine effectiveness and economy.

Pool Capacity	POOL START	Pool Capacity	POOL START
10,000	1.0	100,000	10.0
15,000	1.5	150,000	15.0
20,000	2.0	200,000	20.0
25,000	2.5	250,000	25.0
30,000	3.0	300,000	30.0
35,000	3.5	350,000	35.0
40,000	4.0	400,000	40.0
45,000	4.5	450,000	45.0
50,000	5.0	500,000	50.0
55,000	5.5	550,000	55.0
60,000	6.0	600,000	60.0
65,000	6.5	650,000	65.0
70,000	7.0	700,000	70.0
75,000	7.5	750,000	75.0
80,000	8.0	800,000	80.0
85,000	8.5	850,000	85.0
90,000	9.0	900,000	90.0
95,000	9.5	950,000	95.0

distributed by:



**THOMSON-HAYWARD
CHEMICAL COMPANY**



San Jose, California 95110

San Francisco, California 94103

© 1978

Pure Pool™

POOL START SPECIFICALLY FORMULATED FOR STARTING UP SWIMMING POOLS

USE POOL START JUST ONCE, THEN USE PURE POOL DRY CHLORINE
CONCENTRATE OR TABLETS TO SANITIZE YOUR SWIMMING POOL

ACTIVE INGREDIENT:

Sodium Dichloro-s-Triazinetrione .. 47.5%

INERT INGREDIENTS: 52.5%

Includes s-Triazinetrione Sodium Carbonate
(Contains 35% by weight available chlorine) 100.0%

DANGER:

KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL WARNINGS

Net Weight 25 lb.

ACCEPTED

March 30, 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 148-1127

POOL START

DANGER KEEP OUT OF REACH OF CHILDREN

Strong Oxidizer. Harmful if swallowed. May cause eye damage. Protect eyes when handling. May cause irritation to skin, nose and throat. May cause burns to broken skin. Avoid contact with skin, nose and throat.

Antidote: Internally - feed bread soaked in milk followed by olive oil or cooking oil. Call a physician. In case of contact, remove excess material and flush skin or eyes with cold water for at least five minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.

Store in a cool, dry, well-ventilated area. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Oxidizing material. Do not mix with other chemicals. Contact with organic matter may cause fire. Burning will produce chlorine or equally toxic gases. Do not re-use empty container. Re-use empty container thoroughly with water before disposal.

POOL START satisfies chlorine demand of swimming pool water by oxidizing organic matter and reducing the number of bacteria and algae. It simultaneously provides cyanuric acid (s-triazinetrione) to stabilize chlorine.

POOL START is used just once to start your pool off, then use PURE POOL DRY CHLORINE CONCENTRATE or TABLETS to chlorinate your pool.

POOL STAR is not for maintaining a chlorine residual. It is a conditioner which prepares the swimming pool water for PURE POOL DRY CHLORINE CONCENTRATE or TABLETS, which permits you to get immediate maximum chlorine effectiveness and economy.

HOW TO USE PURE POOL, POOL START

1. Clean or backwash filter.
2. Using a reliable test kit, test the pH level and adjust it to 7.2 to 7.6. add pH DOWN if it is below 7.2, add pH UP.
3. In the amount shown in the table below - add POOL START slowly through the surface skimmer.
4. Wait two hours and again adjust pH to 7.2 to 7.6.
5. Test chlorine residual with a reliable test kit. Do not allow swimmers in pool until chlorine residual has dropped below 2.9ppm.
6. Add DRY CHLORINE CONCENTRATE or TABLETS according to package directions to maintain a minimum chlorine residual of 1.0 to 1.5 ppm at all times.

NOTICE: No warranty, expressed or implied, concerning the use of this product, other than indicated on the label. Buyer assumes all liability for use and/or handling of this material when such use and/or handling is contrary to label instructions.

Pool Capacity

DOSAGE CHART

To Provide 25 ppm Cyanuric Acid and 10 ppm Available Chlorine

5,000	1 lb 7 oz
10,000	2 lb 15 oz
15,000	4 lb 7 oz
20,000	5 lb 14 oz
25,000	7 lb 6 oz
30,000	8 lb 14 oz
35,000	10 lb 4 oz
40,000	

distributed by:



ACCEPTED

March 30, 1973

UNDER THE FEDERAL PESTICIDE ACT
 FUNGICIDE
 FOR REGISTERED USE
 E.P. 148-1127