



Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

RESTRICTIONS

Do not use on other crops used for food or forage. Use only according to label directions. Application at rates above those shown may result in illegal crop residues. Workers who must enter treated fields within 2 days should wear protective clothing.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

DISPOSAL OF EMPTY CONTAINER—Do not re-use this container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Rinse out the inside of the container with water to which has been added detergent and caustic soda. Carefully discard the rinse solution by burying at least 18 inches deep in an isolated area away from water supplies. Puncture and crush empty metal container and bury at least 18 inches deep in a supervised public or private dump.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.



POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be

ACTIVE INGREDIENTS:

O,O-Dimethyl S-[(4-chlorophenyl) methyl] 3(4H)-yl)methyl] phosphorothioate
O,O-Dimethyl O-p-nitrophenyl phosphorothioate
Xylene

INERT INGREDIENTS: ...

For Effective Control

GUARANTEE: Contains 0.1% phosphorodithioate plus 3.0% phosphorothioate

+ FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious), induce vomit quickly. Induce vomiting by sticking a finger down the throat or by giving soapy or strong salty vomit. Repeat until vomit is clear. Never give anything to an unconscious person. Have victim lie on his side and quiet. See doctor immediately.

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash immediately.

GUTHION is a Registered Trademark

EPA Reg. No. 148-1151