



DIRECTIONS FOR USE

BEFORE USE READ WARNING AND NOTICE STATEMENTS CAREFULLY

COTTON: When applying by ground sprayers to cotton use as follows:

Early Season — For control of Thrips make two to three applications of 1 pint per acre per application, starting when the cotton comes to a stand or when inspection shows these insects to be present.

Mid-Season — Start Mid-Season applications when the cotton starts squaring. Apply 1 to 2 pints per acre per application for control of Boll Weevils, Fleahoppers, Rapid and Tarnished Plant Bugs, and Lygus Bugs, making four to five applications at weekly intervals.

Late-Season — Start treatments when Boll Weevil infestations reach 10% or more, or when infestations of other damaging insects controlled by this product are noticed. Apply 1 to 2 pints depending upon the severity of the infestation at 3 to 4 day intervals until the infestation is brought under control. Late season insects controlled by 1 to 2 pints per acre include Boll Weevil, Cotton Leafworm, Fleahoppers, Cabbage Looper, Salt Marsh Caterpillar and Bollworm. When applying by airplane make the applications on the same timing schedule as for ground machine applications, but always apply the amounts given for Late-Season applications.

Do not apply within 7 days of hand picking or harvest. Workers entering cotton fields on day of application should wear protective clothing. Cotton receiving applications should not be pastured, and gin trash from this cotton should not be fed.


DANGER

WILDLIFE PRECAUTIONS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Birds and other wildlife in treated

areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not apply when runoff is likely to occur. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.



DANGER

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. RAPIDLY ABSORBED THROUGH SKIN.

Do not get in eyes on skin or on clothing. Do not breathe fumes. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for protection from GUTHION and ENDRIN. Keep all unprotected persons out of the operating areas. Vacated areas should not be reentered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated cloth clothing with soap and hot water before reuse.

FIRST AID TREATMENT

IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water. Repeat until vomit fluid is clear. Have patient lie down and keep quiet. CALL A PHYSICIAN.

IF INHALED: Remove patient from contaminated atmosphere.

IF ON SKIN: In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.

IF IN EYES: Flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN (TREATMENT): Give atropine, preferably by injection, 2 to 4 mg at once and every hour or oftener as needed to achieve and maintain full atropinization. 2-PAM is also antidotal and may be administered in conjunction with atropine. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours. Endrin poisoning produces central nervous system excitation which responds to barbituric acid derivatives. Treat symptomatically.

STOP READ THE LABEL BEFORE USE

DO NOT USE OR STORE IN OR AROUND THE HOME ENVIRONMENT.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

DO NOT STORE BELOW 32° F.

GENERAL INFORMATION

COTTON SPRAY 1.6—1—0 is useful for the control of certain insect pests of cotton.

COTTON SPRAY 1.6—1—0 may be applied by ground sprayers or by airplanes, mixing in water to form an emulsion spray solution. To make the spray solution, half fill the spray tank with water, agitate, add the proper amount of COTTON SPRAY 1.6—1—0 and then fill the spray tank with water while still agitating. Continue to agitate during use.

When applying with ground sprayers calibrate so as to apply the recommended amount in 10 to 25 gallons water per acre. Airplanes should apply the recommended amount in 3 to 10 gallons of water per acre. Always use sufficient water for adequate coverage of the foliage.

COTTON SPRAY

1.6 — 1 —
LBS/GAL ENDRIN LBS/GAL GUTHION®

ACTIVE INGREDIENTS:

O, O-dimethyl S-4-oxo-1, 2, 3-benzotriazin-3 (4H) phosphorodithioate
Endrin (Hexachlorocyclohexaendo, endo-dimethanonaphthalene)
Aromatic Petroleum Solvent
Xylene

INERT INGREDIENTS:

Total

GUTHION® is a registered trademark of the Par Farbenfabriken Bayer GmbH, Leverkusen

Product contains 1.6 pounds Endrin plus 1 pound G



DANGER Keep Out of Reach of Children

SEE ANTIDOTE STATEMENT AND OTHER RECOMMENDATIONS ON OTHER PANELS

POISON

EPA Reg. No. 148-1201

CC-6-75



THOMPSON HAYWARD
CHEMICAL COMPANY

P.O. BOX 2383 KANSAS CITY, KANSAS



FIRST AID TREATMENT

Give a tablespoonful of salt in a glass of water. Repeat until vomit fluid is clear. Have patient rest and keep quiet. CALL A PHYSICIAN.

Remove patient from contaminated atmosphere.

In case of contact, remove contaminated clothing. Immediately wash skin thoroughly with soap and water.

Flush eyes immediately with water for at least 15 minutes.

PHYSICIAN (TREATMENT): Give immediately by injection, 2 to 4 mg. at once or oftener as needed to achieve and maintain pinization. 2-PAM is also antidotal and should be used in conjunction with atropine. Never give atropine by postural drainage. Artificial oxygen administration may be necessary continuously for 48 hours. Endrin causes central nervous system excitation and convulsions. Treat with barbituric acid derivatives. Treat with ground sprayers calibrate so as to deliver the recommended amount in 10 to 25 gallons of water per acre. Always use water for adequate coverage of the area.

READ THE LABEL BEFORE USE

DO NOT STORE IN OR AROUND THE HOME ENVIRONMENT.

DO NOT POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

DO NOT STORE BELOW 32° F.

GENERAL INFORMATION

1.6—1—0 is useful for the control of many pests of cotton.

1.6—1—0 may be applied by ground sprayers, mixing in water to form an emulsion. To make the spray solution, fill spray tank with water, agitate, add the recommended amount of COTTON SPRAY 1.6—1—0 and agitate. Fill tank with water while still agitating. Do not stop agitating during use.

When using ground sprayers calibrate so as to deliver the recommended amount in 10 to 25 gallons of water per acre. Always use water for adequate coverage of the area.

COTTON SPRAY

1.6 — 1 — 0

LBS/GAL ENDRIN LBS/GAL GUTHION®

ACTIVE INGREDIENTS:

O, O-dimethyl S-4-oxo-1, 2, 3-benzotricizin-3 (4H)-yl methyl phosphorodithioate	11.1%
Endrin (Hexachloroepoxyoctahydro-endo, endo-dimethanonaphthalene)	17.8%
Aromatic Petroleum Solvent	37.3%
Xylene	28.2%

INERT INGREDIENTS:

Total	100.0%
-------	--------

GUTHION® is a registered trademark of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen.

Product contains 1.6 pounds Endrin plus 1 pound Guthion per gallon.



DANGER Keep Out of Reach of Children




SEE ANTIDOTE STATEMENT AND OTHER REQUIRED WARNING STATEMENTS ON OTHER PANELS

POISON

EPA Reg. No. 148-1201

CG-6-75

EPA Est. No. 148-LA-5



Reduce Hazards!

Follow This Rinse and Drain Procedure for Pesticide Containers



Empty container into spray tank. Then drain in vertical position for 30 seconds.

Add a measured amount of rinse water (or other diluent) so container is 1/4 to 1/5 full. For example, one quart in a one-gallon container.



Rinse container thoroughly, pour into tank, and drain 30 sec. Repeat three times. Add enough fluid to bring tank up to level.

Crush pesticide container immediately. Sell as scrap for recycling or bury. Do not reuse.



NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



THOMPSON HAYWARD
CHEMICAL COMPANY

P.O. BOX 2161 KANSAS CITY, KANSAS 64110