

DIRECTIONS

MIXING INSTRUCTIONS

BEFORE USE READ DIRECTIONS, CAUTION AND NOTICE STATEMENTS CAREFULLY

Add the recommended amount of Ded-Weed OS-6 Brush Kil to about one-half the volume of oil to be used in spraying. Mix well, then add the remaining oil and mix until spray mixture is uniform. Continue mixing while spraying. Do not let water get into brush killer or sprays used in stump or basal treatment. Ded-Weed OS-6 Brush Kil can be dissolved in oil. Ded-Weed OS-6 Brush Kil is designed for weeds and woody growth which are controlled better by 2,4,5-T than 2,4-D. Brambles, blackberries, some hawthornes, osage orange, plum trees, ground cherries and horse nettles are typical of the vegetation which can be controlled along fence rows, right-of-ways, highways, in pastures and on rangelands and beneath power lines.

WOODY PLANTS AND BRUSH IN PASTURE AND RANGELANDS AND NON-CROP LAND SUCH AS FENCE ROWS, RIGHT-OF-WAYS

TYPE OF SPRAYING	AMOUNT OF DED-WEED OS-6 BRUSH KIL TO USE	WHEN TO APPLY	HOW TO APPLY
FOLIAGE TREATMENT	3 quarts in 10 gallons of oil or 6 tablespoons in 3 gallons	After full leaf stage when growing vigorously	Thoroughly wet foliage stems and bark using power or hand sprayer
FRILL TREATMENT FOR LARGE TREES	2 to 3 pints in 3 gallons of oil	At any time during dormant or growing season	Make a cup or two single back grille of overlapping axe cuts and treat cut area to the point of run-off
STUMP TREATMENT	2 to 1 gallon in 10 gallons of oil or 2 to 1 pint in 3 gallons of oil	Apply as soon as possible after cutting. Effective during dormant or growing season	Wet entire stump including all exposed bark thoroughly with ground
BASAL BARK TREATMENT	2 to 1 gallon in 20 gallons of oil or 1 pint to 3 gallons of oil	At any time during dormant or growing season in trees less than 6 inches in diameter	Use low spray pressure and wet to point of run-off the basal part of trunk and stem

Re-treatment may be necessary to insure adequate control of certain hard-to-kill species.

1 quart contains 1 lb. 2,4,5-T acid

For aerial application, 2 quarts of 2,4,5-T per acre is recommended for control of Ded-Weed OS-6.

For broadcast application, use at the maximum rate of 2 quarts of Ded-Weed OS-6 per acre. Do not apply when trees are in leaf and the ground is wet or frozen.

Do not use on grass pastures or other areas where livestock are grazed. Do not use on areas where wild game are hunted. Do not use on areas where crops are raised.

Do not use on areas where freezing temperatures may be necessary to warm the soil through the spring before seeding.

Do not use on areas where Ded-Weed OS-6, Ded-Weed ME-6 or Ded-Weed ME-6 are used.

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes, or clothing.

Do not contaminate water used for irrigation or domestic purposes. Misuse as to quantity, timing or method of application can cause damage or injury to animals, persons, property or crops.

Do not graze dairy animals on treated areas within 6 weeks after application. Do not graze meat animals on treated areas within 2 weeks of slaughter.

Under no circumstances should this herbicide product or any 2,4-D or 2,4,5-T weed killers be used in the vicinity of cotton, tomatoes, garden crops, grapes, ornamentals or other susceptible crops, as severe damage may result. Extreme care must be exercised to prevent drifting of this material. Do not apply on windy days. Coarse sprays are less likely to drift.

Although this product has been formulated with low volatile esters in order to reduce the hazard of vapor damage, every precaution must be exercised to prevent injury to susceptible plants in the vicinity. Vapors from this product at high temperatures may cause injury to susceptible plants growing in the immediate vicinity. Drift may cause injury to susceptible plants adjacent to the area of application.

Do not use equipment used in applying Ded-Weed OS-6 Brush Kil to apply insecticides, fungicides or other materials to susceptible crops. Do not reuse this container.


Do not store near fertilizers, seed, insecticides, fungicides, or feedstuffs. Application to grassy areas may seriously damage or destroy clover or bent grass, if they are present.

Do not use in lakes, ponds, or on ditch banks. Also do not use around the home, recreation areas, and similar sites.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



DED-WEED® OS-6

BRUSH KIL

LOW VOLATILE ESTER

2,4,5-T 4 LBS. PER GALLON

CAUTION Keep Out of Reach of Children

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

ESPECIALLY COMPOUNDED for USE

ON BRUSH and WOODY PLANTS

in PASTURES, RIGHT-OF-WAYS and TIMBERLAND

ACTIVE INGREDIENT:

2,4,5-T (2,4-dichlorophenoxyacetic acid) sodium salt ester

INERT INGREDIENTS

Equivalent to 2,4,5-T (2,4-dichlorophenoxyacetic acid) 48.2%

NET CONTENTS ONE GALLON

EPA Reg. No. 48-1204

CC 3-7

EPA Est. No. 48-K3



**THOMPSON HAYWARD
CHEMICAL COMPANY**

P.O. BOX 2381 KANSAS CITY, KANSAS 66110