

DU-TER[®]

flowable-30

CONTAINS: 30 oz. triphenyltin hydrosulfide per gallon

ACTIVE INGREDIENT	19.7%
Triphenyltin hydrosulfide*	80.3%
INERT INGREDIENTS	100.0%

*Equivalent to 6.4% Metathic Tin

KEEP OUT OF REACH OF CHILDREN
DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES—Rinse eyes for at least 15 minutes with water and call a physician immediately.

IF INHALED—Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN—Wash promptly with soap and water. Rinse thoroughly.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

A RESEARCH DISCOVERY OF PHILIPS-DUPHAR B.V.,
AMSTERDAM, HOLLAND.


Manufactured or sold under one or more of the following U.S. Patents: 3,113,659;
3,140,977; 3,248,283; 3,263,395; 3,335,228; 3,445,575, and other

Patents Pending

NET CONTENTS
EPA Reg. No. 148-1270

1 GALLON

(3.785 Liters)
EPA Est. No. 148-RS-1



P.O. BOX 2383, KANSAS CITY, KANSAS 66110

- A FUNGICIDE FOR CONTROL OF:**
- EARLY & LATE BLIGHT ON POTATOES
 - LEAFSPOT ON SUGAR BEETS & PEANUTS
 - SCAB & CERTAIN OTHER DISEASES ON PECANS
 - LEAFSPOT AND ALTERNARIA ON CARROTS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with or inhalation of spray mist. Avoid contamination of foodstuffs and feed. Wear clean protective clothing and bathe after each exposure.

ENVIRONMENT HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

BEFORE USE, READ DIRECTIONS, WARNING AND NOTICE STATEMENTS CAREFULLY. Consult agricultural extension or agricultural experiment station specialists regarding timing recommendations.

GENERAL INFORMATION:

Full coverage is necessary for best results. Dusted spray should be directed to all parts of the plant uniformly. Application rate should be increased according to size of plants. Use the lowest application rate in protective schedules, higher rates later in the season or during high infection periods.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **MIXING:** Before adding DU-TER FLOWABLE to the spray tank, partially fill with water. Add the desired amount of DU-TER FLOWABLE according to the rates listed below. After mixing thoroughly, add remaining water to spray tank. Continuous agitation within the spray tank is essential. Wash last spray tank thoroughly after use and dispose of washings by burying away from water supplies.

STORAGE AND DISPOSAL

PROHIBITION: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or residue that cannot be used, or chemically reprocessed should be disposed of in a tank approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and dispose of rinsate in a container approved for pesticide containers, or bury in a safe place.

GENERAL: Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

ACCEPTED
28 APR 1945
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide,
EPA Reg. No. 148-1270