



CONTAINS 4 lb. triphenyltin hydroxide per gallon  
 ACTIVE INGREDIENT  
 Triphenyltin hydroxide\*  
 INERT INGREDIENTS  
 \*Equivalent to 13 1/2% Metaic Tin

Systemic Insecticide.  
 Registered under Fungicide Act.  
 Registered under Insecticide Act.  
 EPA Reg. No. 148-1373

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**  
**STATEMENT OF PRACTICAL TREATMENT**  
 IF IN EYES—Rinse eyes for at least 15 minutes with water and call a physician immediately.  
 IF INHALED—Remove victim to fresh air and apply respiration if indicated.  
 IF ON SKIN—Wash promptly with soap and water. Rinse thoroughly.  
 SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Du-Ter is a reg. TM of PHILIPS-DUPHAR B.V., AMSTERDAM, HOLLAND.  
 Manufactured or sold under one or more of the following U.S. Patents: 3,113,069; 3,140,977; 3,248,283; 3,268,395; 3,395,228; 3,445,575, and other.  
 Patents Pending  
 NET CONTENTS 1 GALLON (3.785 Litres)  
 EPA Reg. No. 148-1272 6cc 10-80 EPA Est. No. 148-KS-1



P.O. BOX 2383, KANSAS CITY, KANSAS 66110

FUNGICIDE FOR CONTROL OF  
 • EARLY & LATE BLIGHT ON POTATOES  
 • LEAFSPOT ON SUGAR BEETS & PEANUTS  
 • SCAB & CERTAIN OTHER DISEASES ON PECANS  
 • LEAFSPOT AND ALTERNARIA ON CARROTS

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**DANGER:** Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with or inhalation of spray mist. Avoid contamination of foodstuffs and feed. Wear clean protective clothing and bathe after each exposure.  
**ENVIRONMENT HAZARDS**  
 This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**BEFORE USE READ DIRECTIONS, WARNING AND NOTICE STATEMENTS CAREFULLY.** Consult agricultural extension or agricultural experiment station specialists regarding timing, application, and other matters.  
**GENERAL INFORMATION**  
 Full coverage is necessary for best results. Diluted spray should be directed to all parts of the plant and coverage increased according to size of plants. Use the lowest application rates in protective schedules, higher rates later in the season or during high infection periods.

**DIRECTIONS FOR USE**  
 It is a violation of federal law to use this product in a manner inconsistent with its labeling. **MIXING:** Before adding DU-TER 640 to the spray tank, partially fill with water. Add the desired amount of DU-TER 640 according to the rates listed below. After mixing thoroughly, add remaining water to spray tank. Continuous agitation within the spray tank is essential. Wash out spray tank thoroughly after use and dispose of washings by burying away from water supplies.

**STORAGE AND DISPOSAL**  
**PROHIBITION:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.  
**PESTICIDE DISPOSAL:** Pesticide spray mixture or residue that cannot be used or chemically recycled should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.  
**CONTAINER DISPOSAL:** Triple rinse (or equivalent) and dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.  
**GENERAL:** Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.