DIAZINON®
AG-4 insecticide

FOR THE CONTROL OF CERTAIN INSECTS ON FRUITS, NUTS, VEGETABLES, FIELD CROPS AND ORNAMENTALS

148-1277

ACTIVE INGREDIENTS

DIAZINON (O,O-diethyl O-[2-isopropyl-6-methyl-4-pyrimidinyl] phosphorothioate	48.0%
XYLENE	39.0%
INERT INGREDIENTS	[illegible]
TOTAL	[illegible]

DIAZINON® Registered trademark of Ciba-Geigy Corp.
DIAZINON AG-4 contains 4 lbs. [illegible] per gal.

KEEP OUT OF REACH OF CHILDREN
WARNING

If swallowed— [illegible] immediately. DO NOT INDUCE [illegible] Vomiting may cause [illegible] Aspiration [illegible] and [illegible]
If inhaled— [illegible] Artificial [illegible]
If on skin— [illegible] and wash [illegible] with [illegible] water.
If in eyes— Flush eyes with plenty of water. Call a physician if irritation persists.
NOTE TO PHYSICIAN Solvent presents aspiration hazard. Gastric lavage is indicated. If [illegible] are present, [illegible] may be used. [illegible]

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)
WARNING

May be fatal if swallowed. May be absorbed through skin. Avoid breathing spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food. Do not use on humans or pets. Do not permit children or pets to go on treated areas until spray has completely dried. Keep out of reach of domestic animals. Do not contaminate feed. Use only as directed. [illegible] pesticide.

ENVIRONMENTAL HAZARDS

[illegible] Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

[illegible] Do not apply when weather conditions favor drift from treated areas. Do not apply when [illegible] is present. Do not [illegible] Do not [illegible] Do not [illegible]

DIRECTIONS FOR USE (Cont'd)

Cranberries

Filberts

Grapes –

Olives

Peaches and Nectarines

Pecans

Walnuts

VEGETABLE FOLIAR INSECTS

Beans Pea Beans Snap Beans Lima Beans

Lima Beans

Broccoli, Cabbage and Cauliflower

Brussels Sprouts

Carrots

Celery

Collards, Kale, Mustard Greens and Turnip Tops

Cucumbers

Lettuce and Endive

Melons and Squash Cantaloupes

Celeriac, Chinese Potatoes, Edible Burdock, Malanga, Mushrooms, Parsnips, Peanuts and Pumpkins

Okra, Watermelons and their Relatives, Summer and Winter Squash

Watermelons

DIRECTIONS FOR USE (Cont'd)

gallons of water and apply with a

Beans

Peas – Apply 1 pt per acre. Do not

Peas – Apply 1 pt per

Peppers – Apply 1 pt per acre. Do

Potatoes – Apply 1 pt per acre. Do not apply

Radishes, Parsnips and Turnips –

Spinach and Beets – Apply 1 pt per acre. Do not apply

Squash (Summer and Winter) – See Melons, Squash, Squ

Sweet Corn –

Tomatoes –

Watercress (Hawaii only)

VEGETABLE SOIL INSECTS

Cutworms (Surface and Subterranean)

Garden Symphylans (Centipedes)

Mole Crickets

Onion Maggots

Root Maggots

Seed Corn Maggots

Wireworms

Peanuts

Southern Peanuts

Wireworms (Southeastern U.S.)

FIELD AND FORAGE FOLIAR INSECTS

Alfalfa and Clover

Corn

Cutworms

Clover

Corn

DIRECTIONS FOR USE (Cont'd)

Hops

Sorghum

Sugar Beets

Sugarcane

Tobacco

FIELD AND FORAGE SOIL INSECTS

Alfalfa and Clover

Corn

SUGGESTED RATES ACCORDING TO ROW SPACING FOR CORN ROOTWORM LARVAE CONTROL

NOTE: For row spacings not listed, calculate the appropriate dosage based on the 40" row figure.

Cowpeas

Peanuts

Sorghum

Soybeans

Sugar Beets

Sugarcane

Tobacco

RANGE, PASTURE AND GRASSLAND INSECTS

Other Non-Range and Pasture Grasses

Bermudagrass and Forage Grasses

ACCEPTED
17 JAN 1984
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 148-127