

MICRO-BIocide B-50

BEST DOCUMENT AVAILABLE

**ACTIVE INGREDIENT:**

Potassium dimethyldithiocarbamate ..... 50.0

**INERT INGREDIENTS** ..... 50.0

This product contains 5.2 lb. of active ingredient per gallon and weighs 10.4 lb. per gallon.

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING:** Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

**STATEMENT OF PRACTICAL TREATMENT:** In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by stroking or backing the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonful (10 ml) of ipecac syrup or 1 teaspoonful (5 ml) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg whites, flour and water, or other nonoily demulcent. Never induce vomiting or give anything by mouth to an unconscious person.

*Note to physician:* Probable mucosal damage may contraindicate gastric lavage.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not apply in marine and/or estuarine or fresh waters. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

ACCEPTED  
with COMMENTS  
In EPA Letter D-1-78

OCT 07 1981

Manufactured by: Thompson-Hayward Chemical Company  
5200 Speaker Road  
Kansas City, KS 64110

EPA REG. NO. \_\_\_\_\_ EPA EST. NO. 148-1378

NET CONTENTS \_\_\_\_\_

## DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**MICRO-BIocide B-50** is used in industrial and/or commercial recirculating cooling tower systems and industrial air-washing systems to control microbiological slime. Prior to the use of **MICRO-BIocide B-50** in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 2.0 to 3.0 fl. oz. of **MICRO-BIocide B-50** per 1000 gal. of water to provide 20 to 30 ppm of **MICRO-BIocide B-50**, based on total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug addition of 1.0 to 3.0 fl. oz. of **MICRO-BIocide B-50** per 1000 gal. of water (10 to 30 ppm **MICRO-BIocide B-50**) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of recirculating cooling tower systems.

**MICRO-BIocide B-50** is used in industrial air-washing systems which maintain effective mist-eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 4.7 to 6.0 fl. oz. of **MICRO-BIocide B-50** per 1000 gal. of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 3.5 to 6.0 fl. oz. of **MICRO-BIocide B-50** per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or the water collection trays of the airwash system.

**MICRO-BIocide B-50** is used to control both aerobic and anaerobic bacteria, including sulfate-reducing organisms, in petroleum secondary-recovery waterflooding operations. In systems fouled with microbiological deposits, **MICRO-BIocide B-50** should be added as a slug dose to provide a concentration of 8 to 16 ppm (0.83 to 1.66 fl. oz. of **MICRO-BIocide B-50** per 1000 gal. of water treated). This should be followed by a continuous addition of **MICRO-BIocide B-50** employing a chemical-metering pump to maintain a concentration of 8 ppm, based on total weight of water treated. Both slug additions and continuous addition of **MICRO-BIocide B-50** should be made at the heater-treater dump, gathering lines, or receiving tanks. Addition should always be made upstream to the filter.

**MICRO-BIocide B-50** is also used to inhibit the growth of fungi and bacteria in water based drilling muds, completion fluids, packer fluids, and other water-based drilling fluids containing starch, gums, sugars, or other organic materials. For these purposes **MICRO-BIocide B-50** is added at rates of 0.6 to 3.0 gal. per 100 barrels of fluid (0.014% to 0.071% by volume).

## STORAGE AND DISPOSAL

**PROHIBITIONS** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.  
**PESTICIDE DISPOSAL** Pesticide spray mixture, or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

### CONTAINER DISPOSAL

- METAL** Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place. Containers over 30 gallons should be resealed before offering for reconditioning.
- PLASTIC** Containers under 30 gallons must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30 gallons are to be resealed and offered for reconditioning or triple rinsed (or equivalent) and offered for recycling, reconditioning, or disposal in an approved landfill or buried in a safe place.

**GENERAL** Consult Federal, State, or local disposal authorities for approved alternative procedures.

U.S. ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (WH-567)  
WASHINGTON, D.C. 20460

EPA REGISTRATION NO. 174-297	DATE OF ISSUANCE
TERM OF ISSUANCE	07 OCT 1983
NAME OF PESTICIDE PRODUCT JAL-2000	

**NOTICE OF PESTICIDE:**  REGISTRATION  
 REREGISTRATION  
(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[Faint, illegible text]

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

[Faint, illegible text]

*[Handwritten Signature]*

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------