149-18

08/24/2011



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

AUG 2 4 2011

Christina Griffin, Agent Senoret Chemical Company, Inc. c/o Delta Analytical Corp. 12510 Prosperity Drive, Suite 160 Silver Spring, MD 20904

Subject: Notification per PRN 98-10 – Alternate Brand Names EPA Registration Number: 149-18 Terro® Total Ant Control III

Date of Submission: July 22, 2011

Dear Ms. Griffin:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration (PRN) 98-10 for the abovementioned product. The Registration Division (RD) has conducted a review of this request and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have questions regarding this letter, please contact Olga Odiott at (703) 308-9369.

Sincerel Mark Suarez

Product Manager 13 Insecticide Branch Registration Division (7505P)

Please read instructions on reverse befo	re completiny	rorm.	Form Appr	(d. OMB N	o. 2070-0060.	2	
EPA		Environmental P	I States Protection Agency n, DC 20460	□ Regis □ Amen X Other	Idment	OPP Identifier Number	
		Application for Pe	esticide - Section I		_		
1. Company/Product Number <b>149-18</b>	=	· · · · · · · · · · · · · · · · · · ·	Richard Gebken		3. Proposed	B. Proposed Classification	
4. Company/Product (Name) Senoret Chemical Company, Inc . / Terro® Total Ant Control III			РМ# 10				
5. Name and Address of Applicant ( <i>Include ZIP Code</i> ) Senoret Chemical Company, Inc. c/o Delta Analytical Corp.			<ol> <li>Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:</li> </ol>				
			EPA Reg. No				
12510 Prosperity Drive, Suite 160			Product Name				
Silver Spring, MD 20904	Check if t	his is a new address		·			
		Secti	ion - II				
☐ Amendment - Explain below ☐ Resubmission in response to Agency let K Notification - Explain below.	Final printed labels in response to Agency letter dated "Me Too" Application. Other - explain below.						
Explanation: Use additional page(s) if ne	cessary. (For s	section I and Section II.)					
Notification per PR Notice 98-10	to add alte	ernate brand names:	Terro® Ant Killer Spr	ay 3 and T	erro® Spi	der Killer 3	
This notification is consistent with the labeling or the confidential statement of statement to EPA. I further understand in violation of FIFRA and I may be sub	of formula of t I that if this ne	his product. I understand otification is not consistent	that it is a violation of 18 U. with the terms of PR Notic	S.C. Sec. 10 e 98-10 and -	01 to willfully	make any faise	
			on - III			· · · · ·	
1. Material this Product will be Package	ed in:		<u> </u>				
Child-Resistant Packaging □ Yes* X No	Unit Packagi □ Yes X No	ng	Water Soluble Packaging Yes X No		2. Type of Container □ Metal X Plastic		
* Certification must be submitted.	lf "Yes," Unit Package	e wgt. No. per container	lf "Yes," Unit Package wgt. No. p	per container	□ Glass □ Paper □ Other (Specify)		
3. Location of Net Contents Information	4. Size(s) of Retail Containe		X On Label				
Label X Container 32 fl. oz.			On Labeling accompanying product				
6. Manner In Which Label Is Affixed to Pro	duct	□ Lithograph X Paper glued □ Stenciled	Other	89.0 <sup>-2</sup> ····································			
		Secti	on - IV				
1. Contact Point (Complete items directly b	elow for identif	ication of Individual to be con	tacted, if necessary, to process	this applicatio	n.)		
Name			Agent, Senoret Chemical		Telephone I 301-680-7	No. (Include Area Code)	
Cristina Griffin	<del>.</del>		Company, Inc.		501-000-7		
I certify that the statements I have made o of knowingly false or misleading statement			ue, accurate and complete. I a	cknowledge th	at any kind	6. Date Application Received	
2. signature Sell.			3. Title Agent, Senoret Chen	nical Comp	any, Inc.		
4. Typed Name	····		5. Date		<u></u>	ι ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (	
Cristina Griffin			July 22, 2011			ί ί ί ιίιι	
	a aditiona are	abaalata			nu (aviala -1)	Vollow Application	



July 22, 2011

ç

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) Environmental Protection Agency One Potomac Yard 2777 S. Crystal Drive, Room S-4900 Arlington, VA 22202

Attn: Richard Gebken, PM 10

## Re: Notification to add Alternate Brand Names per PR Notice 98-10, Section II A

Product:Terro® Total Ant Control IIIEPA Reg. No.149-18Company:Senoret Chemical Company, Inc.

Dear Mr. Gebken:

On behalf of Senoret Chemical Co., Inc., I am submitting a notification for the product, Terro® Total Ant Control III, EPA Reg. No. 149-18, to add the following Alternate Brand Names:

### Terro® Ant Killer Spray 3 Terro® Spider Killer 3

The label submitted with this notification showing the alternate brand names is based on the EPA Stamped Label dated October 5, 2010.

The following documents are enclosed in support of this notification:

- EPA form 8570-1
- 1 copy of label (showing Alternate Brand Names)

If you have any questions regarding this submission, please contact me at cgriffin@delta-ac.com or (301) 680-7971.

Sincerely,

•

Cristina Griffin V Agent for Senoret Chemical Co., Inc.



12510 Prosperity Drive Suite 160 Silver Spring, Maryland 20904 (301) 680-7971 fax (301) 680-7975 www.delta-ac.com

# **Terro® Total Ant Control III**

[Alternate brand name: Terro® Ant Killer Spray 3] [Alternate brand name: Terro® Spider Killer 3]

## NOTIFICATIO

AUG 2 4 2011

- [For Residential Use
- For Indoor/Outdoor Use
- Flush and Kill with residual activity
- Contains Deltamethrin and Pyrethrins
- Contains Pyrethrins, a Botanical Insecticide
- Contains Pyrethrins combined with Deltamethrin to give rapid [flush-out and] knockdown with extended killing power
- Pyrethrins rapidly [expels] [flushes out] and knocks down bugs [roaches] [insects] from cracks and crevices [their hiding places]
- Pyrethrins insecticide is made from [chrysanthemum] flowers
- Water-Based Formula
- Water-Based Shake Before Use
- Killing Action and Residual Control
- Fast Knockdown Formula
- Kills Carbamate And Organophosphate Resistant Cockroaches
- Kills Fleas Roaches Ants Spiders
- Kills Ticks (including Lone Star Tick, Deer Ticks, Black Legged Ticks)
- Kills Ticks (including ticks which may carry Lyme disease)
- Kills On [or By] Contact
- Kills Fast
- Kills Hidden Bugs
- Kills Bugs You See and Even the Ones You Don't See
- Broad Spectrum Insect Control
- Kills Ants, Beetles, Cockroaches, Fleas, Flies, Mosquitoes, Scorpions, Spiders & Ticks
- Highly effective against labeled pests in and around homes, recreational vehicles, cabins, tents and other recreational structures
- Non-Staining
- No Greasy Residue
- No Oily Residue No Unpleasant Odor
- Won't Stain Carpets And Floors
- Protects Against German Cockroaches And Houseflies For Up To 12 Weeks [3 Months]
- Keeps On Killing German Cockroaches And Houseflies For Up To 12 Weeks [3 Months]]

#### **ACTIVE INGREDIENTS:**

Pyrethrins	
Deltamethrin	
<b>OTHER INGREDIENTS*:</b>	
	100.00 %

\*Contains petroleum distillate.

#### EPA REG. NO. 149-18

EPA EST NO.

# KEEP OUT OF REACH OF CHILDREN CAUTION

See Side/Back Panel for Additional Precautions

NET CONTENTS:



If swallowed:	<ul> <li>Immediately call a poison control center or doctor.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give any liquid to the person.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>

#### PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

#### CAUTION

Harmful if swallowed. Avoid contact with skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

#### **Environmental Hazards**

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is no predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

#### **Physical and Chemical Hazards**

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **General Precautions & Use Restrictions**

- Do not allow adults, children, or pets to enter the treated area until sprays have dried.
- Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.
- Remove pets, birds and cover fish aquariums before spraying.
- Do not apply as a space spray.
- Do not make outdoor applications during rain.
- Remove or cover exposed food and drinking water before application.

- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or wash them before use.

- Do not apply directly into sewers or drains or to any area like a gutter where drainage to storm sewers, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Outdoor applications to building foundations are permitted up to a maximum height of 3 feet. Other than applications to building foundations, all listed outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.
- Do not use on edible crops.
- Not for use in outdoor residential misting systems.

This product works in two ways:

1) it kills bugs [pests, insects] fast on contact; and

2) its residual action keeps on killing German Cockroaches and Houseflies for up to 12 weeks [3 months] after you spray.

ل ر ( ز. بژ. بژ. بر اس ال ر SHAKE WELL BEFORE EACH USE. Hold container upright. Remove protective cap and direct spray away from face. Hold can 12-15 inches from surface being sprayed. Press button down and spray as directed. Test product in an inconspicuous area before applying. Spray until surface is slightly wet but not to the point of run-off. Over application may cause damage. Will not stain surfaces or fabrics where water alone causes no damage.

For residential use including non-food areas of: [list one or more of the following:] apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, dog houses, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms, verandas.

#### **INDOORS:**

Cockroaches [(Including Adult and Immature Stages of Both Non-Resistant and Organophosphate and Carbamate Resistant Strains)], Ants, Boxelder Bugs, Centipedes, Crickets, Beetles, Firebrats, Fleas, Palmetto Bugs (Waterbugs), Silverfish, Sowbugs and Ticks: Apply as a general surface, spot or crack & crevice treatment to all non-food areas where these pests crawl and hide, especially in cracks and crevices, hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases and similar areas. When pests are driven out, spray directly.

[*Roaches*: Spray in cracks and crevices, around baseboards and other hiding places until wet. When driven out, spray bugs directly. Repeat treatment if re-infestation occurs.]

Ants: Spray around ant trails and around doors and windows and other places where ants enter the house. Repeat [treatment] after 4 weeks or if re-infestation occurs.

*Carpenter Ants*: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings. Repeat [treatment] after 4 weeks or if re-infestation occurs.

*Ticks (Including Ticks Which May Carry Lyme Disease)* and *Fleas* ON SURFACES: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. *Adult Fleas* contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use. Repeat [treatment] after 2-4 weeks or if re-infestation occurs.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas where these pests are found.

*Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions* and *Ticks*: Apply around doors and windows, baseboards, storage areas and other places where these pests are found.

[Silverfish, Crickets, Spiders, Earwigs: Apply to areas where these pests are found.]

PANTRY PESTS: Beetles, Moths, Weevils, [Flour Beetles (Red and Confused), Grain Beetles (Rusty, Merchant and Saw-Toothed), Chocolate Moths, Indian Meal Moths, Angoumois Grain Moths, Mediterranean Flour Moths, Cigarette Beetles, Drugstore Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles, Grain Mites and Tobacco Moths]: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils. Repeat [treatment] if re-infestation occurs.

Carpet Beetles [(Black, Furniture and Varied)] and Dermestid Beetles [(Hide, Larder, Leather)]: Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found. Fabrics should be tested for staining in an inconspicuous area prior to use. Repeat [treatment] if re-infestation occurs.

*[Webbing] Clothes Moths*: Use this product as a crack and crevice treatment in closets and other storage areas where these pects are found. This is will not control moth larvae already on clothes. Do not apply to clothing. Repeat [treatment] if re-infestation occurs.

ι ι ιιιι ι ε ε ( · (· έ ε ε ε (· (· έ ε ε,

#### **OUTDOORS:**

Point nozzle away from face. Hold can on a slight downward angle, approximately 12 - 15 inches from surface to be sprayed. For best results, spray when air is calm. Spray with wind if breeze is blowing.

PESTS ON OUTSIDE SURFACES: To control infestations of outdoor pests such as *Ants, Cockroaches, Ticks* and *Spiders,* spray foundation of building where these insects [pests, bugs] are active and may find entrance up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include screens, window frames, eaves, porches, patios, picnic areas, garages and refuse dumps. Repeat treatment weekly if necessary.

CRAWLING INSECTS: Ants (Including Fire Ants), Cockroaches, Centipedes, Scorpions, Crickets, Palmetto/Waterbugs, Spiders, Sowbugs, Earwigs, Boxelder Bugs and Beetles. Spray insects [bugs, pests] directly.

Ticks (Including Lone Star Ticks, Deer Ticks, Black Legged Ticks): Spray areas where these pests are found.

Ants: Spray around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray on and around debris. Repeat if ants return.

[Ants: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

Wasps, Hornets and Bees: Spray individuals directly and vacate area. Do not treat whole nests with this product.

FLYING INSECTS: *Houseflies, Gnats, Mosquitoes* and *Moths*: Use only on outdoor surfaces. Spray outside surfaces of windows, window and door frames, screens and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed. Retreat weekly or when insects return.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**Storage:** Store in a cool, dry area away from [inaccessible to] children and pets and away from heat, sparks and open flame. [Protect from freezing.] [Do not freeze.] [Do not transport or store below 32°F.]

**Container Disposal:** Do Not Puncture or Incinerate! *If empty:* Place in trash or offer for recycling if available. [This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.] *If partly filled:* Call your local solid waste agency for disposal instructions.

Senoret Chemical Company, Inc. 566 Leffingwell Avenue Kirkwood, MO 63122

[] Indicate master label reader's notes (in italics) or alternate text .

F:\shared\senoret\149-18\Labels\2011\149-18 ABN label 072211.doc