

7

AN-CHLO

(2-20-71)

63

150

STABILIZED CHLORINE FOR SWIMMING POOLS

Active Ingredient:
SODIUM DICHORO - S - TRIAZINETRIONE - 100%

DANGER: Keep Out Of Reach Of Children

EPA REG. NO. 15036.

Contents 25 lbs



ANDERSON



DANGER: Harmful if swallowed. Dry product causes eye irritation. Avoid breathing dust. Avoid contact with skin and eyes. In case of contact, flush skin and eyes with cold water at least 15 minutes. For eyes get immediate medical attention. Strong Oxidant, contact with combustible matter may cause fire. Will burn with evolution of toxic gases. Contact with heat, moisture, foreign material or contamination from any source may result in fire.

Do not mix with other chemicals. Keep cover closed when not in use. Store in cool, dry place. Rinse empty container and discard.

7

AN-CHLOR

12-20-71

63

150-36

STABILIZED CHLORINE FOR SWIMMING POOLS

Active Ingredient:
SODIUM DICHLORO - S - TRIAZINETRIONE - 100%

DANGER: Keep Out Of Reach Of Children

EPA REG. NO. 150-36.

Contents 25 lbs



ANDERSON



powdered. Dry product causes eye irritation. Avoid breathing dust. Avoid contact with skin and eyes. If contact occurs, flush skin and eyes with cold water at least 15 minutes. For eyes get immediate medical attention. Combustible matter may cause fire. Will burn with evolution of toxic gases. Contact with heat, contamination from any source may result in fire.

Keep cover closed when not in use. Store in cool, dry place. Rinse empty container and discard.

13

OPERATION OF SWIMMING POOL AN - CHLOR 63

1. Filter continuously according to manufacturer's instructions.
2. Test pool for pH, total alkalinity and chlorine. Adjust to 7.2 - 7.6. ANDERSON'S pH and ALKALINITY TEST KIT for these purposes.
3. Superchlorinate and stabilize pool water by addition of AN-CHLOR 63. The best time is in the evening. Next morning add 2 1/2 lbs. / 10,000 gals. of AN-CHLOR 63, dissolve and add. AN-CHLOR 63 stabilizer to compensate for chlorine loss.
4. Test chlorine residual with test kit. The pool water must have a residual of 1.0 to 1.5 ppm. accordingly. Maintain a minimum residual of 1.0 to 1.5 ppm. at all times. Add AN-CHLOR 63 per 10,000 gals. as needed.
5. The best guide to proper chlorine levels is the test kit. Test water daily. 1 oz. AN-CHLOR 63 will raise the chlorine residual about 1.0 ppm.
6. Superchlorinate about once a week.

ANDERSON CHEMICAL
LITCHFIELD, MINNESOTA
DES MOINES, IOWA 50309