28 1000 1987

R-2# 150 0

14.

Mr. Wayne Bonkrude A:derson Chemical Co. Box 1041 Lirchfield, MN 55355

Mr. Bonkrude

Subject: Food Plant Spray EPA Reg. No. 150-38 Amendment of March 18, 1986 (Revised Labeling for Use in Food Plants)

We are accepting the draft labels submitted in connection with this amendment. A stamped copy is enclosed for your records. Submit five (5) copies of the finished printed labels to complete this action, as required by P.R. Notice 82-2 (June 18, 1982). Your finished printed labels must also comply with the general labeling requirements of Section 162.10 of 40 CFR.

Sincerely yours,

astillo

Arturo E. Castillo Arturo E. Castillo Argduct Manager 17 Insecticito Rodenticide Branch Registration Division TS-767

ì

# Anderson's FOOD PLANT SPRAY

### Α

READY TO USE PRODUCT

IN

# FOGGERS

AND

SPRAYERS

BY

# ANDERSON

Quality from Experience



# DIRECTIONS FOR USE

#### **General Classification**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### For Use in Fogging Equipment:

To kill flies, mosquitoes, gnats and other insect pests\* in food storage areas of warehouses, storage rooms and similar locations. Food must be stored in multiwall pape bags or cloth bags to avcid contamination by insecticide residues. Close room or warehouse and shut off all ventilating systems. Use a spraying machine similar to the Mirrorol machine or use fixed ceiling sprayers that produce a very fine splay. Use a dosage of one fluid ounce per 1000 cubic feet of room splace. Do not remain in treated areas. Ventilate the area after treatment is completed. Repeat application as necessary for insect control. Swepp up and dostoy fallen instals.

#### For Use in Pressurized Tank Sprayers as a Wetting Contact Spray:

To kill the accessible stages of insect pests\* in granaries; warehouser, storage rooms and similar locations. Apply as a coarse, wet apray to all areas infested by these insects. Use a dosage of 1 calfon per 1000 square feet. Pay attention to cracks and crevices in floors, walls and reilings. Spray thoroughly around and into floor drains, conveyors and other areas where insects may be found. DO NOT apply this spray to surfaces that may come in contact with food; excessive residues in food may result.

To kill roaches, silverfish and waterbugs in sheltered situations. Apply a coarse spray into all cracks and crevices in woodwork, floors, underneath sinks and in all places where these insects shelter. Contact as many insects as possible. Repeat as necessary for control. Do not allow spray to contact any stored food.

\*Effective against the following insects pests: rice weevils) confused flour beetles, saw-toothed grain beetles, cadelles, meal moths and granary weevils.

Manufactured by ANDERSON CHEMICAL COMPANY

n 1 NIS n 7 Dated:

E.P.A. Reg. No. 150-38

MAY 27 1987

Th

Γ.

95

and a state of the state of the second state of the second state of the second state of the second state of the

vacide,

an Act

e a la tie<u>u</u>lo

E.P.A. Est. No. 150-MN-1

1580

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

# CAUTION

Harmful if swallowed. This product contains a high percentage of petroleum distillate. In case of ingestion, contact a physician immediately. Do not induce vomiting unless girected by a physician. Do not remain in treated areas, aspiration of fumes is potentially hazardous,

Do not apply directly to food. Cover or remove all food processing equipment during application. Do not apply space. socays white food processing is underway. After spraying inmeat packing clants, bakeries and other food processing plants, wast with an acceptable detergent solution and then "rinse with notable water to remove all traces of contamination from all equipment, benches, shelving etc., where food .will be handled.

.Remove pets and rover fish bowls before spraying.

(()

.

•This product is toxic to fish. Keep out of lakes, streams or ponds. DC not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL HAZARDS Do not store near heat or open flame.

#### STORAGE and DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

**PESTICIDE DISPOSAL:** Pesticide or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

CONTAINER DISPOSAL: a) Containers of 30 gallons or more - reseal container and offer for reconditioning, or: b) All containers - triple rinse (or equivalent)

and offer for recycling, reconditioning or disposal in approved landfill.

GENERAL: Consult Federal, State or Local authorities for approved alternative procedures.



For use in Non-Food and Food Areas of: Food Processing Plants, Schools, Warehouses and Motels.

<b>ACTIVE INGREDIENTS:</b>	100%							
Pyrethrins						-		.50%
*Piperonyl butoxide,								
**N-Octyl bicycloheptene dicarboximide								1.67%
Petroleum distillate	•		•			•	•	96.83%
				TOTAL			100.00%	

\*Equivalent to .80% (butylcarbityl) (6-propylpiperonyl) ether and .20% related compounds. \*\*MGK-264, Insecticide Synergist.



