

E.P.A. Registration No. 150-42

Anderson's SILK 'n SOFT

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₁ , 30% C ₁₂ , 5% C ₁₃ , 5% C ₁₄) dimethyl benzyl ammonium chlorides	10.0%
n-Alkyl (68% C ₁₂ , 32% C ₁₁) dimethyl ethylbenzyl ammonium chlorides	10.0%

INERT INGREDIENTS:	80.0%
	100.0%

Fabric Softener Concentrate, Residual Bacteriostatic and Residual Self-Sanitizer Under Conditions of High Relative Humidity or Wet Contamination


Concentrated Fabric Softener
FOR INDUSTRIAL LAUNDRIES

DANGER :

KEEP OUT OF REACH OF CHILDREN
See other panels for first aid and additional precautionary statements.

NET CONTENT
100 LBS.

ANDERSON[®]



FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ANDERSON CHEMICAL COMPANY • LITCHFIELD, MINNESOTA 55355 • BOX 1041
DES MOINES, IOWA 50308 • 204 S.W. 2ND ST.

Use 2 ounces
pounds of laur

Fabric treated
teristatic acti
against Gram p
(E. coli) organ
humidity or we

ANDERSON'S
ammonia proc
which act on u

ANDERSON'S
eliminating ch
other synthetic

Rinse empty
discard it.

Corrosive. Cause
eyes, on skin or
Wear goggles or
Avoid contaminat

ANDERSON
LITCHFIELD
DES MOINES

ACCEPTED

E.P.A. Reg. No. 150-42
E.P.A. Registration No. 150-42

Anderson's SILK 'n SOFT

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₁ , 30% C ₁₀ , 5% C ₁₂ , 5% C ₁₃) dimethyl benzyl ammonium chlorides	10.0%
n-Alkyl (68% C ₁₂ , 32% C ₁₁) dimethyl ethylbenzyl ammonium chlorides	10.0%

INERT INGREDIENTS:	80.0%
	100.0%

Fabric Softener Concentrate, Residual Bacteriostatic and Residual Self-Sanitizer Under Conditions of High Relative Humidity or Wet Contamination

Concentrated Fabric Softener
FOR INDUSTRIAL LAUNDRIES

DANGER :

KEEP OUT OF REACH OF CHILDREN
See other panels for first aid and additional
precautionary statements.

NET CONTENT
100 LBS.



NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.
Measures against circulatory shock, respiratory depression and convulsion
may be needed.

DIRECTIONS

Use 2 ounces **ANDERSON'S SILK 'n SOFT** per 100 pounds of laundry in RINSE CYCLE.

Fabric treated as directed will develop residual bacteriostatic activity and residual self-sanitizing activity against Gram positive (*S. aureus*) and Gram negative (*E. coli*) organisms under conditions of high relative humidity or wet contamination.

ANDERSON'S SILK 'n SOFT prevents the growth of ammonia producing organisms (*B. ammoniagenes*) which act on urine in the diapers to produce ammonia.

ANDERSON'S SILK 'n SOFT softens clothes thus eliminating chafing, "Static Cling" out of nylons and other synthetics. Improves ironing time.

Rinse empty container thoroughly with water and discard it.

DANGER

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Harmful or fatal if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

ANDERSON CHEMICAL COMPANY

LITCHFIELD, MINNESOTA 55355 • BOX 1041
DES MOINES, IOWA 50309 • 204 S. W. 2ND ST.

ANDERSON[®]

skin with plenty of water
plan. Remove and wash all
ed. drink milk, egg whites,
s. drink large quantities of

CHEMICAL COMPANY • LITCHFIELD, MINNESOTA 55355 • BOX 1041
DES MOINES, IOWA 50309 • 204 S. W. 2ND ST.