

MIXING IS EASY

COUNT-MINUS 5 easily and quickly dispersed in hot or cold water up to 1700 ppm of hardness to form a complete, uniform solution.

COUNT-MINUS 5 when used at a 1:500 aqueous dilution (200 ppm active quaternaries) may be used on food processing and dairy equipment without the necessity of a final potable water rinse.

COUNT-MINUS 5 For Sanitizing Milk Equipment and Utensils

1. Follow each milking or processing period by flushing with cold to warm water until all residual milk or food is rinsed free.
2. Using 1 oz. to 4 gallons (200 ppm Quaternary) of luke warm water, break all parts of the milker or equipment - soak in tank.
3. Scrub or dip equipment into the solution and allow to drain prior to beginning of milking operation.

COUNT-MINUS 5 for Cleaning Bulk Tanks

1. Hose flush with cold water until milk residual is gone.
2. Using 1 oz. of **COUNT-MINUS 5** to 4 gallons of warm water (200 ppm Quaternary) wash tank carefully.
3. Scrub tank, mixers and covers and then allow to drain.


COUNT-MINUS 5 For Udders

1. Using 1 oz. to 4 gals. of warm water submerge one clean towel for each cow.
2. Carefully wash udder, teats and destroy towel.

**NET CONTENTS
ONE U.S. GAL.**

ANDERSON CHEMICAL COMPANY
LITCHFIELD
MINNESOTA 55355

**DES MOINES
IOWA
50309**



Anderson's®
**QUATERNARY
ACID CLEANER-SANITIZER
MILKSTONE REMOVER**

COUNT-MINUS 5

E.P.A. REG. NO. 150-47 E.P.A. EST. NO. 150-MN-1

ACTIVE INGREDIENTS:
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
 dimethyl benzyl ammonium chlorides 5.0%
n-Alkyl (68% C12, 32% C14) dimethyl
 ethylbenzyl ammonium chlorides 5.0%
Phosphoric Acid 30.0%
INERT INGREDIENTS 60.0%

100.0%

**DANGER: KEEP OUT OF REACH
OF CHILDREN**

See right side panel for additional precautionary
and First Aid statements.

This product fulfills
FAA requirements of
the U.S. Public Health
Service and is listed
in the Federal and De

DANGER Keep
Container away from
children. Avoid contact
with eyes, nose, mouth,
rubber gloves, white
clothing, and skin.



FIRST AID In case
of skin contact, wash
with plenty of water.
Call a physician. Rinse
before reuse.

If swallowed, drink
milk or water and do
not induce vomiting.
Seek medical attention
immediately.

NOTE TO PHYSICIAN
In case of eye contact,
flush with water. First
aid may be needed.

Rinse empty container

MIXING IS EASY

COUNT-MINUS 5 is easily and quickly dispersed in hot or cold water up to 1700 ppm of hardness to form a completely uniform solution.

COUNT-MINUS 5 when used at a 1:500 aqueous dilution (200 ppm active quaternaries) may be used on food processing and dairy equipment without the necessity of a final potable water rinse.

COUNT-MINUS 5 For Sanitizing Milk Equipment and Utensils

1. Follow each milking or processing period by flushing with cold to warm water until all residual milk or food is rinsed free.
2. Using 1 oz. to 4 gallons (200 ppm Quaternary) of luke-warm water, break all parts of the milker or equipment — soak in tank.
3. Scrub or dip equipment into the solution and allow to drain prior to beginning of milking operation.

COUNT-MINUS 5 for Cleaning Bulk Tanks

1. Hose-flush with cold water until milk residual is gone.
2. Using 1 oz. of **COUNT-MINUS 5** to 4 gallons of warm water (200 ppm Quaternary) wash tank carefully.
3. Scrub tank, mixers and covers and then allow to drain.


COUNT-MINUS 5 For Udders

1. Using 1 oz. to 4 gals. of warm water submerge one clean towel for each cow.
2. Carefully wash udder, teats and destroy towel.

ACCEPTED

AUG 2 1976

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND ROBOTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 150-47



Anton's®
QUATERNARY
ACID CLEANER SANITIZER
MILKSTONE REMOVER
COUNT-MINUS 5
 E.P.A. REG. NO. 150-47 E.P.A. EST. NO. 150-MN-1

ACTIVE INGREDIENTS:

| | |
|--|--------|
| n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) | |
| dimethyl benzyl ammonium chlorides | 5.0% |
| n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides | 5.0% |
| Phosphoric Acid | 30.0% |
| INERT INGREDIENTS | 60.0% |
| | 100.0% |

DANGER: KEEP OUT OF REACH OF CHILDREN

See right side panel for additional precautionary and First Aid statements.

This product fulfills "A" Pasteurized Milk the U.S. Public Health hardness calculated Germicidal and Disinfectant

DANGER — Keep away from children. Causes severe eye irritation on skin or on clothing. Wear rubber gloves when used. Avoid contamination of food.

FIRST AID — In case of eye contact, flush with plenty of water. Call a physician. Rinse before reuse.

If swallowed, drink egg whites, gelatin or milk. Drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIANS — Do not use if contraindicated. The use of this product may be needed.

Rinse empty containers before reuse.

ACCEPTED

AUG 2 1976

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROBOTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 150-47



Anton's®
 CATTLEMAN'S
 ACID CLEANER SANITIZER
 MILKSTONE REMOVER
COUNTDOWN 5

E.P.A. REG. NO. 150-47 E.P.A. EST. NO. 150-MN-1

ACTIVE INGREDIENTS:
 n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
 dimethyl benzyl ammonium chlorides -----5.0%
 n-Alkyl (68% C12, 32% C14) dimethyl
 ethylbenzyl ammonium chlorides -----5.0%
 Phosphoric Acid -----30.0%
 INERT INGREDIENTS -----60.0%
 100.0%



HARD WATER TOLERANCE

This product fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinance, 1965 Recommendation of the U.S. Public Health Service in waters up to 600 ppm of hardness calculated as CaCo3 when tested by the AOAC Germicidal and Detergent Sanitizing Official Method.

DANGER - Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID - In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN - Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

Rinse empty container thoroughly with water and discard it.

DANGER: KEEP OUT OF REACH OF CHILDREN

See right side panel for additional precautionary and First Aid statements.

