

ACCEPTED
JAN 25, 1967
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTRATION
 UNDER NO. 100-10000-10000
 TO ATTACHED COMMENTS

16

WASCO

BRAND

DIRECTIONS

For Household Use: As a fumigant after sickness, close up all cracks, keyholes, etc. where gas can escape with strips of paper. For 800 cubic feet (room 10 feet square, 8 feet high), place 14 ounces of permanganate of potash evenly over the bottom of a wide bucket or tub, which has been raised a short distance off the floor by means of a box or bricks, to prevent injury to the floor from heat. Pour 1 pint of formaldehyde into the basin and leave room immediately. Keep room closed for 24 hours and then ventilate thoroughly before entering. Keep temperature above 60° F. and hang wet sheets in room to maintain relative humidity of 65% or above.

Storage and General Use: To control disease germs, mould or musty odors in cellars and storages, spray the floor, ceiling and all walls and doors with one quart of formaldehyde in 14 gallons of water. Wet all surfaces thoroughly with the formaldehyde solution and then close up all openings for several hours to permit the fumes to penetrate all crevices. Air out after treatment to remove fumes before entering.

Soil Disinfection for Damping Off: To prevent damping off in greenhouses, flats, hotbeds and cold frames wet soil with 1½ table-spoons of formaldehyde in 3 gallons of water. Apply IMMEDIATELY after the seeds are planted and covered at the rate of one gallon to five square feet of seed bed.

CONTENTS: 1 GALLON

Code: 5-1281-965 500-d

FORMALDEHYDE SOLUTION

U. S. P.



POISON



WARNING:
KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANELS FOR OTHER CAUTIONS

ACTIVE INGREDIENTS:
 Formaldehyde 37%
INACTIVE MATTER:
 Water and Methyl Alcohol 63%

Chemicals for all Industries

MANUFACTURED BY **WASATCH CHEMICAL COMPANY** SALT LAKE CITY, UTAH

NOTE: Cloudiness or slight discoloration does not affect value of contents for seed treatment or disinfection.

ANTIDOTE

Give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Give milk or white of eggs beaten with water. **Call a physician immediately!**

WARNING MAY BE FATAL IF SWALLOWED OR FUMES INHALED

Causes irritation of skin, eyes, nose and throat. Do not breathe vapor. Do not leave on skin, eyes, or on clothing. Wash thoroughly. Use with adequate ventilation.

Non-Warranty: Seller makes no warranty of any kind, expressed or implied, concerning the use of this product. Buyer assumes all risks of use or handling whether in accordance with directions or not.