

ACCEPTED
869-123
Jan. 25 1974
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 123-123
TO ATTACHED COMMENTS.

WEEDS CONTROLLED
is especially effective against weeds such as Sheep Sorrel, Knotweed, and Henbit. In addition to these, it kills virtually all broadleaf weeds.

- | | | |
|---------------|------------------|----------------------|
| Lambsquarters | Poison Ivy | Spurge |
| Lespedeza | Poison Oak | Velvet Leaf |
| Mallow | Purslane | Wild Carrot |
| Morning Glory | Ragweed | Wild Garlic |
| Mustard | Sheep Sorrel | Wild Lettuce |
| Oxalis | Shepherd's Purse | Wild Onion |
| Peppergrass | Speedwell | Yarrow |
| Pigweed | Tansy Mustard | Many other broadleaf |
| Plantains | Thistle | weeds |

DIRECTIONS FOR USE
Leaf Weed Killer is specially formulated for protection to seedling grasses St. Augustine grass, bentgrass, and buffalo grass. Sprays should be applied tender for best results. If weeds are older and hard to kill the higher rates of spraying St. Augustine grass under conditions of high temperature is growing rapidly. Under these conditions, or in cases of accidental incorporation of the St. Augustine foliage might occur. **DO NOT USE ON** newly seeded lawns.

To absorb the herbicide, irrigate the lawn 2 or 3 days prior to spraying. Although spray works faster with temperatures above 70° F., plants are growing. Spray when air is calm to avoid drift. Spray will injure ornamental and vegetable crops. This product works slowly. Therefore, it does die. Amount of water in spray is not important except to evenly call for one ounce in 1 gallon on 300 square feet, it may be more on 300 square feet, depending on the sprayer. Generally, large area coverage.

St. Augustine grass, buffalo grass and grass seedlings mix 1 ounce or 2 tablespoons per 300 square feet. (Example: an area 10 feet wide and 30 feet long in 2 or 3 weeks, if hard-to-kill weeds persist.

Bermuda, bahia, blue grass, centipede, fescue, rye, mix 1-1/2 ounces per 300 square feet. On hard to kill species, or under poor conditions, mix 2 ounces in 1 gallon of water and spray on 300 square feet for coverage of hard-to-kill weeds.

Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Rinse with plenty of water.

Do not spray on flowers, ornamental plants, shrubs, trees, and other desirable plants or irrigation water. Do not store in contact with fertilizers, seeds, or lawn sprayers for this use. Coarse sprays are less likely to drift. Do not spray on desirable trees and shrubs.

Remove and destroy. Never re-use. Destroy by perforating or crushing and burning.

This product conforms to the ingredient statement on the label. Since compatibility with other chemicals, and condition of application equipment, other than those stated on this label.



GREEN LIGHT

WIPE-OUT[®]

BROADLEAF WEED KILLER

For Controlling Weeds in St. Augustine, Bermuda, Fescue, Bent Grass, Bahia, Centipede, Rye, and Bluegrass Lawns

Kills

- DANDELIONS • KNOTWEED • HENBIT • CHICKWEED
PLANTAINS • SPURGE • See Back Panel for Other Weeds

ACTIVE INGREDIENTS:	
Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid* ...	7.09%
Dimethylamine salt of 2, 4-dichlorophenoxyacetic acid**	2.16%
Dimethylamine salt of Dicamba (3, 6-dichloro-o-anisic acid)***	0.86%
INERT INGREDIENTS 89.89%	
Contains Trimec (R) /	Total 100.00%
*2-(2-methyl-4-chlorophenoxy) propionic acid equivalent 0.63 lbs. per gallon or 5.86%	
**2, 4-dichlorophenoxyacetic acid equivalent 0.20 lbs. per gallon or 1.80%	
***3, 6-dichloro-o-anisic acid equivalent 0.08 lbs. per gallon or 0.72%	
/Registered trademark of P. B. I.-Gordon Corporation U.S. Pat. No. 3,284,186	

WARNING: KEEP OUT OF REACH OF CHILDREN
See other warnings on back.

COMPANY, San Antonio, Texas 78217

GREEN LIGHT COMPANY, San Antonio, Texas 78217