



INSTRUCTIONS:

Contains 2 lbs. actual net ester per gallon.

ACTIVE INGREDIENTS: Heptachlor (heptachlor epoxide hydro-4,7-methanobindone).....23.25
 Related Compounds..... 5.00
 Petroleum Distillates..... 71.75

INERT INGREDIENTS:..... 0.40

CAUTION: KEEP OUT OF REACH OF CHILDREN.
 SEE SIDE PANELS FOR OTHER CAUTIONS. TOTAL 100.00
 U. S. D. A. Reg. No. 168-219
 EPA 168-219

PESTS ON ORNAMENTALS

Asiatic Garden Beetle Larvae: Apply 1 to 1 1/2 gallons per acre in a 100 to 200 gallons of water when pests first appear in numbers, and again later as needed.

Black Vine Weevil: Apply 2 1/2 to 5 gallons per acre and work into soil before planting, or around roots of established plants. For foliage treatment mix 2 quarts with 100 gallons of water and apply as a spray when pest first appears, and later as needed.

Imported Fire Ant On Ornamentals: Apply one gallon per acre as a broadcast treatment or wet down mounds with a solution of 1 1/2 gallons per hundred gallons of water (3 1/2 tablespoons per gallon of water.)

Japanese Beetle Larvae: Apply 1 to 1 1/2 gallons per acre to soil when pest first appears in numbers. For adults, use 3 quarts per acre in sufficient weather for a thorough coverage.

Mosquitoes: Use 1/4 to 1 pint per acre for larvae and 1/4 to 1/2 pint per acre for adults. Do not graze dairy animals on treated pastures. Do not graze animals being finished for slaughter for 90 days following treatment.

PESTS ON FRUITS

Scale Insect: Apply 2 quarts per acre in a mix thoroughly into top 3 or 4 inches of soil before planting.

Root weevils, root worms, on raspberries and currants: Apply 1-1/2 to 2 gallons per acre and work into soil before planting; for ~~other~~ other fruits, use 1 to 1 1/2 gallons per acre.

Wheat insects, false wireworms, white grubs, wireworms: Apply 1 1/2 gallons per acre and work into soil before planting.

CAUTION: Use only as directed and on crops specified.

WARNING: May be fatal if swallowed. Do not get in skin. In case of spillage on skin, wash immediately with soap and water. Do not breathe vapor, fumes, or spray mist. Do not contaminate feed, foodstuffs. Keep out of reach of children.

Antidotes: External: In case of spillage on skin, wash promptly with soap and water.
 Internal: Emetic of 1 to 1 1/2 teaspoonful of mustard in a tumbler of water.
 Call a physician.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product. Buyer assumes all risks of use, whether in accordance with directions or not.

NET CONTENTS: 2 1/2 Gallon Bottles

THE FERTILIZER COMPANY
SALT LAKE CITY, UTAH

March 7, 1961
168-219 Revised.

4-10-67

168-219
comments

ACCEPTED

APR 10 1967

U. S. DEPARTMENT OF AGRICULTURE
OFFICE OF PEST CONTROL
WASHINGTON, D. C. 20250
168-219