

JUN 19 1962

FILE 103405

ETHYLENE DIBROMIDE BARK BEETLE SPRAY

FORM B

ACTIVE INGREDIENTS:	Ethylene Dibromide.....	34.70%
	Fuel Oil.....	69.00%
INERT INGREDIENTS:	5.30%
	CAUTION: KEEP OUT OF REACH OF CHILDREN	
	SEE SIDE PANELS FOR OTHER CAUTIONS. TOTAL	109.00%
	U.S.D.A. Reg. No. 168-259	

For killing pine bark beetle and spruce bark beetle in infested trees to prevent their spread to uninfested trees, mix 1 part of Ethylene Dibromide Bark Beetle Spray with 4 parts of water. Stir thoroughly. Five gallons of dilute spray will cover one tree about 8 inches in diameter 30 feet high.

For pine bark beetle, wet trunks and branches of infested trees completely and thoroughly with the mixture any time between September 15th to the following July 15th.

For spruce bark beetle, wet trunks and branches of infested trees completely and thoroughly any time from July 15th to the following May 15th.

Avoid spraying uninfested trees.

CAUTION: Harmful by inhalation, swallowing or skin contact.
Avoid breathing vapor.
Do not get in eyes, on skin, or on clothing.
In case of contact immediately remove clothing, including shoes, and flush skin or eyes with plenty of water for at least 15 minutes; for eyes, get medical attention.
Wash clothing and air shoes thoroughly before reuse.

WARRANTY: Seller makes no warranty of any kind, expressed or implied, concerning the use of this product. Buyer assumes all risks of use or handling, whether in accordance with directions or not.

NET CONTENTS:

REGISTERED BY: MORTON CHEMICAL COMPANY
SALT LAKE CITY, UTAH

June 13, 1962

For your information the insecticide is:

ACCEPTED

JUN 19 1962

U.S. DEPARTMENT OF AGRICULTURE

1.51% Emulsifier
4.79% Emulsifier (1 part nonyl phenol nonionic
5.30% 2 parts triethanolamine salt sulfonic acid