



PEST PELLETS

ACCEPTED
MAY 9 1975
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 168-289




For use in areas where rodents
are a problem. Keep pellets out
of reach of children and pets out
of the area.





Do not use in areas where children and pets are present.



PEST PELLETS

ATTRACTS & KILLS:
SLUGS • SNAILS • SOWBUGS
EARWIGS • ANTS • CUT WORMS
MILLIPEDES • ADULT STRAWBERRY ROOT WEEVILS

ONE POUND TREATS 850 SQ. FT.
(THIS PACKAGE TREATS 5100 SQ. FT.)

WARNING: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

ACTIVE INGREDIENTS:

Carbaryl (l-Naphthyl N-methylcarbamate)* 4.00%
Metaldehyde 1.00%

INERT INGREDIENTS:

TOTAL 100.00%

*SEVIN® — Union Carbide Corporation.
U.S. Patent No. 2,903,478

E.P.A. Reg. No. 100-289

NET WEIGHT: 6 LBS. (96 OZ.)



MORGRO PEST PELLETS

**FOR SLUGS, SNAILS, EARWIGS, CUTWORMS, SOW-
BUGS, MILLIPEDES, AND ANTS:**

APPLICATIONS

Scatter PEST PELLETS in areas of annual flowers and perennial shrubs bothered by above pests. Sprinkle lightly with water causing PEST PELLETS to swell into mound-like shapes for best pest attraction. Bait in early spring before pests cause damage. Repeat every 2 to 3 weeks or as necessary to control slugs, snails, and cutworms. DO NOT APPLY TO FOLIAGE or other plant parts.

FOR ADULT STRAWBERRY ROOT WEEVIL:

Put 3 to 5 PEST PELLETS around the base of each plant. Strawberries, Rhododendrons, Camellias, Primroses, and Azaleas *in April or May only*, or when weevil is in pupae stage. DO NOT APPLY DIRECTLY TO PLANTS. Repeat treatment if hatching weevil continue to appear in 2 to 3 weeks.

WARNINGS:

May be fatal if swallowed or inhaled.
DO NOT BREATHE DUST OR VAPORS.
Avoid contact with skin, eyes or clothing.
Wash thoroughly after using.

DO NOT APPLY DIRECTLY TO EDIBLE CROPS.
Keep away from feed or foodstuffs.
This product is toxic to wildlife. Birds and other wildlife in treated areas may be harmed.
Do not contaminate water by cleaning of equipment or disposal of wastes.

KEEP OUT OF REACH OF CHILDREN AND PETS.
Destroy container when empty.
DO NOT USE INSIDE THE HOUSE.
This product may be attractive to dogs. Keep dogs away from treated areas.

NON-WARRANTY: Manufacturer or Seller makes no warranty, expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Manufacturer or Seller is not liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically described and recommended on the label.

EPA Est. 168-UT-1

ACCEPTED

5-9-75

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
EPA REG. NO. 168-289