

Apply a uniform coverage of the spray to the weeds or to freshly seeded soil. Do not spray on a windless day. Do not spray on a hot day.

PREPARATION OF SPRAY: One half ounce of this product in 14 gallons of water is the recommended amount for 100 gallons of water.

GENERAL USES: On vacant lots, roadsides, and along fence rows use 2 to 3 ounces of 2,4-D ALKALINE in 50 gallons of water per acre. Thoroughly wet all weeds to be killed.

NOTE: When stored at temperatures below freezing it may be necessary to warm up to at least 45 degrees F. and shake thoroughly before using.

GENERAL INFORMATION

2,4-D ALKALINE is recommended for controlling Arrowweed, Dandelion, Dock, Henbit, Coldchisel, Lambsquarters, Mustards, Peppergrass, Pigweed, Plantain, Ragweed, Shepherd's-purse, Tobacco, Wild Carrot, Wild Herring Gull, Wild Radish and many other 2,4-D susceptible weeds in crops. This product also can be used on lawns, golf courses, parks, along highways, vacant lots, and other areas without injury to most grasses.

PREPARATION OF THE SPRAY: Fill the spray tank with half of the required amount of water, then add the recommended amount of 2,4-D ALKALINE with agitation and continue filling the spray tank with water. Use enough water to give uniform coverage. The amount of water required for low volume applications may vary from 5 to 25 gallons per acre. For high volume applications 100 gallons of water will be needed for good coverage. In any case, use the same amount of 2,4-D recommended per acre.

CAUTION: Care must be used to prevent spray drift from coming into direct contact with vegetables, flowers, grapes, fruit trees, currants, cotton, or other desirable plants sensitive to 2,4-D. Coarse sprays are less likely to drift.

- DO NOT contaminate irrigation ditches or water used for domestic purposes.
- DO NOT use the same spray equipment for applying other materials to plants, as injury may result.
- DO NOT store near fertilizers, acids, alkalis, or fuels.
- DO NOT take internally. Avoid contact with skin, eyes, or clothing.

This product is labeled under one or more of the following United States Patents: 2,400,000, 2,500,000, 2,500,000, 2,500,000, 2,500,000, 2,500,000, Pat. 2,500,000.

WARNING: Do not use on lawns, roadsides, or fruit trees. Do not use on lawns, roadsides, or fruit trees. Do not use on lawns, roadsides, or fruit trees.

© 1966
Produced by Dow Chemical Company

DOW CHEMICAL COMPANY
200 NORTH ZEEB RD.
MICHIGAN, U.S.A.
48106

A SERVICE WITH DOW

A PESTICIDE FOR EMERGENCY USE ONLY - NOT FOR REGULAR USE
REGISTERED UNDER THE FEDERAL INSECTICIDE ACT

ACTIVE INGREDIENTS:

Dinathyl ester of tetrachlorophthalic acid, 100%

INERT INGREDIENTS 100%

PREPARED BY: [Faint text]

REGISTERED UNDER THE FEDERAL INSECTICIDE ACT
EPA REG. NO. [Faint text]

ACCEPTED
OCT 13 1967
UNDER THE FEDERAL INSECTICIDE ACT
FOR ECONOMIC INSECTICIDES
EPA REG. NO. 105-312

UNITED STATES DEPARTMENT OF AGRICULTURE
BUREAU OF PLANT INDUSTRY

PLANT INDUSTRY

PLANT INDUSTRY
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

PLANT INDUSTRY
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

PLANT INDUSTRY
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

PLANT INDUSTRY
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

PLANT INDUSTRY
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

PLANT INDUSTRY
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

PLANT INDUSTRY
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

PLANT INDUSTRY
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

PLANT INDUSTRY
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

PLANT INDUSTRY
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

ACCEPTED
OCT 13 1967
U.S. DEPARTMENT OF AGRICULTURE
BUREAU OF PLANT INDUSTRY