

16-8-4

MORGRO
PLUS
FUNGICIDE

COVERS 5000 sq. ft.

Specifically Prepared For Disease Control, Stemrot and Leaf Spot of
Common Wheat, Barley, Buegrass, Nichondra and Alfalfa.

PRICE

ACTIVE INGREDIENTS:

Thiram (Tetramethyl thiuram disulfide)
*Cadmium Chloride.....

NET WEIGHT

Total.....

Net Metal Content.....

U.S.P.A. REG. NO.

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR COMPLETE DIRECTIONS

MANUFACTURED BY

WASATCH CHEMICAL COMPANY
2221 South 200 West
Salt Lake City, Utah 84119

ACCEPTED
OCT 8 1968
UNDER THE FEDERAL
FUNGICIDE AND ROCKET
FOR ECONOMIC POISON REGIST
ED UNDER NO. 68-331. SUBJECT
TO ATTACHED COMMENTS.

(Back Panel)

16-8-4
MORGRO
PLU
INGIC

GENERAL INFORMATION

MORGRO PLUS FUNGICIDE (16-8-4) is ideal for use on Blue Grass, Fescue grass, Bahia, Dichondra and Bermuda grass.

NET CONTENTS: 20 LBS.

NET WEIGHT ANALYSIS:

~~12.00% Ammoniacal Nitrogen from Ammonium Sulfate~~

~~12.00% Ammoniacal Nitrogen from Ammonium Sulfate~~

~~12.00% Ammoniacal Nitrogen from Ammonium Sulfate~~

~~4.00% Nitric Nitrogen from Ammonium Nitrate~~

~~12.00% Ammoniacal Nitrogen from Ammonium Sulfate~~

~~12.00% Ammoniacal Nitrogen from Ammonium Sulfate~~

~~12.00% Ammoniacal Nitrogen from Ammonium Sulfate~~

~~12.00% Ammoniacal Nitrogen from Ammonium Sulfate~~

FOR BEST RESULTS

1. Check weather index for proper spreading. Use 100 lbs. per acre.
2. Apply in wet or damp areas only, or during light rain.
3. Apply more in wet application.
4. Read CAUTION LABELS as printed on the application.

MORGRO PLUS FUNGICIDE can be applied in the fall, winter, spring or summer months. In areas of heavy rainfall, the product may be applied to wet or damp conditions to protect in areas of heavy disease. Allow at least thirty days between applications.

DISEASES THAT MAY BE PREVENTED OR CONTROLLED WITH MORGRO PLUS FUNGICIDE


Spot Mild
Foliar Spot
Foliar Blight
Foliar Necrosis

Stem Rot
Foliar Necrosis
Foliar Blight
Foliar Spot

MORGRO PLUS FUNGICIDE

MORGRO PLUS FUNGICIDE

16-8-4
MURPHY
PLU
FUNGICIDE



SPREADER SETTINGS

Check with your Garden supply dealer for proper settings or Calibrate the Spreader.

1. Place two (2) standard newspaper sheets open (1 page showing) on hard surface, such as a driveway.
2. Set spreader and operate as you will on your lawn over the newspaper. Use slight overlap.

CHECK YOUR SPREADER

Is it feeding uniformly at all points? Make sure it opens and closes properly.

Wash out after using.

3. Pour the fertilizer from the newspaper into a measuring cup. You should have 1/4 cup for proper setting.

Hang in a dry place.

Record proper settings for the next time.

4. Adjust your spreader if needed to the proper amount. Repeat calibration until the proper setting for the fertilizer is obtained.

CAUTIONS

1. Keep out of reach of children. In case vomiting occurs, drink water.
2. Wash and exposed skin surfaces with soap and water immediately.
3. Excessive sunlight on will injure lawn. Apply at night or after rain at 30 day intervals.
4. Do not normally use on any application.
5. Wash off clothing, if flowers, trees, or shrubs are watered.
6. Harmful if swallowed.
7. Avoid contact with skin or eyes. Avoid inhalation of any dust or fumes.
8. Can be toxic to fish and wild life.
9. Do not contaminate any body of water, nor apply to any area not specified on the label.
10. Keep children and pets off treated area until it is dry.

For more information, consult your local garden supply dealer or contact the manufacturer.

WASATCH CHEMICAL COMPANY
2225 South 5th East
Salt Lake City, Utah 84106

MORGAN
PLU
FUNGIC
16-8-4

U.S.D.A. Reg. No. 168-X

GC 20 DATA

20-10-10.....	81.08
Water.....	6.00
antacay.....	11.50

JULY 27, 1968