


MORGRO  
SHRUB & EVERGREEN FERTILIZER  
PLUS  
SYSTEMIC INSECTICIDE

16-16-8

Contains 1% DI-SYSTON(R)

SHRUBS, ROSES, FLOWERS, BULBS



168-335

ACTIVE INGREDIENTS:

(Relative to Insecticide Content) (+)

O,O-Diethyl 5-[2-(ethylthio,ethyl) phosphorodithioate] ..... 1.0%

INERT INGREDIENTS: ..... 99.0%  
Total ..... 100.0%

The active ingredients is an organic phosphate insecticide and will inhibit cholinesterase.

(+) U.S. Patent No. 2,759,010  
This ingredient used under license Chemagro Corporation.

(R)DI-Syston a Registered T.M. Farben-Fabriken, Bayer

WARNING: KEEP OUT OF REACH OF CHILDREN.  
SEE EACH PANEL FOR OTHER WARNINGS.

CONTROLS: Aphids, White Flies, Lace Bug, Thrips, Birch Leaf Miner,  
Mimosa Webworm, Leafhopper, Mites, Pine Tip Moth.

USDA Reg. No. 168-335

NET CONTENTS: 5 LBS.  
10 LBS.

Distributed by:  
WASATCH CHEMICAL COMPANY  
Subsidiary of Mountain Fuel Supply Company  
Salt Lake City, Utah 84106

**MORGRO SHRUB & EVERGREEN FERTILIZER  
SYSTEMIC INSECTICIDE**

MORGRO SHRUB & EVERGREEN FERTILIZER SYSTEMIC INSECTICIDE enters the plant by absorption through the root. The insecticide placed near the roots is translocated to all parts of the plant and kills sucking insects feeding on the plant.

FERTILIZER ANALYSIS

TOTAL NITROGEN  
 Ammonic ..... 16.0%  
 From Ammonium Sulphate & Di-ammonium phosphate  
 PHOSPHORIC ACID  
 Available ..... 16.0%  
 From Di-ammonium phosphate  
 POTASH SOLUBLE ..... 8.0%  
 From Muriate of Potash

FOR BEST RESULTS USE THE MEASURING CUP

Level full it holds 2 oz. -- enough for one small shrub or evergreen.

SHRUBS AND EVERGREENS

Amount to Use	Height of Plant
2 oz. per ft. of height	1-3' - 1 measure full
4 oz. per ft. of height	3-6' - 2 measure full
6 oz. per ft. of height	6-12' - 3 measure full

Use a shovel or bar and place the insecticide fertilizer 4-6" underground within the drip area of the plant. Water normally after application. Two or more places per plant.

ROSES Use one measure per hybrid tea bush 18" - 24" in height around the drip area of the plant. Water normally after.  
 Climbers - Apply one measure per foot of cane in early spring. Repeat before July 15th if pests reappear, or if feeding is needed.  
 New Plantings - Mix one measure in the bottom of the hole before planting. Water normally after planting.

FLOWERS AND BULBS - DAHLIAS - IRIS CORNS

Broadcast 5 lbs. per 300 sq. ft. or 1 lb. per 60 sq. ft. of area. Work into the soil before planting. Water normally after planting for best results. Repeat if feeding is needed before July 15th.

TREATS 50 SHRUBS OR ROSE BUSHED 18"-24" IN HEIGHT, OR 300 SQ. FT. OF FLOWER AREA.

**WARNING:** Poisoning may occur as a result of exposure. May be fatal if swallowed. May be absorbed through the skin. Avoid contact with skin, eyes, and clothing. Wash hands thoroughly after handling. Keep out of reach of children. If swallowed, induce vomiting and call a physician.  
 Keep children and pets off the treated areas until the insecticide has been washed into the soil and the treated areas have dried completely. Do not apply to plants to be used for animal or human consumption. This product is toxic to fish, wildlife and birds. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this produce only as specified on this label. Do not reuse this container. Crush and dispose of when empty. Do not leave container or measuring cup unattended in the presence of children.

By Prescription Antidote: Atropine sulphate under 2-P.M.

(Page 3)

NON-WARRANTY: Manufacturer or seller is not liable for any damage or injury caused by this product due to misuse, mishandling or any application not specifically recommended on this label.

May 1971  
August 1971