



SHELLCHLOR* 33.3 G

GRANULES — INSECTICIDE



ACTIVE INGREDIENTS
 33.3% Shellchlor 33.3 G
INERT INGREDIENTS
 66.7%
TOTAL 100.0
 *EPA Reg. No. 101-201-0101
 and 101-201-0102
 EPA Reg. No. 101-206

USE AND APPLICATION DIRECTIONS

See the following table for use of crops to be treated and rate of application.
 On bare soil, apply granules to soil immediately after plowing and harrowing.
 On bare soil, make application immediately after plowing and harrowing.
 Do not apply when fruit is present.
 On bare soil, make application immediately after plowing and harrowing.
 Do not apply when fruit is present.

USE AND APPLICATION DIRECTIONS

Crop (Or Use)	Insect	SHELLCHLOR 33.3 G Lb. Per Acre		
		Row	Broadcast	
FIELD CROPS Corn, Field Beans, Soybeans, Tobacco	Corn Rootworm (Northern and Southern Corn), Field Ants, Corn Root Aphid	2	4	
	Cutworms		7-12	
	Seed Corn Beetle Larvae, Seed Corn Midge, Wireworm	6	7-12	
	Japanese Beetle Larvae	6	15-30	
	Away Garden Beetle Larvae, Green June Bug Larvae, White Grub Beetle Larvae	6	7-15	
FRUIT TREE CROPS Apples, Berries, Blueberries, Citrus, Grapes, Pears, Peaches, Plums, Prunes, Quinces, Raspberries, Strawberries	Cutworms		7-12	
	Japanese Beetle Larvae	6	7-12	
	Away Garden Beetle Larvae, Green June Bug Larvae, White Grub Beetle Larvae	6	7-15	
	Root Weevil Larvae, Rootworms	15	30	
	Blackberry, Blueberry, Raspberry, Strawberry Root Weevil Larvae	30		
FRUIT CROPS Apples, Apricots, Cherries, Nectarines, Peaches, Pears, Plums, Prunes, Quinces, Blackberries, Blueberries, Grapes, Huckleberries, Loganberries, Raspberries, Strawberries, Grapefruit, Kumquat, Lemons, Limes, Oranges, Tangerines, Tangelos, Pineapple	Ants		4-6	
	White Grubs, Cutworms, Wireworms		7-12	
	Japanese Beetle Larvae	6		
	Away Garden Beetle Larvae, Green June Bug Larvae, White Grub Beetle Larvae	6	7-15	
FRUIT CROPS Blackberries, Blueberries, Raspberries, Strawberries	Root Weevil Larvae	15	30	
	Root Weevil Larvae	30		
FRUIT CROPS Ornamental Turf, Lawns, Nursery and Greenhouse Soil	Ants, Field Ants	1	4	
	Japanese Beetle Larvae, Green June Bug Larvae, White Grub Beetle Larvae, Spiders	2	7	
	Away Garden Beetle Larvae, Green June Bug Larvae, White Grub Beetle Larvae	3	15-30	
	Japanese Beetle Larvae	7	30	

CAUTION: KEEP OUT OF REACH OF CHILDREN

FRUIT CROPS	Insect	Oz./1000 Sq. Ft. Lbs./A*		
		Row	Broadcast	
FRUIT CROPS Apples, Apricots, Cherries, Nectarines, Peaches, Pears, Plums, Prunes, Quinces, Blackberries, Blueberries, Grapes, Huckleberries, Loganberries, Raspberries, Strawberries, Grapefruit, Kumquat, Lemons, Limes, Oranges, Tangerines, Tangelos, Pineapple	Ants		4-6	
	White Grubs, Cutworms, Wireworms		7-12	
	Japanese Beetle Larvae	6		
	Away Garden Beetle Larvae, Green June Bug Larvae, White Grub Beetle Larvae	6	7-15	
FRUIT CROPS Blackberries, Blueberries, Raspberries, Strawberries	Root Weevil Larvae, Rootworms	15	30	
	Root Weevil Larvae	30		
FRUIT CROPS Ornamental Turf, Lawns, Nursery and Greenhouse Soil	Ants, Field Ants	1	4	
	Japanese Beetle Larvae, Green June Bug Larvae, White Grub Beetle Larvae, Spiders	2	7	
	Away Garden Beetle Larvae, Green June Bug Larvae, White Grub Beetle Larvae	3	15-30	
	Japanese Beetle Larvae	7	30	

*Where no specific rate is given, the rate of application of SHELLCHLOR 33.3 G is 16.30 mesh granules per acre.

CAUTION

KEEP OUT OF REACH OF CHILDREN. Read entire label carefully. Contains shell chlor, which is a highly toxic material. Avoid contact with skin, eyes, nose, mouth, and clothing. Do not inhale dust. Avoid contact with food, feed, or water. Do not use in residential areas. Do not use in areas where children or animals are present. Do not use in areas where water is used for drinking. Do not use in areas where water is used for irrigation. Do not use in areas where water is used for watering lawns. Do not use in areas where water is used for watering plants. Do not use in areas where water is used for watering trees. Do not use in areas where water is used for watering shrubs. Do not use in areas where water is used for watering flowers. Do not use in areas where water is used for watering vegetables. Do not use in areas where water is used for watering fruits. Do not use in areas where water is used for watering nuts. Do not use in areas where water is used for watering seeds. Do not use in areas where water is used for watering plants. Do not use in areas where water is used for watering trees. Do not use in areas where water is used for watering shrubs. Do not use in areas where water is used for watering flowers. Do not use in areas where water is used for watering vegetables. Do not use in areas where water is used for watering fruits. Do not use in areas where water is used for watering nuts. Do not use in areas where water is used for watering seeds.

CAUTION

KEEP OUT OF REACH OF CHILDREN. Read entire label carefully. Contains shell chlor, which is a highly toxic material. Avoid contact with skin, eyes, nose, mouth, and clothing. Do not inhale dust. Avoid contact with food, feed, or water. Do not use in residential areas. Do not use in areas where children or animals are present. Do not use in areas where water is used for drinking. Do not use in areas where water is used for irrigation. Do not use in areas where water is used for watering lawns. Do not use in areas where water is used for watering plants. Do not use in areas where water is used for watering trees. Do not use in areas where water is used for watering shrubs. Do not use in areas where water is used for watering flowers. Do not use in areas where water is used for watering vegetables. Do not use in areas where water is used for watering fruits. Do not use in areas where water is used for watering nuts. Do not use in areas where water is used for watering seeds.

NET CONTENTS: 50 LBS. (16-30 mesh)

SHELL CHEMICAL COMPANY, A Division of Shell Oil Company, AGRICULTURAL DIVISION, SAN RAMON, CA. 94583