

(FRONT PANEL)

WASCO
CHLORINE TABLETS
FOR SWIMMING POOLS

Tablet Calcium Hypochlorite
70% Available Chlorine

168-393

ACCEPTED
AUG 7 1967
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. ~~168-393~~ SUBJECT
TO ATTACHED COMMENTS.

ACTIVE INGREDIENTS:

Calcium Hypochlorite..... 70%

INERT INGREDIENTS:..... 30%

TOTAL..... 100%

DANGER: KEEP OUT OF THE REACH OF CHILDREN.
SEE RIGHT PANEL FOR ANTIDOTES AND OTHER WARNINGS.

X
O P O I S O N O
X X

WASATCH CHEMICAL COMPANY
SALT LAKE CITY, UTAH

U.S.D.A. REG. NO. 168

RIGHT PANEL

ANTIDOTE:

EXTERNAL: Wash with water.

INTERNAL: Drink milk, rice gruel, mucilage or raw egg white.
Follow with emetic (tablespoon of mustard in glass of water).
CALL PHYSICIAN.

CAUTION:

Close container tightly after using.
Store in cool, dry place.
Keep away from heat, acids, and ignites or combustible materials.
Do not handle with wet hands.
Wash hands immediately after handling.
Do not get on skin. Do not get in eyes.
Do not take internally. May produce chemical burns. In case of
eye contact, flush with plenty of water. If irritation persists,
get medical attention.

NON WARRANTY: Manufacturer or seller is not liable for injury or damage caused
by this product due to misuse, mishandling, or any application not specifically
recommended on this label.

NET CONTENTS: 100 LBS.


LEFT PANEL

SUPPLEMENTAL DIRECTIONS

SWIMMING POOL SANITATION: Six Chlorine Tablets should be placed in the pool at the deep end of the pool. There should be more tablets in the deep end of freshly filled pools that have not been previously treated. Repeat the daily dosage until a chlorine residual of 0.6 to 1.0 ppm is obtained.

See sketch for approximate locations.

Approximate Daily Dosage



Pool Size (Gallons)	Weight of Chlorine Tablets
2,500	2 to 3 oz.
5,000	4 to 6 oz.
10,000	1/2 to 3/4 pounds
15,000	3/4 to 1-1/8 lbs.
20,000	1 to 1-1/2 pounds.
25,000	1 1/8 to 1 7/8 lbs.
30,000	1 1/2 to 2 lbs.

*Six Chlorine tablets weigh approximately 1 oz. An 8 fluid ounce measuring cup holds about 10 ounces of tablets.

The residual chlorine level should be maintained at 0.6 to 1.0 parts per million (ppm) by applying the dosage daily or as needed.

A test kit, available at your swimming pool supply dealers, will enable you to check this level daily. Sunlight, temperature, bathing load, and air-borne contaminants will affect the chlorine residual level, so the above table of daily dosages is only approximate.

Alkalinity or pH must be kept between 7.2 and 7.8 to minimize eye and skin irritation. A daily check with a test kit should be made. See your swimming pool supply dealer for methods of adjusting pH.

SUPERCHELORINATION AND ALGAL CONTROL: Superchlorination is a procedure in which the tablet dosage is 5 to 10 times the usual amount. This should be done once each week, preferable a night when the pool is not in use. To keep your pool clean and help prevent growth of algae, backwash the filter frequently, use a pool vacuum cleaner, and clean the surface with a skimmer. Superchlorination also precipitates metallic impurities which may be removed with the pool vacuum.

O.S. 20 DATA

INERT INGREDIENTS:

Calcium Chloride.....

