


Price
\$5.95

Net Wt.
3 lbs.



DACTHAL W - 50

DACTHAL (R) W-
(50% Wettable Powder)

A Selective Pre-emergence Herbicide for
Nurseries and Professional Turf Management

CAUTION: KEEP OUT OF REACH OF CHILDREN.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONS.

ACTIVE INGREDIENTS:

Dimethyl ester of tetrachloroterephthalic acid*... 50.00

INERT INGREDIENTS: 50.00

TOTAL.....100.00

*Use as a pre-emergence herbicide registered under
U. S. Pat. No. 2,923,634

U.S.D.A. Reg. No. 101-101-101

MANUFACTURER

WASATCH CHEMICAL COMPANY
2225 South 5th East
SALT LAKE CITY, UTAH 84119

(Left Panel)

MORGRO DACTHAL W-50

GENERAL INFORMATION

DACTHAL (R) W-50 herbicide is a highly effective pre-emergence material for controlling annual grasses and other weeds. DACTHAL (R) W-50 herbicide, at 20 pounds per acre (1/2 lb. per 100 sq. ft. of DACTHAL (R)), gives excellent control of many of the most troublesome weeds in turf and ornamental plantings. For easy measurement this is 4 teaspoons per 100 sq. ft.

| | |
|-------------------------|------------------|
| Carpetweed | Lambquarters |
| Common Chickweed | Lovegrass |
| Fall panicum | Purslane |
| Florida pusley | Smooth crabgrass |
| Green foxtail | Texas millet |
| Hairy crabgrass | Wildgrass |
| Johnson grass from seed | Yellow foxtail |

DACTHAL (R) W-50 is a pre-emergence herbicide and therefore must be applied in early spring prior to the germination of crabgrass or the above-listed weeds. This product does not provide control if applied after such weeds appear. One application, applied before weed germination in early spring, usually provides seasonal control. Turf will thicken naturally after spring removal of crabgrass and other competing weeds.

Where some spring seeding is necessary, there should be a delay of approximately 60 days after the application of most pre-emergence crabgrass killers, including DACTHAL (R). This delayed seeding proves the survival percentage of a variable grass seedlings. Reseeding is done before 60 days after application of DACTHAL (R), the amount of grass seed sown should be increased by 50% to insure thrifty stands.

Early spring application of DACTHAL (R) herbicide may be applied to newly-seeded turf after they have exhibited greening of newly-seeded turf grass. Such early seeding, followed by DACTHAL (R) application, allows control of the crabgrass without injury to newly-germinated turf grasses. Early spring application of DACTHAL (R) allows fall seeding of permanent grasses.

To control annual blue grass spurs and other weeds or late-emerging grasses and weeds, a late summer or early fall application of 30 pounds per acre of DACTHAL (R) W-50 herbicide should supplement the early spring application. (For easy measurement this is 7 teaspoons per 100 sq. ft.)

CAUTION

KEEP OUT OF REACH OF CHILDREN.
DO NOT APPLY TO TURF OR ORNAMENTALS.
DO NOT APPLY TO TURF OR ORNAMENTALS.
DO NOT APPLY TO TURF OR ORNAMENTALS.
DO NOT APPLY TO TURF OR ORNAMENTALS.
DO NOT APPLY TO TURF OR ORNAMENTALS.

