

FRONT PANEL

D-114
Contains Dipt

TYPE: FLY OUT OF THE HEAD
SEE ADDITIONAL COMMENTS ON BACK PANEL

[168-415]
1 of 3

ACTIVE INGREDIENTS

2,2,2-trichloro-1,1,1-trifluoroethane

INERT INGREDIENTS

*Reg. in Canada Pat. Offs. by Farbentfabriken Bayer, AG, Germany
C. P. 1000000

NET WEIGHT

H. S. N. A. F. 281.1.00

MANUFACTURER

THE CHEMICAL
CORPORATION
NEW YORK, N. Y.

ACCEPTED

JUN 18 1968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR SUCH AND SUCH USE REGISTERED
ED UNDER NO. 168-415 SUBJECT
TO ATTACHED COMMENTS

SIDE PANEL

DIRECTIONS FOR USE

D-Fly kills both resistant and non-resistant strains of house flies. They are attracted to it, feed on it, and die.

READ LABEL DIRECTIONS BEFORE USE.

TO CONTROL ROACHES IN STORES, RESTAURANTS, AND SIMILAR COMMERCIAL BUILDINGS.

Place a small quantity of dry bait on pieces of paper, cardboard, or jar lids, and put in protected areas such as janitor closets, under sinks or water heaters, out of reach of children and pets, and where flying insects cannot get into food, utensils, or drinking water. Wet the bait slightly for increased killing efficiency.

TO CONTROL FLIES AND ROACHES (IN AND AROUND) DAIRY BARN, MILK ROOMS, FOOD PROCESSING PLANTS, LATHES, FIELDS, STABLES, STOCK YARDS, KENNELS, HOSPITALS, GARAGE FLOOR, OUTDOOR LATRINES, AND OTHER PLACES WHERE FLIES ARE FOUND:

D-Fly can be used dry "as is" or dissolved in water and sprinkled as described below. Good sanitation is essential to fly control. Remove wastes promptly. Apply D-Fly daily until flies are controlled and then repeat as needed.

As a Dry Bait: Scatter lightly in strips on floors, window sills, and other clean horizontal areas. Use 4 ounces per 1,000 square feet, scattering light so that bait is barely visible. Apply directly to garbage and manure where they breed and congregate. For faster kill, apply D-Fly to poisoned swill.

As a Water Solution for Fly Control: Pour 7 pounds of D-Fly into 1 gallon of water and 2 cups of molasses or 1 pound of sugar, and stir until dissolved. Sprinkle on floor, window sills, etc., of dairy barns and other farm buildings, especially if these buildings have a large fly population or intense odor.

Where Floor Area is Leaking: Where there is not enough clean floor area for control, for example, in a floor barn or a stockyard, treat cracks, boards, and strips of cardboard and paper then inside or outside buildings where flies breed. First wet them, then apply D-Fly. Vertical surfaces indoors may be treated by dissolving D-Fly in water and painting or spraying it on. Use only enough water to bring mixture to cream-like consistency.

D-Fly may be used in federally inspected red meat packing plants. In inedible products areas of these plants D-Fly may be used only after operations have ceased for the day, and baits must be removed before operations are resumed. In inspected red meat packing plants, D-Fly may be used around livestock pens in the inedible products areas of these plants.

RESTRICTIONS

Do not apply directly to animals. Do not contaminate drinking water, milk, or milk handling equipment. Do not treat portions of buildings where poultry, swine, or which animals can lick. Direct application to walls, floors, or other surfaces previously treated with lime, whitewash, or other alkaline materials is ineffective.

Keep bait and solution out of reach of children and pets.

[168-415]
2 of 3

(Side Panel)

WASCO
D-FLY
Contains

AUTH

[168-415]
303

May be... lowed.
Wash the... cap and war
Wash contaminated clothing with s...
Do not eat... food or food.
If illne... prompt med...
Atropine... antidotal.

NON-WARF

Manufacture... as not lic...
caused by... due to mis...
caution... recommend...

NET CONTENTS:

Harold S.
Robert D.