

READ ENTIRE LABEL BEFORE USING

DIRECTIONS FOR USE

FLOWER & SHRUB SPRAY offers the unique advantage of not significantly affecting beneficial insects (parasites, predators and pollinators) supplementing the natural control factors. DO NOT USE FLOWER & SHRUB SPRAY in conjunction with non-selective insecticides.

ORNAMENTAL FLOWERS, SHRUBS AND TREES: For use in hand-type sprayers, mix 2 to 3 teaspoons per gallon of water. Spray plants until thoroughly wet. Repeat applications as necessary.

FLOWER & SHRUB SPRAY controls:

- | | |
|-------------------------|----------------------|
| Armyworms | Stink bugs |
| Bagworms | Tarnished plant bugs |
| Climbing cutworms | Tobacco budworms |
| Dipterous leaf miner | Webworms |
| Lygus bugs | Zimmerman pine moth |
| Nantucket pine tip moth | |

CAUTION: Injury to foliage has occurred on certain varieties of Carnations, Hydrangeas and Zinnias. When large plantings of these flowers are to be sprayed for the first time, treat only a few plants and observe for 4 to 5 days before spraying the entire plantings.

Complete coverage and thorough application are essential for the most effective results. Schedule applications in accordance with local conditions. Consult your State Agricultural Extension Service or Experiment Station for specific use information in your area.



**DOES NOT DESTROY
BENEFICIAL INSECT
POPULATIONS WHEN
USED AS RECOMMENDED**

**Economical.
Supplements natural
control factors.
Low hazard
to environment.**

CAUTIONS

May be harmful if swallowed, inhaled, or absorbed through skin. Do not get in eyes or on skin. **DO NOT BREATHE SPRAY MIST.** Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse. Causes eye irritation. **AVOID CONTACT WITH EYES.**

If splashed in eyes, immediately flush eyes with plenty of water for at least 15 minutes. For further treatment get medical attention.

KEEP OUT OF REACH OF CHILDREN. Do not contaminate feed or foodstuffs. Do not use on crops used for feed or forage. Do not treat food crops grown in the greenhouse.

TO PHYSICIAN: Cholinesterase inhibitor. Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine. Should poisoning occur obtain prompt medical aid.

NON-WARRANTY: Manufacturer or Seller makes no warranty, expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Manufacturer or Seller is not liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically described and recommended on the label.

EPA Est. 168-UT-1

ACCEPTED

APR 30 1976

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under **168-495**
EPA Reg. No.