

NOT FOR HOME USE

DANGER: During application or on reentry of treated areas wear a full-face mask with black canister meeting the specifications of the U.S. Bureau of Mines for Organic Vapors, or an airline respirator.

Avoid contact with flame or hot surfaces. May be fatal if swallowed or inhaled. *Do not breathe vapor or mist.* Do not get in eyes, on skin, or on clothing. *Wash thoroughly.* Do not enter fumigated structure until thoroughly ventilated. Store in a cool place away from direct sunlight. Keep container closed. In case of spillage, mop up immediately and thoroughly air room.

ANTIDOTE: *External* — If spilled on skin, wash immediately with soap and water. If on clothing, remove clothing immediately and do not reuse until clothing has been washed.

Internal — CALL A PHYSICIAN. If inhaled, move victim to fresh air. Keep warm. If breathing stops, apply artificial respiration. If swallowed, induce vomiting (finger down throat or, if conscious, have victim drink warm salt water).

062530

EPA Est. 168-UT-1



GRA

FOR
LESSER G

ACTI

Ca
Ca
Pe
Su



EPA Reg. No.
168-499

DAN

S





WASCO

BRAND

GRAIN FUMIGANT

FOR CONTROL OF INDIAN-MEAL MOTH, RICE WEEVIL,
LESSER GRAIN BORER, CADELLE IN BARLEY, WHEAT AND OATS

ACTIVE INGREDIENTS:

| | |
|----------------------|---------|
| Carbon Tetrachloride | 82.20% |
| Carbon Disulfide | 16.30% |
| Petroleum Ether | 0.50% |
| Sulfur Dioxide | 1.00% |
| TOTAL | 100.00% |



POISON



DANGER: KEEP OUT OF REACH OF CHILDREN
SEE OTHER CAUTIONS ON LEFT PANEL

NET CONTENTS:
ONE GALLON



Manufactured by

WASATCH CHEMICAL DIVISION

1579 SOUTH SEVENTH WEST / P.O. BOX 8219 / SALT LAKE CITY, UTAH 84106

DI

Store

CONC

bushels
Apply 2
grain str
with the
6,000 b
hours.

STEEL
bushels.

WOOD
bushels.
not satis
leak out
other m
sprinkled

NON-W
ranty, ex
uct other
facturer
caused l
applicati
the labe