

4132 178-9

1043

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Cyndee Nicholson
Purdy Products Co.
379 Hollow Hill Drive
P.O. Box 456
Wauconda, IL 60084

20 DEC 1993

Subject: Stera-Sheen Green Label Sanitizer & Cleaner
EPA Registration No. 178-9
Your Amendment Dated November 19, 1993

Dear Ms. Nicholson:

This is in response to your minor label amendment to accommodate a smaller package size.

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comment below. A stamped copy is enclosed for your records.

Submit five copies of the finished labeling before you release the product for shipment bearing the amended labeling.

If you have any questions about this letter, please call Wallace Powell at 703-305-6938.

Sincerely,



Ruth G. Douglas
Product Manager 32
Antimicrobial Program Branch
Registration Division (7505C)

Enclosure

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

BEST AVAILABLE

20 DEC 1993
178-9
No
No
No

ASSEMBLY, SANITIZING AND OPERATING INSTRUCTIONS

1. Assemble and lubricate all disassembled parts to manufacturer specifications.
2. Dissolve one 2 oz. packet Stera- Sheen Green Label in 2 gallons of warm water.
3. Pour 2 gallons of Stera- Sheen sanitizing solution into hopper. As it enters the freezing cylinder, brush clean hopper and inlet hole.
4. Place control in "Wash" position, to agitate for five minutes. Drain all sanitizing solution. Switch to "Off" position.
5. Pour specified amount of fresh mix into hopper.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage or disposal.
- Open dumping is prohibited.
- Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to federal or approved state procedures under subtitle of the resource conservation and recovery act. In case of decomposition, isolate container in open air or well ventilated area. Flood with large volumes of water.

CONTAINER DISPOSAL: Completely empty packet and dispose of empty packet in a sanitary landfill.

GENERAL: Consult federal, state, or local disposal authorities for approved alternative procedures



ACTIVE INGREDIENT
SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE
INERT INGREDIENTS.....

**KEEP OUT OF REACH OF CHILDREN
WARNING**

PRECAUTIONARY STATEMENTS

Warning: Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Avoid contamination with food. Do not use in combination with soaps.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention.

If in eyes: Flush with plenty of water for 15 minutes. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage.

MANUFACTURED BY
PURDY PRODUCTS CO.

P. O. BOX 456
WAUCONDA, ILLINOIS 60084

STERA- SHEEN
ozs. to 2 gal. water

Using one packet, 2 gallons warm water and will effectively kill E. Coli and Staphylococcus aureus. p.p.m. hardness of water. PLEASE REFER TO THE TAILED INSTRUCTIONS

NET WEIGHT 2 OZ

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner that is inconsistent with labeling

CLEANING AND SANITIZING FROZEN DESSERT MACHINES

CLEANING AND DISASSEMBLY INSTRUCTIONS

1. Take hopper cover, gasket and mix feed device to sink for cleaning.
2. Place control switch in "Wash" position.
3. Drain all product into sanitized rerun container, if local health codes permit.
4. Pour two gallons of cool rinse water into hopper. Brush clean hopper and inlet hole.
5. Place control switch in "Wash" position and agitate for two minutes. Drain rinse water. Switch to "Off" position. Repeat rinsing procedure until water is clear.
6. Dissolve one 2 oz. packet Stera- Sheen Green Label in 2 gallons of warm water.
7. Pour Stera- Sheen Cleaning/Sanitizing solution into hopper. Brush clean hopper and inlet hole.
8. Place control switch in "Wash" position, to agitate for five minutes. Drain all solution. Switch to "Off" position.
9. Remove all freezing cylinder parts and door. Brush clean all disassembly parts in cleaning sanitizing solution and allow to air dry.
10. Repeat procedures for units with two freezing cylinders.

BEST AVAILABLE COPY