

178-18

9/2/2010

1/11



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510C)
1200 Pennsylvania Avenue NW
Washington, D.C. 20460

EPA Reg. Number: 178-18

Date of Issuance: SEP - 2 2010

Term of Issuance: Conditional

Name of Pesticide Product: Stera-Sheen® Advantage

NOTICE OF PESTICIDE:

- x Registration
Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Purdy Products Company
P.O. Box 456
Wauconda, IL 60084

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product (OPP Decision No. 432363) is registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
2. Change EPA File Symbol 178-RI to EPA Registration Number 178-18.
3. Make the following label changes:
a. On page 1 and 8, delete the word 'Only' from the phrase 'For Institutional Use Only'.
b. On page 2:
i. Revise the First Aid Statement by changing "...continue rinsing." to "...continue rinsing eye."
ii. Revise the phrase "...sanitize surfaces such as..." to "...sanitize the following surfaces:...".
iii. Revise the phrase "Clean and sanitize by soaking..." to read "Clean by soaking..."
iv. Remove the reference to use on "nylon" and change "ceramic" to "glazed ceramic".
v. Change the word "insure" to "ensure".

Signature of Approving Official:

Wanda Y. Henson
Acting Product Manager Team 32
Regulatory Management Branch II
Antimicrobials Division (7510P)

Date:

SEP - 2 2010

- vi. The dermal sensitization data requirement has not been satisfied. Therefore, you must revise the Precautionary Statements by adding the phrase "Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals." until the dermal sensitization data requirement is met.
 - c. On page 3:
 - i. Revise the phrase "...sink for cleaning and sanitizing." to "...sink for cleaning."
 - ii. Revise the phrase beginning "Brush clean and sanitize all disassembled parts..." to read "Brush clean all disassembled parts."
 - d. On page 4:
 - i. Revise the phrase "Wash, rinse and sanitize..." to "Wash and rinse..."
 - e. On page 6:
 - i. Revise the phrase "Clean and sanitize using one..." to "Clean using one..."
 - ii. Revise the phrase "...sink for cleaning and sanitizing." to "...sink for cleaning."
 - iii. Revise the phrase "Brush clean and sanitize all..." to "Brush clean all..."
 - f. On page 7, revise the Storage and Disposal section as follows:
 - i. Under the Pesticide Storage section of the product label, add instructions that specify what to do if the product leaks or spills from the product container.
 - ii. Under the Pesticide Disposal section of the product label, provide instructions for disposing of unused product. Guidance on developing appropriate pesticide disposal instructions can be found at <http://www.epa.gov/oppfead1/labeling/lrm/>, Chapter 13: Storage and Disposal.
 - iii. Include the appropriate residue removal statements based on your product's formulation type and container type.
 - g. On page 9, provide complete names for tested microorganisms and ATCC numbers. For example, *Staphylococcus aureus* (ATCC 6538) and *Salmonella typhi* (ATCC 6539).
4. Per the product chemistry review (see attached DER):

OPPTS 830.6317 (Storage Stability) and OPPTS 830.6320 (Corrosion Characteristics) data requirements must be satisfied.

Submit one (1) copy of your final printed label prior to releasing this product for sale.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

If you have questions or comments concerning this matter, please contact me at Henson.Wanda@epa.gov or call (703) 308-6345.

Sincerely,



Wanda Henson
Acting Product Manager 32
Regulatory Management Branch II
Antimicrobials Division (7510P)

Enclosures: (Stamped Label)

Stera-Sheen® Advantage

[Optional Marketing Statements]

- (Sanitizer)
- (Sanitizer for Frozen Dessert Machines)
- (Sanitizer/Cleaner/Milkstone Remover)
- (Sanitizer/Cleaner/Milkstone Remover for Frozen Dessert Machines)
- (Sanitizer and Cleaner)
- (Sanitizer and Cleaner for Frozen Dessert Machines)
- (Tea Brewer Cleaner & Sanitizer)
- (Tea Brewer/Dispenser Cleanser & Sanitizer)
- (Cleaner and Sanitizer for Beverage and Frozen Dessert Machines)
- (General Purpose Cleaner and Sanitizer for Utensils, Dishes, Glasses, Food-Contact Machine Parts, Floors, Countertops & Stationary Equipment Surfaces)
- (Detergent/Sanitizer/Milkstone Remover)
- (Detergent/Sanitizer/Milkstone Remover (for Frosty™ Machines))
- (Milkstone Remover)

For Institutional Use Only

ACTIVE INGREDIENT

SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE..... 4.8%

OTHER INGREDIENTS..... 95.2%

TOTAL 100.0%

Provides 2.68% Available Chlorine

KEEP OUT OF REACH OF CHILDREN

CAUTION

[When necessary, the following may be added to final printed label, depending on container type/size]
(Read Additional Precautionary Statements on (side) (back) (panel(s)) (outer carton)
(Read outer carton label for additional Precautionary Statements and complete Directions for Use)

MANUFACTURED BY
PURDY PRODUCTS CO.
P.O. BOX 456, WAUCONDA, IL 60084

EPA Reg. No. 178-xx
EPA Est. No.
Net Weight:

(Batch Code:) [to appear on front or back panel of label or immediate container, depending on container type/size]

ACCEPTED
with COMMENTS
EPA Letter Dated:

SEP - 2 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 178-18

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PHYSICAL AND CHEMICAL HAZARDS

Oxidizing agent. Do not use in combination with soap, detergent, or other chemicals. Do not mix with ammonia. Contamination with moisture, dirt, or organic matter may cause chemical reaction with generation of heat, and/or liberation of gases.

FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing.
- Call a poison control center or doctor for treatment advice.

FOR MEDICAL EMERGENCY INFORMATION CALL 1-800-222-1222

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

When used as directed, Stera-Sheen Advantage will effectively act as a sanitizer against *Salmonella typhi* and *Staphylococcus aureus*.

Stera-Sheen Advantage required use dilution
(0.75 oz. to 1.5 gal. water = 100 ppm available Chlorine)
(1 oz. to 2 gal. water = 100 ppm available Chlorine)

When used as directed, Stera-Sheen Advantage is used for cleaning and sanitizing beverage and frozen dessert machines (and to clean and sanitize surfaces such as:)

(Acrylic;) (Aluminum;) (Brass;) (Copper;) (Chrome;) (Corian®;) (Glass;) (Glazed ceramic, enameled, and porcelain surfaces;) (Iron;) (Laminated surfaces;) (Linoleum;) (Metal;) (Plastics (such as nylon, polystyrene or polypropylene);) (Porcelain;) (Rubber (such as EPDM or Viton);) (Sealed granite;) (Sealed limestone;) (Sealed marble;) (Sealed slate;) (Sealed stone;) (Sealed terracotta;) (Sealed terrazzo;) (Stainless steel;) (Vinyl;) (and Vinyl graphics)

[Directions for 1-oz. and 0.75-oz. packets]

CLEANING AND SANITIZING BEVERAGE AND FROZEN DESSERT MACHINES

(Soft-serve ice cream & shake freezers, batch freezers, smoothie and granita machines, iced cappuccino, and other beverage and frozen dessert machines)

CLEANING AND DISASSEMBLY INSTRUCTIONS

1. Follow manufacturer's directions to drain and rinse hopper (or dispenser) and freezer barrel. Rinse until rinse water is clear.
2. Dissolve (one 1 oz. packet of Stera-Sheen Advantage into two gallons of warm water) [OR] (one 0.75 oz. packet of Stera-Sheen Advantage in 1-1/2 gallons of warm water). Pour into hopper/dispenser.
3. Agitate Stera-Sheen Advantage solution per manufacturer's suggested wash cycle. Or, manually brush clean making sure solution makes contact with all surfaces.
4. Drain solution completely.
5. Following manufacturer's directions, take all removable parts to sink. Clean and sanitize by soaking for at least one minute using (one 1 oz. packet of Stera-Sheen Advantage per 2 gallons of water) [OR] (one 0.75 oz. packet of Stera-Sheen Advantage in 1-1/2 gallons of warm water). Allow to air dry. Follow local health ordinances.
6. Repeat procedures for each freezing cylinder or dispenser. To insure adequate cleaning, do not reuse solution.

ACCEPTED
with COMMENTS
EPA Letter Dated:

SEP - 2 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 178-18

5/11

ASSEMBLY AND SANITIZING INSTRUCTIONS

1. Assemble machine and lubricate all parts according to manufacturer specifications.
2. Dissolve (one 1 oz. packet of Stera-Sheen Advantage in two gallons of warm water) [OR] (one 0.75 oz. packet of Stera-Sheen Advantage in 1-1/2 gallons of warm water). Pour into hopper (or dispenser).
3. Agitate Stera-Sheen Advantage solution per manufacturer's suggested wash cycle, but for no less than one minute.
4. Drain solution completely. Repeat procedures for each freezing cylinder. **DO NOT REUSE SOLUTION.** Do not rinse. Follow local health codes.

[OR]

[Directions for 1-oz. and 0.75-oz. packets]

CLEANING AND SANITIZING BEVERAGE AND FROZEN DESSERT MACHINES

(Soft-serve ice cream & shake freezers, batch freezers, smoothie and granita machines, iced cappuccino, and other beverage and frozen dessert machines)

CLEANING AND DISASSEMBLY INSTRUCTIONS

1. Take hopper cover, gasket and mix feed device to sink for cleaning and sanitizing.
2. Drain all product into sanitized rerun container, if local health codes permit.
3. Pour 2 gallons of cool rinse water into the hopper. Brush clean hopper and inlet hole.
4. Place control switch to "Wash" position and agitate for two minutes. Drain rinse water. Switch to "Off" position. Repeat rinsing procedure until water is clear.
5. Dissolve (one 1 oz. packet of Stera-Sheen Advantage in two gallons of warm water) [OR] (one 0.75 oz. packet of Stera-Sheen Advantage in 1-1/2 gallons of warm water). Pour into hopper.
6. Place control switch in "Wash" position to agitate for five minutes. Drain solution completely. Switch to "Off" position.
7. Remove all freezing cylinder parts and door. Brush clean and sanitize all disassembled parts by soaking in Stera-Sheen Advantage solution for at least one minute. Allow to air dry. Follow local health codes.
8. Repeat procedures for each freezing cylinder. To insure adequate cleaning, do not reuse solution.

ASSEMBLY AND SANITIZING INSTRUCTIONS

1. Assemble machine and lubricate all parts according to manufacturer specifications.
2. Dissolve (one 1 oz. packet of Stera-Sheen Advantage in two gallons of warm water) [OR] (one 0.75 oz. packet of Stera-Sheen Advantage in 1-1/2 gallons of warm water). Pour into hopper.
3. Place control switch in "Wash" position to agitate for five minutes. Drain solution completely. Switch to "Off" position. **DO NOT RINSE.** Follow local health codes.
4. Repeat procedures for each freezing cylinder. **DO NOT REUSE SOLUTION.**

ACCEPTED
with COMMENTS
in EPA Letter Dated:
SEP - 2 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 178-1B

6/11

[AND/OR]

[Directions for 1-oz. and 0.75-oz. packets]

CLEANING AND SANITIZING FROSTY™ * MACHINES

CLEANING AND DISASSEMBLY INSTRUCTIONS

1. Place control switch to "Wash" position.
 2. Take hopper cover, gasket and mix feed device to 3-compartment sink for cleaning.
 3. Drain all product into sanitized stainless steel pail, cover and place in walk-in for reuse, if local health codes permit. NOTE: Never leave machine in "Wash" position for more than 5 minutes.
 4. Pour 2 gallons of cool rinse water into the hopper. Brush clean hopper, inlet hole and sensing probe.
 5. Place control switch in "Wash" position to agitate for two minutes. Drain rinse water. Repeat rinsing procedure until water is clear. Switch to "Off" position.
 6. Dissolve (one 1 oz. packet of Stera-Sheen Advantage in two gallons of warm water in stainless steel bucket) [OR] (one 0.75 oz. packet of Stera-Sheen Advantage in 1-1/2 gallons of warm water in stainless steel bucket).
 7. Pour sanitizing solution into hopper. Brush clean hopper, inlet hole and sensing probe.
 8. Place control switch in "Wash" position to agitate for five minutes. Drain all solution. Switch to "Off" position.
 9. Unplug Frosty™ machine.
 10. Remove all freezing cylinder parts and door. Brush clean all disassembled parts at the 3-compartment sink. Wash, rinse and sanitize by soaking this product for at least one minute and allow to air dry.
 11. Repeat procedures for units with two freezing cylinders.
- Do not reuse solution.

ASSEMBLY, SANITIZING, AND OPERATION INSTRUCTIONS

NOTE: Make sure Frosty™ Machine is unplugged.

1. Assemble and lubricate all disassembled parts according to manufacturer's specifications.
 2. Plug in Frosty™ Machine.
 3. Dissolve (one 1 oz. packet of Stera-Sheen Advantage in two gallons of warm water in a stainless steel bucket) [OR] (one 0.75 oz. packet of Stera-Sheen Advantage in 1-1/2 gallons of warm water in a stainless steel bucket).
 4. Pour ([for 1 oz. packet:] 2 gallons) [OR] ([for 0.75 oz. packet:] 1-1/2 gallons) of sanitizing solution into hopper. As it enters the freezing cylinder, brush clean hopper, inlet hole and sensing probe.
 5. Place control switch in "Wash" position, to agitate for five minutes. Drain all sanitizing solution. Switch to "Off" position.
 6. Pour specified amount of fresh mix into hopper. Raise draw arm to force remaining sanitizer from freezing cylinder. NOTE: Prime machine no sooner than 30 minutes before using.
- DO NOT RINSE. Follow local health codes. DO NOT REUSE SOLUTION.

*Frosty™ is a trademark of Wendy's/Arby's Group, Inc.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP - 2 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 178-1B

7/11

[AND/OR]

[Directions for 0.75-oz. packet]

DAILY MAINTENANCE PROCEDURES FOR ALL ICED TEA BREWERS/DISPENSERS

1. Drain tea from dispenser. DO NOT KEEP TEA OVERNIGHT.
2. Fill tea dispenser with warm water.
3. (For smaller machines (1.5 gal./5.7 L))
(Add one 0.75 oz. packet of Stera-Sheen Advantage to tea dispenser.)

[AND/OR]

(For larger machines (3 gal./11.4 L)) Add two 0.75 oz. packets Stera-Sheen Advantage to tea dispenser.)

4. Stir solution until dissolved. Put brew funnel into solution. Allow solution to soak for 1 – 2 minutes.
5. Drain small amount of solution into a container to soak spigot later.
6. Drain approximately three-quarters of solution through spigot. To drain the remainder – take dispenser to sink, swish solution and pour out from top of dispenser. Be sure to pour out any particulate matter.
7. Allow dispenser & brew funnel to air dry. DO NOT RINSE. Follow local health codes.
8. Dismantle spigot and soak in solution for at least 60 seconds. Remove spigot & allow to air dry. Follow local health codes.
9. Before brewing tea, reassemble and attach spigot. Replace lid before brewing tea.

[AND/OR]

[Directions for 1-oz. and 0.75-oz. packets]

**GENERAL PURPOSE CLEANING AND SANITIZING
(Utensils, dishes, glasses, miscellaneous food-contact machine parts)**

1. Rinse and remove all loose food soil substances.
2. Dissolve one (1 oz. packet of Stera-Sheen Advantage in two gallons of warm water.) [OR]
(one 0.75 oz. packet of Stera-Sheen Advantage in 1-1/2 gallons of warm water.)
3. Wipe or brush clean surface.
4. Rinse with potable water.
5. Sanitize using one (1 oz. packet of Stera-Sheen Advantage in two gallons of warm water)
[OR] (0.75 oz. packet of Stera-Sheen Advantage in 1-1/2 gallons of warm water.) to yield 100 ppm chlorine.
6. Immerse into sanitizing solution for at least one minute.
7. Remove and allow to air dry. Do not rinse. Follow local health codes.

[AND/OR]

[Directions for 1-oz. and 0.75-oz. packets]

FLOORS, COUNTERTOPS & STATIONARY EQUIPMENT SURFACES

1. For previously cleaned surfaces, mix the appropriate amount of sanitizing solution by mixing one (1 oz. packet of Stera-Sheen Advantage for every 2 gallons of water) [OR] (0.75 oz. packet of Stera-Sheen Advantage for every 1-1/2 gallons of water) to yield 100 ppm available chlorine.
2. Apply with a clean cloth, sponge, spray, or completely flood surface making sure the solution completely covers the whole surface for at least 60 seconds. Let air dry. Do not rinse. Follow local health codes.

ACCEPTED
with **COMMENTS**
in EPA Letter Dated:

SEP - 2 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 178-18

8/11

[Directions for jar with 1-oz. scoop]

CLEANING AND SANITIZING BEVERAGE AND FROZEN DESSERT MACHINES

(Soft-serve ice cream & shake freezers, batch freezers, smoothie and granita machines, iced cappuccino, and other beverage and frozen dessert machines)

CLEANING AND DISASSEMBLY INSTRUCTIONS

1. Follow manufacturer's directions to drain and rinse hopper (or dispenser) and freezer barrel. Rinse until rinse water is clear.
2. Dissolve one measuring scoop (1 oz.) of Stera-Sheen Advantage into two gallons of warm water. Pour into hopper/dispenser.
3. Agitate Stera-Sheen Advantage solution per manufacturer's suggested wash cycle, but for at least one minute. Or, manually brush clean making sure solution makes contact with all surfaces.
4. Drain solution completely.
5. Following manufacturer's directions, take all removable parts to sink. Clean and sanitize using one measuring scoop (1 oz.) of Stera-Sheen Advantage per 2 gallons of water and soaking for a least one minute. Allow to air dry. Follow local health codes.
6. Repeat procedures for each freezing cylinder or dispenser. To insure adequate cleaning, do not reuse solution.

ASSEMBLY AND SANITIZING INSTRUCTIONS

1. Assemble machine and lubricate all parts according to manufacturer specifications.
2. Dissolve one measuring scoop (1 oz.) of Stera-Sheen Advantage in two gallons of warm water. Pour into hopper (or dispenser).
3. Agitate Stera-Sheen Advantage solution per manufacturer's suggested wash cycle, but for at least one minute.
4. Drain solution completely. Repeat procedures for each freezing cylinder. **DO NOT REUSE SOLUTION.** Do not rinse. Follow local health codes.

[OR]

[Directions for jar with 1-oz. scoop]

CLEANING AND SANITIZING BEVERAGE AND FROZEN DESSERT MACHINES

(Soft-serve ice cream & shake freezers, batch freezers, smoothie and granita machines, iced cappuccino, and other beverage and frozen dessert machines)

CLEANING AND DISASSEMBLY INSTRUCTIONS

1. Take hopper cover, gasket and mix feed device to sink for cleaning and sanitizing.
2. Drain all product into sanitized rerun container, if local health codes permit.
3. Pour 2 gallons of cool rinse water into the hopper. Brush clean hopper and inlet hole.
4. Place control switch to "Wash" position and agitate for two minutes. Drain rinse water. Switch to "Off" position. Repeat rinsing procedure until water is clear.
5. Dissolve one measuring scoop (1 oz.) of Stera-Sheen Advantage in two gallons of warm water. Pour into hopper.
6. Place control switch in "Wash" position to agitate for five minutes. Drain solution completely. Switch to "Off" position.
7. Remove all freezing cylinder parts and door. Brush clean and sanitize all disassembled parts by soaking in Stera-Sheen Advantage solution for at least one minute. Allow to air dry. Follow local health codes.
8. Repeat procedures for each freezing cylinder. To insure adequate cleaning, do not reuse solution.

ASSEMBLY AND SANITIZING INSTRUCTIONS

1. Assemble machine and lubricate all parts according to manufacturer specifications.
2. Dissolve one measuring scoop (1 oz.) of Stera-Sheen Advantage in two gallons of warm water. Pour into hopper.
3. Place control switch in "Wash" position to agitate for five minutes. Drain solution completely. Switch to "Off" position. **DO NOT RINSE.** Follow local health codes.
4. Repeat procedures for each freezing cylinder. **DO NOT REUSE SOLUTION.**

ACCEPTED
with COMMENTS
in EPA Letter Dated:

9/11

[AND/OR]
[Directions for jar with 1-oz. scoop]

DAILY MAINTENANCE PROCEDURES FOR ALL ICED TEA BREWERS/DISPENSERS

1. Drain tea from dispenser. DO NOT KEEP TEA OVERNIGHT.
2. Fill tea dispenser with warm water.
3. Mix one measuring scoop (1 oz.) Stera-Sheen Advantage for every 2 gallons of water to yield 100 ppm available chlorine.
4. Stir solution until dissolved. Put brew funnel into solution. Allow solution to soak for 1 – 2 minutes.
5. Drain small amount of solution into a container to soak spigot later.
6. Drain approximately three-quarters of solution through spigot. To drain the remainder, take dispenser to sink, swish solution and pour out from top of dispenser. Be sure to pour out any particulate matter.
7. Allow dispenser & brew funnel to air dry. DO NOT RINSE. Follow local health codes.
8. Dismantle spigot and soak in solution for at least 60 seconds. Remove spigot & allow to air dry. Follow local health codes.
9. Before brewing tea, reassemble and attach spigot. Replace lid before brewing tea.

[AND/OR]
[Directions for jar with 1-oz. scoop]

**GENERAL PURPOSE CLEANING AND SANITIZING
(Utensils, dishes, glasses, miscellaneous food-contact machine parts)**

1. Rinse and remove all loose food soil substances.
2. Dissolve one measuring scoop (1 oz.) of Stera-Sheen Advantage in two gallons of warm water.
3. Wipe or brush clean surface.
4. Rinse with potable water.
5. Sanitize using one measuring scoop (1 oz.) of Stera-Sheen Advantage in two gallons of warm water to yield 100 ppm chlorine.
6. Immerse into sanitizing solution for at least one minute.
7. Remove and allow to air dry. Do not rinse. Follow local health codes.

[AND/OR]
[Directions for jar with 1-oz. scoop]

FLOORS, COUNTERTOPS & STATIONARY EQUIPMENT SURFACES

1. For previously cleaned surface, mix the appropriate amount of sanitizing solution mixing one measuring scoop (1 oz.) of Stera-Sheen Advantage for every 2 gallons of water to yield 100 ppm available chlorine.
2. Apply with a clean cloth, sponge, spray, or completely flood surface making sure the solution completely covers the whole surface for at least 60 seconds. Let air dry. Do not rinse. Follow local health codes.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep product dry in tightly closed container when not in use. Store in dry, well-ventilate area away from heat or open flames.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: [0.75 oz. and 1 oz. plastic packets] (Packet:) Container is destroyed by removing product. Discard completely empty packet in trash.

[Outside carton] (Carton:) Offer for recycling, if available, or discard in trash.

[2 lb. Plastic jar] (Jar:) Non-refillable container. Do not reuse or refill container. (Equivalent) Offer for recycling, if available, or discard in trash.

ACCEPTED
with COMMENTS
Triple Rinse (or
in EPA Letter Dated:

10/11

[Proposed Packet Design:
FRONT PANEL]

Stera-Sheen® Advantage

[Optional Marketing Statements]

- (Sanitizer)
- (Sanitizer for Frozen Dessert Machines)
- (Sanitizer/Cleaner/Milkstone Remover)
- (Sanitizer/Cleaner/Milkstone Remover for Frozen Dessert Machines)
- (Sanitizer and Cleaner)
- (Sanitizer and Cleaner for Frozen Dessert Machines)
- (Tea Brewer Cleaner & Sanitizer)
- (Tea Brewer/Dispenser Cleanser & Sanitizer)
- (Cleaner and Sanitizer for Beverage and Frozen Dessert Machines)
- (General Purpose Cleaner and Sanitizer for Utensils, Dishes, Glasses, Food-Contact Machine Parts, Floors, Countertops & Stationary Equipment Surfaces)
- (Detergent/Sanitizer/Milkstone Remover)
- (Detergent/Sanitizer/Milkstone Remover (for Frosty™ * Machines))
- (Milkstone Remover)

For Institutional Use Only

ACTIVE INGREDIENT

SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE.....	4.8%
OTHER INGREDIENTS	95.2%
TOTAL	100.0%

Provides 2.68% Available Chlorine

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Read outer carton label for additional Precautionary Statements and complete Directions for Use

MANUFACTURED BY
PURDY PRODUCTS CO.
P.O. BOX 456, WAUCONDA, IL 60084

EPA Reg. No. 178-
EPA Est. No. 178-IL-1
Net Weight: (1 oz.) [OR] (0.75 oz.)

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP - 2 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 178-18

11/11

**[Proposed Packet Design:
BACK PANEL]**

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

When used as directed, Stera-Sheen Advantage will effectively act as a sanitizer against *Salmonella typhi* and *Staphylococcus aureus*.

Stera-Sheen Advantage required dilution:

[Reviewer: This label will include a picture similar to the picture below, depicting mixing directions required for 100 ppm available chlorine]



[1 oz. or 0.75 oz.]

+



(2 gals. of water)
[OR] (1-1/5 gals.
of water)

=

100 ppm
Available chlorine

FIRST AID

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing.
 - Call a poison control center or doctor for treatment advice.

FOR MEDICAL EMERGENCY INFORMATION CALL 1-800-222-1222.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

(Batch Code: __) [Reviewer: Batch Code will be place here with or without the heading "Batch Code"]

(*Frosty™ is a trademark of Wendy's/Arby's Group, Inc.)

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP - 2 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 198-18