

12-11-1971

Borax (Na₂B₄O₇ · 10H₂O) is a naturally occurring mineral compound that is used in many areas. It is an effective herbicide for the control of many annual and perennial weeds, and is particularly useful for control of weeds in grasses. Effects are slow to appear and may not become apparent until the chemical has been carried into the root zone of the weeds by moisture. The degree of control and duration of effect will vary with the amount of chemical applied, soil type, rainfall, and other conditions.

Be Rid B 5 is non-volatile, non-flammable, and non-corrosive to metals except aluminum. Do not use with aluminum spray nozzles.

DIRECTIONS

Apply Bo Rid B 5 just before or during the period of active growth of weeds. If dense growth is present, results will be improved if vegetation is removed before treatment. Do not apply when ground is frozen.

Before spraying, calibrate equipment to determine quantity of water necessary to uniformly cover measured area to be treated. Measure the proper amount of Bo Rid B 5 and mix into the necessary volume of water. After Bo Rid B 5 has been thoroughly mixed in the spray tank, agitation of the spray solution is not required.

WEED CONTROL

To control most weeds for an extended period of time on non-cropland areas such as RAILROAD, HIGHWAY and PIPELINE RIGHT OF WAYS, PETROLEUM TANK FARMS, LUMBERYARDS, STORAGE AREAS, and INDUSTRIAL PLANT SITES.

Apply 60 to 120 gals. Bo-Rid B 5 per acre to control ANNUAL WEEDS and GRASSES such as foxtail, ryegrass, wild oats, crabgrass, cheatgrass, bromegrass, ragweed, lambsquarters, puncturevine, orchard grass and turkey muller. When applied just prior to or after emergence of annuals, rates as low as 30 gal. per acre control many annual weeds and grasses, in low rainfall areas, and give short term control in higher rainfall areas.

Apply 120 to 240 gals. Ro. Red B 5 per acre to control PERENNIAL WEEDS and GRASSES such as smooth brome, Bahiagrass, bluegrass, cotttop, purpletop, quackgrass, bromes, etc. Control also in dog fennel, galenroot, plantain, and wild carrot. For a full crop of sorghum or cotton, this should be 90 gals. per acre control many perennial weeds and grasses.

[illegible]

Use the higher level of decomposition of about 1000 to 1500 words for the first 1000 words or carbon.

Retreatment: Apply 30 to 120 gpa. Po B & B 5 per acre when in control and disease is not visible. When "leaf drop" has been controlled.

NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on the label that meets the following criteria for a product labeled as a "pesticide" and only when used in accordance with the label under normal use conditions. This warranty does not extend to use of this product contrary to label use directions or under abnormal use conditions or under conditions not reasonably foreseeable to seller, buyer or operator at the time of sale, such as: Seller makes no other warranty, expressed or implied.

MEMPHIS, TENN

ALVA, OKLA.