

DIRECTIONS FOR USE
IN CLEANING EGGS

1. Where chlorine test kit is not available, dissolve one ounce of Trisol Egg Cleaner in one gallon of lukewarm (not over 100 degree F) water. If test kit is available, dissolve 1/2 ounce in one gallon water and do not allow available chlorine to drop below 50 ppm.
2. Wash eggs and remove from the solution immediately.
3. Rinse washed eggs with a water spray and dry promptly.
4. Allow eggs to dry thoroughly before packing them in case.

VAL-A

REGISTERED TRADE MARK

TRISOL EGG CLEANER

A SANITIZING DETERGENT

VAL-A COMPANY

700-710 W. Root St.

CHICAGO 9, ILL.

ACCEPTED

For
sol
fre
ing
on
soi
Cle
pro
dis

Use

Avo
and

Ke
sto

For best results, washing solution should be changed frequently each day depending upon the amount of soil on eggs. Proper washing of soiled eggs with Trisol Egg Cleaner will aid greatly in protecting egg quality during distribution.

Use in recommended dilutions.

Avoid contamination of feed and foodstuffs.

Keep container closed and stored in a cool place.

USDA Reg. No. 189-20

DISINFECTION OF WATER

1. Add 1/2 cup of bleach to 100 gallons of water. If test of available chlorine, dissolve 1/2 cup of bleach in one gallon of water and do not allow available chlorine to drop below 5 ppm.

- 2. Wash eyes and remove from contact immediately.
- 3. Wash exposed eyes with a water spray and dry promptly.
- 4. Wash hands and dry thoroughly before returning them in case.

AC
I
O
K

NET CONTENTS



Active Ingredients:

Sodium Hypochlorite...over 3.25%
Sodium Phosphate expressed
as $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$over 91.75%

Inert Ingredient:

Sodium Chloride.....under 5.00%
Total 100.00%

CAUTION: (See right panel)
KEEP OUT OF REACH OF CHILDREN

Distributed by

VAL-A COMPANY

700-710 W. Root St.

CHICAGO 9, ILL.

Faint, illegible text, possibly bleed-through from the reverse side of the page.

Faint, illegible text, possibly bleed-through from the reverse side of the page.

ACCEPTED WITH COMMENTS

ly.
ly
e.