


ACCEPTED
MAR 7 1975
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. *192-15*



GENERAL DIRECTIONS

Scatter **DEXOL SOW-BUG** and **CUTWORM BAIT** over areas where these pests are prevalent. For use outside apply bait lightly on lawns and in a 2-4" band around house and porch foundations, under and around old boards, along edges of flower beds, walks, fences and other areas where these pests congregate. This material is a bait highly enticing to these insects, and a kill will be quickly effected. The pouring device in the top of the can is provided for economy and convenience. When used for applying **DEXOL SOW-BUG** and **CUTWORM BAIT**, a more even coverage will be obtained with less material waste. This method of application eliminates the danger of skin contact on the hands.


Do not reuse container. Destroy by burying or burning. Stay away from smoke or fumes.



**SOW-BUG
 CUTWORM
 BAIT**



**ENTICES AS WELL
 AS KILLS**



FOR USE

Sow bugs are known ~~propagators~~

For effective control, should be scattered in **WARNING:** Harmful prolonged breathing prolonged or repeat before eating.

CAUTION: Wash the or contaminats feed treated areas.

CAUTION: Keep out

NOTE FOR PHYSICI

cholinesterase inhibito

ACTIVE INGREDIENT

Carbaryl

1-naphthyl N-methyl

INERT INGREDIENTS

EPA Reg. No. 192-15-
 EPA Est. 192-CA-1

CAUTION: Keep out of reach of children. See back panel for additional information.

NET WEIGHT 14 OZ.

APPROVED
1975
 Insecticide
 Fungicide
 Rodenticide Act
 2-15



**DIRECTIONS
 FOR USE IN GREENHOUSES**

Sow bugs are known to congregate on the framework of propagation benches and in crevices between frame and soil. For effective control, **DEXAL SOW-BUG and CUTWORM BAIT** should be scattered in these areas.

WARNING: Harmful if inhaled or swallowed. Avoid prolonged breathing of dust. Do not take internally. Avoid prolonged or repeated skin contact. Wash hands and face before eating.

CAUTION: Wash thoroughly after handling. Do not store near or contaminate feed or food stuffs. Keep children and pets out of treated areas.

CAUTION: Keep out of lakes, streams or ponds.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ACTIVE INGREDIENT

Carbaryl 5%


INERT INGREDIENTS:

95%
TOTAL 100%

**SOW-BUG
 CUTWORM
 BAIT**



**ENTICES AS WELL
 AS KILLS**



EPA Reg. No. 192-15-AA
 E P A Est. 192-CA-1

Camera man's Note
Poor Copy

