

DILUTION AND DIRECTIONS FOR TREATING ONE
AVERAGE SIZE TREE

Age of Tree	No. Tablespoonfuls BORER-SOL	Water required
6-8 yrs.	8	1 quart
4-6 yrs.	6	1 quart
3 yrs.	5	1 pint
2 yrs.	3	1 pint
1 yr.	1	1 pint

Thoroughly water tree and surrounding soil at least 12 hours before treating with Destruxol BORER-SOL. Then pour diluted Destruxol BORER-SOL around base of tree or shrub, wetting lower part of trunk and surrounding soil area. For best results, loosen soil around tree for rapid absorption, or make a soil cup around tree to prevent liquid running off. After treatment, place several shovelfuls of soil against the tree trunk to prevent surface loss of the fumigant. Treatment requires no more attention through the season.

ACTIVE INGREDIENTS

Ethylene Dichloride

50%

INERT INGREDIENTS

50%



BORER-SOL

Kills
BORERS
in HIDING



TO CONTROL BORER LARVAE ABOVE GROUND

Where the borer larvae have entered the trunk and branch structure of the tree, Destruxol BORER-SOL may be painted over the infected area at full strength. This effects a kill of the larvae inside the tree structure.

DIRECTIONS FOR ANT CONTROL

Destruxol BORER-SOL controls soil nesting ants, including the Red Fire Ant. Pour 1 tablespoonful of Destruxol BORER-SOL into each nest opening. Do this at dusk when the ants are in the nest. Cover openings with loose soil, stamp soil down. This seals the fumes underground to destroy the ant colony.

WARNING: FLAMMABLE! Harmful if inhaled or swallowed! Keep away from heat and open flame. Avoid breathing vapor. Avoid contact with skin, eyes, and clothing. Wash thoroughly.

USDA Reg. No. 192 17

DESTRUXOL CORPORATION, LTD.

TORRANCE, CALIFORNIA

ACCEPTED

8, 1967

41-541