

ACCEPTED

Sept. 13, 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 192-43 SUBJECT
TO ATTACHED COMMENTS.

DIRECTIONS FOR USE:

Unless stated otherwise on this label, use the following dilution:

- 1/2 teaspoonful for 1 quart of spray
- 1 tablespoonful for 1 gallon of spray
- 1 gallon makes 256 gallons of spray

ANTS: Spray diluted Destruxol CHLORDANE 73% around foundations, door frames and window sills of houses, porches, patios, and around garbage containers. Spray infested ornamental plants and flowers and surrounding soil. If any nests are locatable, generously spray trails and surrounding area. Saturate the nest apertures.

GRASSHOPPERS, CRICKETS, EARWIGS: Thoroughly spray on and around ornamentals, along edges of fields, as a barrier around fences where insects may appear. DO NOT apply to food or foodstuffs. Any forage crops treated with this material should not be fed to dairy animals or animals being finished for slaughter.

CUTWORMS, CABBAGE MAGGOTS: Spray diluted Destruxol CHLORDANE 73% around base of Cabbage, Eggplants, Peppers, and similar plants, work into top 4 inches of soil. Repeat as necessary. Do not apply to cabbage and other food crops after edible parts begin to form.

LAWN MOTHS (Sod Webworm), WHITE GRUBS, CHINCH WIPES, JAPANESE BEETLE LARVAE and CUTWORMS, IN

LAWNS: Water lawn thoroughly, then spray with dilute solution at rate of one gallon for 150 sq. ft. (10 x 15). Do not water lawn for 2 to 4 days after treatment.

CAUTION: This material, containing technical chlordane, is toxic and may be absorbed through the skin when in solution. Avoid inhaling mist from spray. In case of spillage on the skin, wash with soap and water. Avoid contamination to feed and foodstuffs. Do not use on household pets and humans. Harmful if swallowed.

INTERNAL ANTIDOTE: Emetic of 1 tablespoonful of mustard in 1 glass of water. Call a physician.

Do not spray on plant life that is not well irrigated or when the air temperature exceeds 90° F.



CHLORDANE

73% SPRAY



KILLS TERMITES, LAWN MOTHS, ANTS, CRICKETS,
GRASSHOPPERS AND CONTROLS CRABGRASS

TERMITES: To obtain fast initial control and to provide continued protection against reinfestation of Subterranean Termites, use following dilution:

6 to 14 tablespoonfuls DESTRUXOL 73% CHLORDANE to each 5 gallons of water

or

2 quarts to 1 gallon per 100 gallons of water

This makes a 1/2 to 1% Chlordane water emulsion which is recommended by most authorities. This water emulsion will not damage nearby shrubbery and plants according to tests conducted by the U.S.D.A.

If trenching is required, dig 1 to 2 1/2 feet beneath the soil, exposing the foundation but not below the footing and apply the diluted solution at the rate of 2 gallons per 5 linear feet where the foundation is deep. This rate of application includes the treatment of the backfill.

For the spraying of the entire area under the house or other structure, use one gallon of the above solution to each 10 square feet of area to be treated. Make yearly inspections and repeat when necessary.

CRABGRASS CONTROL: Destruxol CHLORDANE 73% SPRAY will prevent crabgrass growth in lawns if applied before the crabgrass germinates. Mark areas where crabgrass is growing now and next spring before growth starts, spray with a solution of 2 1/2 to 3 tablespoonfuls per gallon of water for each 50 sq. ft. (10' x 5') of area where crabgrass is a problem. Keep children and pets off treated areas until this material has been watered into the soil and the grass has completely dried.

ACTIVE INGREDIENTS

*Technical Chlordane 73.0 %
Deodorized Petroleum Distillate 22.0 %

INERT INGREDIENTS 5.0 %

*Equivalent to 43.8% octachloro-4, 7-methanetetrahydroindane and 29.2% other related compounds.

USDA Reg. No. 192-43

DESTRUXOL CORPORATION

TORRANCE, CALIFORNIA