
ACCOPAND variety and ses in FPA factor Long

DEC 3 1982

United the Action Is a Colon, 1 and the Action of the first the period do registered under EPA Reg. No.



DEXOL CHLORDANE 73% SPRAY

SUBTERRANEAN TERMITES - DIRECTIONS FOR HOMEOWNER USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To obtain fast initial control and to provide extended protection against reinfestation of Subterranean Termites, use the following dilution: 14 tablespoonfuls DEXOL CHLORDANE 73% SPRAY to each 5 gallons of water or 1 gallon per 100 gallons of water. This makes a 1% Chlordane water emulsion which is recommended by most authorities. Apply the 1% emulsion as follows:

When application is by rodding, rods should be inserted 1 ft. apart to the base of the footings. Applications should be made by pressure applied through the tube.

TERMITE CONTROL IN EXISTING STRUCTURES Buildings with Basements or Crawl-Spaces

First remove all wood debris and wood forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or a rod about one foot apart that extend from the trench bottom to the top of the footing. Make holes closer in hard-packed clay soils. NEVER DIG BELOW THE TOP OF THE FOOTING. Apply the emulsion (or solution) in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour one-half gallon of emulsion (or solution) into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by commercial pest control operator.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-back flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply, stores. Use of anti-back-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat

as follows: Do Not Apply Under Pressure. Soil should be removed to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to buncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

May be fatal if swallowed. Do not breathe vapor, dust, or spray mist. Do not get in eyes, on skin or clothing. In case of skin contact, wash immediately with soap and water. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife.

Keep out of lakes, streams, and ponds.

Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS
DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

WARNING STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately.

Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give

anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply artificial respiration

if indicated.
If on skin - Remove contaminated clothing and wash affected areas with
soap and water.

If in eyes - Flush eyes with plenty of water. Get medical attention immediately.

STORAGE AND DISPOSAL

DO NOT REUSE EMPTY CONTAINER (BOTTLE, CAN, BUCKET). WRAP CONTAINER AND PUT IN TRASH COLLECTION.

NOTICE - Because Dexol Industries has no control over storage, handling and conditions of use, which are of critical importance, Dexol Industries makes no representation or warranty, either express or implied, for results due to misuse, improper handling or storage of this material. Nor does Dexol Industries assume any responsibility for injury to persons, crops, animals soil or property arising out of misuse, improper handling or storage of this material.

Torrance, Calif. 90501

DEXOL INDUSTRIES

300 183196-

DEC 3 1982

Dexol Industries 1450 W. 228th Street Torrance, CA 90501

Attention: Barbara J. Bounds

Gentlemen:

Subject: Termiticide L.I.P. -- Revision
Dexol Chlordane 73% Spray
EPA Registration No. 192-43
Your Application Dated October 28, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

George T. La. Dcca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767)

Enclosure

TS-767:G.LAROCCA: DCR-39827:WANG-1308C:gmm:Raven:479-2013:11/24/82