

KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR OTHER CAUTIONS

ACCEPTED

DESTRUXOL WEEDER "D"

A Selective Weed Killer

1
1
1
1
192 55

Destruxol Weeder "D" is formulated to control most broad leaf weeds in grass lawns.

Destruxol Weeder "D" may be used anytime weeds are growing actively; Spring, Summer or Fall.

Spray when the air is calm to avoid spray drifts that might injure desirable plants. Do not apply within drip line of desirable trees and shrubs. Do not spray on Plectoncha, bent grass or any desirable broad leaf ground cover.

Newly seeded lawns may be treated after they have been mowed at least twice. To reseed small areas in treated lawns, wait at least 3 weeks after spraying. A good rain or deep watering should occur during this period.

A few weeds, such as henbit that grow during the winter, as well as garlic and wild onion, should be sprayed in early spring. Destruxol Weeder "D" may be used in the Destruxol Lawn Sprayer or other hose end sprayer at the following proportions:

<u>AREA SPRAYED</u>	<u>AMOUNT WEEDER "D"</u>	<u>AMOUNT WATER</u>
200 sq. ft. (10 x 20)	4 teaspoons	1 gallon
2000 sq. ft. (40 x 50)	8 ounces	10 gallons
5000 sq. ft. (50 x 100)	1 pint	20 gallons

On St. Augustine Grass use 1/2 above amounts.

Where difficult to kill weeds such as sheep sorrel, oxalis, yarrow or mature knotweed are a problem, use double the amounts given above.

Do not water for 24 hours after spraying.

Weeds in vacant lots, fence rows and similar areas: To kill thistles, ragweed, morning glory, dock and many other broadleaf weeds, spray when these weeds are growing actively and are in the bud to flower stage. Get all weeds thoroughly. Spray any regrowth if it develops.

1 of 2

M

CAUTION:

Keep out of reach of children. Avoid contact with the skin, eyes or clothing. In case of contact, flush with water, for eyes get medical attention. Do not take internally.

Do not store or use near seeds, fertilizer or other pesticides, or near fire or flame. Do not use same spray equipment for this product and other pesticides on desirable plants. Avoid contamination of irrigation ditches and water used for domestic purposes. Do not contaminate ornamental fish ponds.

Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.

WEEDER "D" controls the following weeds:

<u>Bullthorn</u>	<u>Jimson Weed</u>	<u>Sheep Sorrel</u>
<u>Burdock</u>	<u>Knot Weed</u>	<u>Shepherd's Purse</u>
<u>Carpst. Weed</u>	<u>Lambsquarter</u>	<u>Smart Weed</u>
<u>Cockspur</u>	<u>Lippia</u>	<u>Speedwell</u>
<u>Chickweed</u>	<u>Mallow</u>	<u>Thistles</u>
<u>Clevers</u>	<u>Morning Glory</u>	<u>Wild Carrot</u>
<u>Clover</u>	<u>Mustard</u>	<u>Wild Garlic</u>
<u>Dandelion</u>	<u>Oxalis</u>	<u>Wild Lettuce</u>
<u>Dog Fennel</u>	<u>Pennywort</u>	<u>Wild Onion</u>
<u>Frenchweed</u>	<u>Pigweed</u>	<u>Wild Radish</u>
<u>Galin. Weed</u>	<u>Plantains</u>	<u>Yarrow</u>
<u>Hawkweed</u>	<u>Purslane</u>	and most other
<u>Henbit</u>	<u>Ragweed</u>	broad leaf weeds

ACTIVE INGREDIENTS

•Dimethylamine Salt of dicamba (3,6-dichloro-o-anisic acid) 2.8%

Dimethylamine Salt of related acids 0.5%

••Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid 13.3%

INERT INGREDIENTS 82.9%

TOTAL 100.0%

•Equivalent to 2.3% 3,6-dichloro-o-anisic acid (dicamba) or .104 pound per gallon.

••Equivalent to 11.5% 2,4-dichlorophenoxyacetic acid or .918 pounds per gallon.

•Panvel "D" is Reg. T.M. of Velsicol Chemical Corp.

USDA Reg. No. 192-55

7 0 2 18

elective

control order is formulated to
weeds in grass lands.

control order may be used
effectively; or, or, or.

control order is used to
control weeds in grass lands.
control order is used to
control weeds in grass lands.

control order may be used
effectively; or, or, or.

control order is used to
control weeds in grass lands.
control order is used to
control weeds in grass lands.

Control Order	Effectiveness
Control Order 1	High
Control Order 2	Medium
Control Order 3	Low

Control Order 1 is used to
control weeds in grass lands.
Control Order 2 is used to
control weeds in grass lands.

Control Order 3 is used to
control weeds in grass lands.
Control Order 4 is used to
control weeds in grass lands.

SAFETY:

Keep out of reach of children. Avoid contact with eyes, nose or mouth. In case of contact, flush with water. Do not eat, drink or take any food or tobacco products.

Do not use near seeds, fertilizer or other chemicals, or near fire or flame. Do not use same spray equipment for insecticides and other pesticides on edible plants. Avoid contamination of irrigation ditches and water used for domestic purposes. Do not contaminate ornamental plants.

Do not reuse empty containers. Wash thoroughly with water and detergent. Store in a safe place.

"B" controls the following weeds:

Bulbous	Pinus seed	Sheep Sorrel
Burdock	Foot Weed	Shepherds Purse
Carpet seed	Lamb's Quarter	Smart Weed
Chickweed	Rippia	Speedwell
Cocks	Carlow	Cristles
Clowers	Morning Glory	Wild Arrot
ocks	Mustard	Wild Garlic
angelion	exalls	Wild Lettuce
Coniennels	Penywort	Wild Onion
Creed Weed	Perweed	Wild Radish
Bliss Weed	Plantains	Arrows
Plantain	Arslane	and most other
entle	Arwe	weeds and seeds

Directions for use:

1. Treat the soil with 2 lbs. of B per 100 sq. ft. (1/2 lb. per 50 sq. ft.)

2. Treat the soil with 1 lb. of B per 100 sq. ft. (1/2 lb. per 50 sq. ft.)

3. Treat the soil with 1 lb. of B per 100 sq. ft. (1/2 lb. per 50 sq. ft.)

7.5

100.0

4. Treat the soil with 1 lb. of B per 100 sq. ft. (1/2 lb. per 50 sq. ft.)

5. Treat the soil with 1 lb. of B per 100 sq. ft. (1/2 lb. per 50 sq. ft.)

6. Treat the soil with 1 lb. of B per 100 sq. ft. (1/2 lb. per 50 sq. ft.)

100.0