




DESTRUXOL

PECAN AND FRUIT TREE SPRAY



CAUTION: Keep out of reach of children. See side panels for other cautions.

GENERAL INSTRUCTIONS AND LIMITATIONS

Use in any type sprayer at the rate of three tablespoons of Destruxol PECAN AND FRUIT TREE SPRAY per gallon of water. Mix thoroughly and spray plants completely to get best control.

Apply when insects first appear and repeat as required to maintain control. Observe all time limitations as noted. For scale control apply at the "crawler" stage.

DO NOT APPLY ON: Birch Trees, Lima Beans, Concord Grapes, Bon-nafon Deluxe Chrysanthemums, Wealthy Apples or varieties ripening at the same time as or before Wealthy, Anderson Yew, Grassula and Canaerti Junipers, Bosc Pears.

Clean and rinse sprayer after spraying. Wash hands and other exposed parts of body thoroughly. If any chemical is spilled on the hands or body wash immediately with soap and water.

APPLES: Apple Aphid, Rust Mites, Codling Moth, Clover Mite, Tent Caterpillar, San Jose Scale, Sawworms, Mealy Bug. **DO NOT APPLY WITHIN 30 DAYS OF HARVEST.** Do not apply more than 3 applications during fruiting period. Pomace from treated apples should not be fed to livestock.

PEACHES: Plant Bugs, Aphids, Cottony Peach Scale, Japanese Beetles, Oriental Fruit Moth. **DO NOT APPLY WITHIN 30 DAYS OF HARVEST.** Do not apply more than twice during fruiting period. For Lesser Peach Tree Borer thorough wetting of trunks and main branches is important. To control Peach Tree Borer spray all bark areas from ground to scaffold limbs.

PECANS, ALMONDS, WALNUTS: Aphid, Mites, Pecan Nut Case Bearer, Spittlebug. Do not apply more than twice during maturing period. Do not apply after husk split on Pecans or Walnuts, and on Almonds after nut is visible. Do not graze livestock in treated groves within 21 days after treatment.

PEARS: Pear Borer, Mealy Bug, Two Spotted Mite, Japanese Beetle. Do not apply more than 2 applications during fruiting period. **DO NOT APPLY WITHIN 30 DAYS OF HARVEST.**

PLUMS: Plum Borer, Pear Borer, Plum Curculio, Aphid, Mealy Bug, Sawworm. Do not apply more than 3 applications during fruiting period. **DO NOT APPLY WITHIN 30 DAYS OF HARVEST.**

PLUMS: Mites, Aphids, Bug Nymph. Do not make more than 3 applications in fruiting period. DO NOT APPLY WITHIN 21 DAYS OF HARVEST.

BEANS: (Succulent) Bean beetle, Leaf miner, Aphids, Leaf Hopper, Japanese Beetle. DO NOT APPLY WITHIN 21 DAYS OF HARVEST. DO NOT APPLY TO BEAN CROPS.

BEANS: (Dried) Aphids, Leaf Skeletonizer, Mexican Bean Beetle. DO NOT APPLY WITHIN 21 DAYS OF HARVEST.

VEGETABLES, SPINACH, LETTUCE: Aphids, Flea beetle, Squash Vine Borer, Pickleworm, Leaf hoppers. DO NOT APPLY WITHIN 3 DAYS OF HARVEST.

PEPPERS AND VEGETABLES: Flea beetle, Aphids, Mites, Pepper Maggot, Colorado Potato Beetle, Hornworm, White Fly. DO NOT APPLY WITHIN 21 DAYS OF HARVEST. Do not apply more than 3 times during fruiting season.

STRAWBERRY: Aphids, Strawberry Spittlebug, Mites, Lygus Bugs, White Flies, Strawberry Root Weevil, Thrips. Do not apply more than twice in any 3 day period. DO NOT APPLY WITHIN 4 DAYS OF HARVEST.

ORNAMENTAL: Aphids, Thrips, Japanese Beetle, Bagworms, Anonymus Scale, Tent Caterpillars, Pine Leaf Scale, Cowbird, Lacebugs, Cyclamen Ail, Oak Kermit, Fealy Bugs, Rosewood Leaf Miner, Millipedes, Tarnished Plant Bug.

CUTION

KEEP OUT OF REACH OF CHILDREN


Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing or spray mist. Avoid contact with skin, eyes or clothing. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention. Wash with soap and water after handling and change clothing. Avoid contamination of feed and foodstuffs. Do not apply or allow to drift to areas occupied by unprotected human or beneficial animals. Do not use on stove near hot or open flames. When container is empty, wash thoroughly and destroy. This product is toxic to fish and wild life. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on label.

Active Ingredients

methion	2.
aminocoum	1.
methion	1.23
Petroleum Hydrocarbons	78.1

Inert Ingredients

1.1



*O,O,O',O'-Tetraethyl S,S'-methylene bisphosphorodithioate
**Hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide
***O,O-Dimethyl dithiophosphate of diethyl mercaptosuccinate

SDA Reg. No. 192-66

