

[192-96]

**DIRECTIONS FOR USE**

Shake well before using. Fill sprayer partly full of water. While agitating contents, add Dexol Malathion 50% Spray at the suggested dilutions. Add balance of water. Spray plants thoroughly when insects appear and repeat applications as necessary. When used in hose-end sprayers, follow manufacturers instructions. Injury may occur on tender varieties of plants, Boston and Maidenhair ferns, pteris and crassula.

For the control of the following pests on ornamental flowers, shrubs, and shade trees: Aphids, Four Lined Leaf Bugs, Japanese Beetle Adults, Mealybugs, Potato Leafhoppers, Rose Leghoppers, Tarnished Plant Bugs, Thrips, Woolly Aphids; use Dexol Malathion 50% Spray at the following suggested dilutions:

2 Teaspoonfuls per 1 gallon of water

For the control of Spider Mites: Clover Mites, European Red Mite, Two Spotted Mites, Williamette Mites; and Scale Insects: Azalea Scale, Black Scale Crawlers, California Red Scale, Citricola Scale, Euonymus Scale, Monterey Pine Scale, Oystershell Scale on ornamentals, use Dexol Malathion 50% Spray at the following dilutions:

3 Teaspoonfuls per 1 gallon of water

For the control of Fleas in dog and cat pens, yards, lawns and under houses, apply a spray containing 5 ounces (10 Table-spoonfuls) of Dexol Malathion 50% Spray per 1 gallon of water at the rate of 1 gallon per 1000 square feet.



# MALATHION

THE  
INSECT  
CONTROL

**CAUTION:** This product is highly toxic to bees exposed to direct treatment of residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**CAUTION:** This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

**CAUTION:** Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

**CAUTION:** Harmful if swallowed. Avoid prolonged breathing of spray mist. Avoid prolonged or repeated contact with skin; wash thoroughly after using. Avoid contamination of feed and food stuffs. Do not use or store near heat of open flame. If poisoning occurs, get prompt medical aid. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine. **KEEP OUT OF REACH OF CHILDREN.**

Active Ingredients	
* Malathion	50%
Xylene	42%
Inert Ingredients	8%

\* O, O dimethyl dithio phosphoric acid dimethyl ester

EPA 192-96

**DEXOL INDUSTRIES**

**TORRANCE CALIFORNIA 90501  
DALLAS TEXAS 75214**

ACCEPTED  
Mar 24 1972  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. .... SUBJECT  
TO ATTACHED COMMENTS.

192-96