PM16 192-96

1061

BEST AVAILABLE COPY

ACCEPTED
JAN 16 1980
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 192-96

DEXOL MALATHION INSECT CONTROL
DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

Shake well before using. Fill sprayer partly full of water. While agitating contents, add DEXOL MALATHION 50% SPRAY at the suggested dilutions. Add balance of water. Spray plants thoroughly when insects appear and repeat applications as necessary. When used in hose end sprayers, follow manufacturers instructions. Injury may occur on tender varieties of plants. Boston and Maidenhair ferns, pteris and crassula.

Do not apply to food crops within 1 days of harvest unless otherwise specified

ORNAMENTALS: (Roses, Camellias, Azaleas, Stocks, Chrysanthemums, Evergreens and many other flowers and shrubs) Aphids — 2 tsp. per 1 gal. water. Red Spider Mites, Spruce Mites, Mealybugs, Wooly Aphid, Whitefly, Thrips, Tarnished Plant Bug, Four Lined Leaf Bug, Bagworm, Rose Leafhopper, Japanese Beetle Adults — 1 tbsp. per gal. water. Scale (Black Scale, Soft Brown Scale, Oyster Shell Scale and certain others) — 1½ to 2 tbsp. per gal. water.

FRUITS: (Apples, Pears, Grapes) Aphids — 1½ to 2 tsp. per 1 gal. water. Red Spider Mites, Mealybugs, Woolly Aphids, Whiteflies, Thrips, Tarnished Plant Bugs, Four Lined Leaf Bug, Grape Fly, Grape Leafhopper (California and Southern only), Pear Psylla, Japanese Beetle Adults — 1 tbsp. per gal. water. Scale Crawlers — 1½ to 2 tbsp. per gal. water. Malathion may cause injury to McIntosh and Cortland varieties of apples. to Bosc Pears and Ribier Grapes. Do not apply to Pears within 5 days of harvest. **(Apricots)** Codling Moth, Orange Tortrix, Terrapin Scale, Soft Brown Scale, Aphids — 1½ to 2½ tsp. per 1 gal. water. Do not apply within 7 days of harvest. **(Peaches)** European Red Mite, Two Spotted Mite, Oriental Fruit Moth, Terrapin Scale, Cottony Peach Scale — 2 tsp. to 1 gal. water. Aphids — 1½ to 2 tsp. per 1 gal. water. Do not apply within 7 days of harvest. **(Nectarines)** Plum Curculio, Mites, Pantasma Scale — 2 tsp. per 1 gal. water. Do not apply within 7 days of harvest

VEGETABLES (Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Kale, Beans, Peas, Potatoes) Aphids — 1½ to 2 tsp. to 2 gal. water. Red Spider Mites, Mealybugs, Whiteflies, Thrips, Tarnished Plant Bug, Four Lined Leaf Bug, Bean Leafhopper, Potato Leafhopper, Japanese Beetle Adults — 1 tbsp. per gal. water. Do not apply to Beans within 1 day of harvest. Do not apply to Brussels Sprouts, Cabbage, Cauliflower or Kale within 7 days of harvest. Use up to harvest on potatoes. **(Carrots, Celery, Cucumbers, Endive, Squash, Radishes, Tomatoes)** Aphids, Spider Mites — 1½ to 2 tsp. per 1 gal. water. Do not apply within 7 days of harvest on Carrots, Celery, Endive, Radishes, 1 day on Cucumbers, Squash and Tomatoes. **(Lettuce, Spinach)** Leafhoppers, Aphids, Mites, Cabbage Loopers — 2 tsp. per 1 gal. water. Do not apply on leaf lettuce within 14 days of harvest, head lettuce and spinach within 7 days. **(Onions)** Thrips, Onion Maggots — 1½ to 2 tsp. per gal. water.

FLEAS in dog and cat pens, yards, lawns and under houses — apply a spray containing 5 ounces (10 tbsp.) of DEXOL MALATHION 50% SPRAY per 1 gallon of water at the rate of 1 gallon per 1,000 sq. ft.

ENVIRONMENTAL HAZARDS
CAUTION

This product is highly toxic to bees exposed to direct treatment of residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS
CAUTION

CAUTION: Harmful if swallowed. Avoid prolonged breathing of spray mist. Avoid prolonged or repeated contact with skin, wash thoroughly after using. Avoid contamination of feed and foodstuffs. Do not use or store near heat or open flame. If poisoning occurs, get prompt medical aid. Atropine is antidotal. 2 PAM is also antidotal and may be administered in conjunction with atropine. KEEP OUT OF REACH OF CHILDREN.

STORAGE AND DISPOSAL
CAUTION

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

*O, O dimethyldithiophosphate of diethylmercaptosuccinate

DEXOL INDUSTRIES **EPA Reg. No. 192-96-AA**