

PM16 192-96

FRONT PANEL - CONTAINER

DEXOL

MALATHION
INSECT CONTROL

For Control of Aphids, Spider Mites,
Mealybugs, Thrips, Scale Insects,
Fleas & Other Listed Insects

Contains 50% Malathion

For Use on Ornamentals, Fruits,
Vegetables

ACCEPTED
OCT 16 1986
United States Insecticide,
Fungicide and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 192-96

ACTIVE INGREDIENT:

Malathion: 0,0-dimethyl-dithiophosphate of
diethylmercaptosuccinate..... 50%

INERT INGREDIENTS:..... 50%

Total:..... 100%


Made from CYTHION (R) Insecticide "The Premium Grade Malathion
(R)." (R)Registered Trademarks of American Cyanamid Company.

Keep Out of Reach of Children

C A U T I O N

See back panel for additional precautionary statements

NET 16 FL.OZ. (1 PT.)



10/6

2

BACK PANEL - DEXOL MALATHION INSECT CONTROL [CONTAINER CONT'D]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly after use and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not permit children or pets onto treated areas until this material has dried completely. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING UNLESS UNDER MEDICAL SUPERVISION.** Product contains xylene range petroleum distillates which may cause aspiration pneumonia. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated. **If On Skin:** Remove contaminated clothing and wash affected areas with soap and water. **If In Eyes:** Flush eyes with plenty of water. Get medical attention if irritation persists. **NOTE TO PHYSICIAN:** This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

SEE ATTACHED PAMPHLET FOR COMPLETE DIRECTIONS FOR USE

DEXOL INDUSTRIES
Torrance, CA 90501

BEST AVAILABLE COPY

EPA REG. NO. 192-96
EPA EST. NO. 192-CA-1

20/6

PAMPHLET - ALL INCLUSIVE

DEXOL

MALATHION
INSECT CONTROL

For Control of Aphids, Spider Mites,
Mealybugs, Thrips, Scale Insects,
Fleas & Other Listed Insects

Contains 50% Malathion

For Use on Ornamentals, Fruits,
Vegetables

ACTIVE INGREDIENT:

Malathion: 0,0-dimethyl-dithiophosphate of
diethylmercaptosuccinate..... 50%

INERT INGREDIENTS:..... 50%


Total:..... 100%

Made from CYTHION (R) Insecticide "The Premium Grade Malathion
(R)." (R)Registered Trademarks of American Cyanamid Company.

Keep Out of Reach of Children

CAUTION

NET 16 FL.OZ. (1 PT.)



PAMPHLET - DEXOL MALATHION INSECT CONTROL [ALL INCLUSIVE]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowd, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly after use and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not permit children or pets onto treated areas until this material has dried completely. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING UNLESS UNDER MEDICAL SUPERVISION. Product contains xylene range petroleum distillates which may cause aspiration pneumonia. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated. **If On Skin:** Remove contaminated clothing and wash affected areas with soap and water. **If In Eyes:** Flush eyes with plenty of water. Get medical attention if irritation persists. **NOTE TO PHYSICIAN:** This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Fill sprayer partly full with water. Add recommended amount of DEXOL MALATHION INSECT spray and finish filling with balance of water needed. Spray plants thoroughly when insects appear and repeat applications as necessary. When used in hose-end sprayers, follow manufacturer's instructions. **NOTE:** Injury may

BEST AVAILABLE COPY

PAMPHLET - DEXOL MALATHION INSECT CONTROL [ALL INCLUSIVE]

occur on tender varieties of plants such as Boston and Maidenhair ferns, pteris and crassula.

HOSE-END SPRAYER INSTRUCTIONS: The hose-end sprayer attachment is precalibrated to deliver 2 tsp. per 1 gal. water. 1) Attach siphonage tube to hose-end sprayer attachment. 2) Screw hose into hose-end sprayer attachment. 3) Remove cap from bottle and insert sprayer attachment. 4) Securely tighten sprayer attachment on bottle. 5) Turn on water. TO START FLOW OF INSECTICIDE, place finger over hole on right side of sprayer attachment. Hold about 3 feet above area to be treated moving at a steady pace to insure consistent coverage. 6) TO STOP FLOW OF INSECTICIDE, remove finger from hole to break siphon action. NOTE: To ensure adequate coverage, use moderate to high water pressure when applying through hose-end sprayer attachment.

Do not apply to food crops within 3 days of harvest unless otherwise specified.

ORNAMENTALS: (Roses, Camelias, Azaleas, Stocks, Chrysanthemums, Evergreens and many other flowers and shrubs) Aphids - 2 tsp. per 1 gal. water. Red Spider Mites, Spruce Mites, Mealybugs, Woolly Aphid, Whitefly, Thrips, Tarnished Plant Bug, four-Lined Leaf bug, Bagworm, Rose Leafhopper, Japanese Beetle Adults - 1 tbsp. per gal water. Scale (Black Scale, Soft Brown Scale, Oyster Shell Scale and certain others) - 1-1/2 to 2 tbsp. per gal. water.

FRUITS: (Apples, Pears, Grapes) Aphids - 1-1/2 to 2 tsp. per 1 gal water. Red Spider Mites, Mealybugs, Woolly Aphids, Whiteflies, Thrips, Tarnished Plant Bugs, Four-Lined Leaf Bug, Grape Fly, Grape Leafhopper (California and Southwest only), Pear Psyllid, Japanese Beetle Adults - 1 tbsp. per gal. water. Scale Crawlers - 1-1/2 to 2 tbsp. per gal water. Malathion may cause injury to McIntosh and Cortland varieties of apples, to Bosc Pears and Ribier Grapes. Do not apply to Pears within 1 day of harvest. (Apricots) Codling Moth, Orange Tortix, Terrapin Scale, Soft Brown Scale, Aphids - 1-1/2 to 2 tsp. per gal. water. Do not apply within 7 days of harvest. (Peaches) European Red Mite, Two-Spotted Mite, Oriental Fruit Moth, Terrapin Scale, Cottony Peach Scale - 2 tsp. to 1 gal. water. Aphids - 1-1/2 to 2 tsp. per 1 gal. water. Do not apply within 7 days of harvest. (Nectarines) Plum Curculio, Mites, Parlatoria Scale - 2 tsp. per 1 gal. water. Do not apply within 7 days of harvest.

VEGETABLES: (Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Kale, Beans, Peas, Potatoes) Aphids - 1-1/2 to 2 tsp. to 2 gal. water. Red Spider Mites, Mealybugs, Whiteflies, Thrips, Tarnished Plant Bugs, Four-Lined Leaf Bugs, Bean Leafhoppers: Potato Leafhoppers, Japanese Beetle Adults - 1 tbsp. per gal. water. Do not apply to Beans within 1 day of harvest. Do not apply to Brussels Sprouts. Cabbage, Cauliflower or Kale within 7

.....
.....
.....
.....
.....
.....
.....

6

PAMPHLET - DEXOL MALATHION INSECT CONTROL [ALL INCLUSIVE]

days of harvest. Use up to harvest on potatoes. (Carrots, Celery, Cucumbers, Endive, Squash, Radishes, Tomatoes) Aphids, Spider Mites - 1-1/2 to 2 tsp. per 1 gal. water. Do not apply within 7 days of harvest on Carrots, Celery, Endive, Radishes; 1 day on Cucumbers, Squash and Tomatoes. (Lettuce, Spinach) Leafhoppers, Aphids, Mites, Cabbage Looper - 2 tsp. per 1 gal. water. Do not apply on leaf lettuce within 14 days of harvest; head lettuce and spinach within 7 days of harvest; (Onions) Thrips - 1-1/2 to 2 tsp. per gal. water.

FLEAS: In dog and cat pens, yards, lawns and under houses - Apply a spray containing 5 fl.oz. (10 tbsp.) of DEXOL MALATHION INSECT CONTROL per 1 gal. of water at the rate of 1 gallon per 1,000 sq.ft. (1 pint to cover 3,200 sq.ft.). DO NOT apply to pets.



STORAGE & DISPOSAL

STORAGE: Store in a cool, dry place away from heat or open flame. Keep in original container and preferably in a locked storage area. **DISPOSAL:** Do not reuse empty container. Wrap container in newspaper and discard in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

DEXOL INDUSTRIES
Torrance, CA 90501

EPA REG. NO. 192-96
EPA EST. NO. 192-CA-1



60/6