

[FRONT CONTAINER PANEL - DEXOL LAWN WEED KILLER]

DEXOL

LAWN

WEED KILLER

Kills Dandelions, Henbit, Spurge, Knotweed, Plantains, Poison Ivy, and Most Other Broadleaf Weeds.

1 Pint Covers 4,000 Sq.Ft.

Active Ingredients:

*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	3.66%
**Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid	7.59%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.84%
Inert Ingredients:	87.91%
Total:	100.00%

This Product Contains:

- +*0.260 lb. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 3.02%.
- +*0.543 lb. 2,4-Dichlorophenoxyacetic acid per gallon or 6.30%.
- ***0.059 lb. 3,6-dichloro-o-anisic acid per gallon or 0.69%.
- +Isomer Specific by AOAC Method No. 6.D01-5.

NOT REVIEWED

In Accordance with FD Cite 82-2.

Based on Draft Labeling Label Keep Out of Reach of Children

4/9/90

CAUTION

See back panel for additional precautionary statements

Net Contents _____

BEST AVAILABLE COPY

237

[BACK CONTAINER PANEL - DEXOL LAWN WEED KILLER]

SEE ATTACHED PAMPHLET FOR DIRECTIONS FOR USE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of feed or foodstuffs. Do not reenter or permit others to reenter treated areas until sprays have dried. Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT.

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated. **If On Skin:** Remove contaminated clothing. Wash affected areas with soap and water. **If In Eyes:** Flush eyes with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

DEXOL INDUSTRIES
Torrance, CA 90501

EPA Reg. No. 192-118
EPA Est. 192-CA-1

[PAMPHLET - DEXOL LAWN WEED KILLER]

DEXOL

LAWN

WEED KILLER

Kills Dandelions, Henbit, Spurge,
Knotweed, Plantains, Poison Ivy,
and Most Other Broadleaf Weeds.

1 Pint Covers 4,000 Sq.Ft.

Active Ingredients:

*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	3.66%
**Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid	7.59%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.84%
Inert Ingredients:	<u>87.91%</u>
Total:	100.00%

This Product Contains:

- *0.260 lb. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 3.02%.
- +*0.543 lb. 2,4-Dichlorophenoxyacetic acid per gallon or 6.30%.
- ***0.059 lb. 3,6-dichloro-o-anisic acid per gallon or 0.69%.
- +Isomer Specific by AOAC Method No. 6.D01-5.

Keep Out of Reach of Children

CAUTION

See back panel for additional precautionary statements

BEST AVAILABLE COPY

4 3 7

[PAMPHLET CONT'D - DEXOL LAWN WEED KILLER]

[THE FOLLOWING TEXT WILL BE USED FOR PRODUCTS PACKAGED WITH AND WITHOUT A HOSE-END SPRAYER ATTACHMENT]

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CONTROLS: Black Medic, Buckhorn, Burdock, Carpet Weed, Cocklebur, Chickweed, Chicory, Clovers, Docks, Dandelion, Dog Fennels, Frenchweed, Galin Sage, Hawkweed, Henbit, Jimson Weed, Knot Weed, Lambsquarter, Lippia, Mallow, Morning Glory, Mustard, Oxalis, Pennywort, Peppergrass, Pigweed, Plantains, Poison Ivy, Poison Oak, Purslane, Ragweed, Sheep Sorrel, Shepherds Purse, Smart Weed, Speedwell, Spurge, Thistles, Wild Carrot, Wild Garlic, Wild Lettuce, Wild Onion, Wild Radish, Yarrow, and Most Other Broadleaf Weeds.

WHERE TO USE: Dexol Lawn Weed Killer may be used to effectively control weeds on Bluegrass, Bermuda, or Zoysia lawns, vacant lots, playgrounds, and other similar domestic areas where hard-to-kill weeds exist.

WHEN TO APPLY: Apply any time during the growing season when weeds are actively growing. Treat Chickweed, Henbit, Wild Onion, and Garlic in the fall or in the spring, as needed. On new lawns wait until the turf has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results, mow lawn a few days before treating. Do not water lawn within 24 hours after treatment.

[THE FOLLOWING TEXT WILL BE USED ONLY ON PRODUCTS PACKAGED WITHOUT A HOSE-END SPRAYER ATTACHMENT]

HOW TO USE: Use a commercially available hose end or tank type application sprayer. Use recommended amount of Dexol Lawn Weed Killer (Column 1) and add water to indicated level (Column 2). Spray to cover amount of area indicated (Column 3).

Column 1	Column 2	Column 3
Amount of "Dexol Lawn Weed Killer" to use: (Tbsp.)	Amount of Water to Use: (Gallons)	Area to treat (Sq. Ft.)
10	5	1,250*
20	10	2,500.
30	15	3,750.*
40	20	4,000



[PAMPHLET CONT'D - DEXOL LAWN WEED KILLER]

MIXING AND LOADING: When mixing, loading or applying this product, wear long pants, long-sleeved shirt, shoes, face shield or goggles and chemical resistant gloves.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4,D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4,D and MCPP herbicides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this herbicide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

Cleaning of Equipment: When cleaning equipment, do not pour the wash-water on the ground; spray or drain over a large area away from wells and other water sources.

IMPORTANT: DO NOT allow spray mist to contact vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. DO NOT pour spray solution near these plants. DO NOT broadcast apply to centipede, St. Augustine, Carpetgrass, Dichondra lawns, desirable Bentgrass or Clover as injury will occur. Using a tank-type sprayer and following the recommended rates above, "spot-treatments" can be made in such sensitive type lawns to kill undesirable weeds. DO NOT apply to areas underlaid by roots of desirable trees and shrubs.

STORAGE: Store in a cool, dry place away from fertilizers, seeds, insecticides, or fungicides. Keep in original container and preferably in a locked storage area. **DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

[THE FOLLOWING TEXT WILL BE USED ONLY ON PRODUCTS PACKAGED WITH A HOSE-END SPRAYER ATTACHMENT]

(OPTION 1)

ASSEMBLY INSTRUCTIONS: 1. Attach siphonage tube to hose-end sprayer attachment. 2. Remove cap from bottle and insert sprayer attachment. 3. Securely tighten sprayer attachment on bottle. 4. Screw hose into nut on hose-end sprayer attachment.

SPRAYING INSTRUCTIONS: 1. Turn on water. **TO START FLOW OF HERBICIDE:** Place finger over hole on top right side of sprayer attachment. Hold about 3 feet above area to be treated moving at a steady pace to ensure consistent coverage. Apply at the rate of 1 pint to cover 5,000 sq.ft. 2. **TO STOP FLOW OF PRODUCT:** Remove finger from hose to break siphon action. **NOTE:** To ensure adequate coverage, use moderate to high water pressure when applying through hose-end sprayer attachment.

(OPTION 2)

ASSEMBLY INSTRUCTIONS: 1. Attach siphonage tube to hose-end sprayer attachment. 2. Screw hose into hose-end sprayer attachment. 3.

697

[PAMPHLET CONT'D - DEXOL LAWN WEED KILLER]

Remove cap from bottle and insert sprayer attachment. 4. Securely tighten sprayer attachment on bottle.

SPRAYING INSTRUCTIONS: 1. Turn on water. TO START FLOW OF HERBICIDE: Place finger over hole on top right side of sprayer attachment. Hold about 3 feet above area to be treated moving at a steady pace to ensure consistent coverage. Apply at the rate of 1 pint to cover 5,000 sq.ft. 2. TO STOP FLOW OF PRODUCT: Remove finger from hose to break siphon action. **NOTE:** To ensure adequate coverage, use moderate to high water pressure when applying through hose-end sprayer attachment.

MIXING AND LOADING: When applying this product, wear long pants, long sleeved shirt, shoes, face shield or goggles and chemical resistant gloves.

IMPORTANT: DO NOT allow spray mist to contact vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. DO NOT pour spray solution near these plants. DO NOT apply to centipede, St. Augustine, Carpetgrass, Dichondra lawns, desirable Bentgrass or Clover as injury will occur. DO NOT apply to areas underlaid by roots of desirable trees and shrubs.

STORAGE: Store in a cool, dry place away from fertilizers, seeds, insecticides, or fungicides. Keep in original container and preferably in a locked storage area. **DISPOSAL:** Securely wrap original container and hose-end sprayer attachment in several layers of newspaper and discard in trash.

[THE FOLLOWING "PRECAUTIONARY STATEMENTS" WILL BE USED ON PRODUCTS PACKAGED WITH AND WITHOUT A HOSE-END SPRAYER ATTACHMENT]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of feed or foodstuffs. Do not reenter or permit others to reenter treated areas until sprays have dried. Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated. **If On Skin:** Remove contaminated clothing. Wash affected areas with soap and water. **If In Eyes:** Flush eyes with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not

BEST AVAILABLE COPY

7 3 7

apply directly to water or wetlands (swamps, bogs, marshes, and
[PAMPHLET CONT'D - DEXOL LAWN WEED KILLER]

potholes). Do not contaminate water when disposing of equipment
washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in
accordance with directions.

DEXOL INDUSTRIES
Torrance, CA 90501

EPA Reg. No. 192-118
EPA Est. 192-CA-1

March 30, 1990

7 3 7