I, being an authorized representative of Dexol Industries, certify that all containers of Dexol Lawn Weed Killer, 192-118; produced by June 15, 1994, will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products.

John Prues

Director of Registrations

2/23/93

Date

)

DEXOL

LAWN

WEED KILLER

Kills Dandelions, Henbit, Spurge, Knotweed, Plantains, Poison Ivy, and Most Other Broadleaf Weeds.

1 Pint Covers 4,000 Sq.Ft.

Active Ingredients: *Dimethylamine Salt of 2-(2-methyl-4-					
chlorophenoxy) propionic acid* **Dimethylamine Salt of 2,4-dichloro-	3.66%				
phenoxyacetic acid* ***Dimethylamine Salt of Dicamba (3,6-	7.59%				
dichloro-o-anisic acid)	0.84%				
Inert Ingredients:	87.91%				
Total:					
This Product Contains:					
*0.260 lb. 2-(2-methyl-4-chlorophenoxy) propionic acid per 3.02%.	gallon or				
+*0.543 lb. 2,4-Dichlorophenoxyacetic acid per gallon or 6.30%. ***0.059 lb. 3,6-dichloro-o-anisic acid per gallon or 0.69%. +Isomer Specific by AOAC Method No. 6.D01-5.					

Keep Out of Reach of Children

CAUTION

See back panel for additional precautionary statements.

Net	Contents		 	

SEE ATTACHED PAMPHLET FOR DIRECTIONS FOR USE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. After using this product, wash nondisposable gloves thoroughly with soap and water before removing, remove clothing and launder separately before reuse, and promply and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Avoid contamination of feed or foodstuffs. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried. Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. If On Skin: Remove contaminated clothing. Wash affected areas with soap and water. If In Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

DEXOL INDUSTRIES
Torrance, CA 90501
Rev. February 15, 1993

)

EPA Reg. No. 192-118 EPA Est. 192-CA-1

DEXOL

LAWN

WEED KILLER

Kills Dandelions, Henbit, Spurge, Knotweed, Plantains, Poison Ivy, and Most Other Broadleaf Weeds.

1 Pint Covers 4,000 Sq.Ft.

Active Ingredients:	
*Dimethylamine Salt of 2-(2-methyl-4-	
chlorophenoxy) propionic acid	3.66%
**Dimethylamine Salt of 2,4-dichloro-	
phenoxyacetic acid	7.59%
***Dimethylamine Salt of Dicamba (3,6-	
dichloro-o-anisic acid)	0.84%
Inert Ingredients:	
Total:	100.00%

This Product Contains:

)

- *0.260 lb. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 3.02%.
- +*0.543 lb. 2,4-Dichlorophenoxyacetic acid per gallon or 6.30%.
- ***0.059 lb. 3,6-dichloro-o-anisic acid per gallon or 0.69%.
 - +Isomer Specific by AOAC Method No. 6.D01-5.

Keep Out of Reach of Children

CAUTION

See back panel for additional precautionary statements.

[PAMPHLET CONT'D - DEXOL LAWN WEED KILLER]

[THE FOLLOWING TEXT WILL BE USED FOR PRODUCTS PACKAGED WITH AND WITHOUT A HOSE-END SPRAYER ATTACHMENT]

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CONTROLS: Buckhorn, Burdock, Carpet Weed, Cocklebur, Chickweed, Chicory, Clovers, Docks, Dandelion, Dog Fennels, Frenchweed, Galin Sage, Hawkweed, Henbit, Jimson Weed, Knot Weed, Lambsquarter, Lippia, Mallow, Morning Glory, Mustard, Oxalis, Pennywort, Peppergrass, Pigweed, Plantains, Poison Ivy, Poison Oak, Purslane, Ragweed, Sheep Sorrel, Shepherds Purse, Smart Weed, Speedwell, Spurge, Thistles, Wild Carrot, Wild Garlic, Wild Lettuce, Wild Onion, Wild Radish, Yarrow, and Most Other Broadleaf Weeds.

WHERE TO USE: Dexol Lawn Weed Killer may be used to effectively control weeds on Bluegrass, Bermuda, or Zoysia lawns, vacant lots, playgrounds, and other similar domestic areas where hard-to-kill weeds exist.

WHEN TO APPLY: Apply any time during the growing season when weeds are actively growing. Treat Chickweed, Henbit, Wild Onion, and Garlic in the fall or in the spring, as needed. On new lawns wait until the turf has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results, mow lawn a few days before treating. Do not water lawn within 24 hours after treatment. The maximum number of broadcast applications per treatment site is 2 per year.

[THE FOLLOWING TEXT WILL BE USED ONLY ON PRODUCTS PACKAGED WITHOUT A HOSE-END SPRAYER ATTACHMENT]

HOW TO USE: Use a commercially available hose-end or tank type application sprayer. Use recommended amount of Dexol Lawn Weed Killer (Column 1) and add water to indicated level (Column 2). Spray to cover amount of area indicated (Column 3).

Column 1		Column 2	Column 3	
Amount of "Dexol Lawn Weed Killer" to use:		. Amount of Water to Use:	Area to Treat	
(Tbsp.)	(F1.Oz.)	(Gallons)	(Sq.Ft.)	
	<u></u>		***	
10	5	5	1,250	
20	10	10	2,500	
30	15	15	3,750 ''''	
40	20	20	4,000	

[PAMPHLET CONT'D - DEXOL LAWN WEED KILLER]

This product can reach groundwater as a result of mixing and loading. To minimize groundwater contamination from spills during mixing, loading and cleaning of equipment, take the following steps:

MIXING AND LOADING: When mixing, loading or applying this product, wear long-sleeved shirt, long pants, socks, shoes, goggles and chemical resistant gloves.

The mixing and loading of spray mixtures into the spray equipment must be carried out on an impervious pad (i.e., concrete slab, plastic sheeting) large enough to catch any spilled material. If spills occur, contain the spill by using an absorbent material (e.g., sand, earth or synthetic absorbent). Dispose of the contaminated absorbent material by placing in a plastic bag and following disposal instructions on this label.

Triple rinse empty containers and add the rinsate to the mixing tank.

Cleaning of Equipment: When cleaning equipment, do not pour the wash-water on the ground; spray or drain over a large area away from wells and other sources.

)

IMPORTANT: DO NOT allow spray mist to contact vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. DO NOT pour spray solution near these plants. DO NOT broadcast apply to centipede, St. Augustine, Carpetgrass, Dichondra lawns, desirable Bentgrass or Clover as injury will occur. Using a tank-type sprayer and following the recommended rates above, "spot-treatments" can be made in such sensitive type lawns to kill undesirable weeds. DO NOT apply to areas underlaid by roots of desirable trees and shrubs.

STORAGE & DISPOSAL

STORAGE: Store in a cool, dry place away from fertilizers, seeds, insecticides, or fungicides. Keep in original container and preferably in a locked storage area. **DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

[THE FOLLOWING TEXT WILL DE USED ONLY ON PRODUCTS PACKAGED WITH A HOSE-END SPRAYER ATTACHMENT]

ASSEMBLY INSTRUCTIONS: 1) Remove cap and foil liner from bottle. 2) Place siphonage tube into bottle. 3) Turn sprayer of by turning on/off valve 1/4 turn. Securely tighten sprayer attachment on bottle. 4) Screw hose onto hose end sprayer attachment.

PRODUCT: Turn sprayer attachment on. Product will automatically be diluted at proper retain. Hold about 3 feet above area to be treated moving at a specific many to ensure consistent coverage.

2) TO STOP FLOW OF PROPER TO THE MANY MODE: To ensure adequate coverage use moderate to high water pressure when applying through hose-end sprayer attachment.

MIXING AND LOADING: When applying this product, wear long-slee-ved shirt, long pants, socks, shoes, goggles and chemical resistant gloves.

IMPORTANT: DO NOT allow spray mist to contact vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. DO NOT pour spray solution near these plants. DO NOT apply to centipede, St. Augustine, Carpetgrass, Dichondra lawns, desirable Bentgrass or Clover as injury will occur. DO NOT apply to areas underlaid by roots of desirable trees and shrubs.

STORAGE & DISPOSAL

STORAGE: Store in a cool, dry place away from fertilizers, seeds, insecticides, or fungicides. Keep in original container and preferably in a locked storage area. **DISPOSAL:** Securely wrap original container and hose-end sprayer attachment in several layers of newspaper and discard in trash.

[THE FOLLOWING "PRECAUTIONARY STATEMENTS" WILL BE USED ON PRODUCTS PACKAGED WITH AND WITHOUT A HOSE-END SPRAYER ATTACHMENT]

)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. After using this product, wash nondisposable gloves thoroughly with soap and water before removing, remove clothing and launder separately before reuse, and promply and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Avoid contamination of feed or foodstuffs. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried. Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. If On Skin: Remove contaminated clothing. Wash affected areas with soap and water. If In Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runof; may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes; and potholes). Do not contaminate water when disposing of equipment washwaters.

8 38

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

DEXOL INDUSTRIESTorrance, CA 90501
Rev2-February 23, 1993

)

EPA Reg. No. 192-118 EPA Est. 192-CA-1