

John Prues
 Dexol Industries
 1450 W. 228th Street
 Torrance, CA 90501

FEB 2 1995

Dear Mr. Prues:

Subject: Revised Labeling
 Dexol Lawn and Weed Killer
 EPA Registration No. 192-118
 Your Submission Dated August 30, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

- 1) Delete the phrase "...if irritation persists" from the end of the "IF IN EYES" statement.
- 2) Correct the typographical error that appears in the EPA Establishment Number on the front panel.

A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the referenced label, incorporating the above changes, before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller
 Product Manager (23)
 Fungicide-Herbicide Branch
 Registration Division (7505C)

Enclosure

| | | | | | | | |
|------------------------|----------|--------------|--|--|--|--|--|
| DK: 305-7546: FHB/PM23 | | CONCURRENCES | | | | | |
| SYMBOL | 7505C | | | | | | |
| SURNAME | D. KENNY | | | | | | |
| DATE | 2/2/95 | | | | | | |

20710

[FRONT CONTAINER PANEL]

**ACCEPTED
with COMMENTS
In EPA Letter Dated**

FEB 2 1995

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
192-118**

**DEXOL
LAWN WEED
KILLER**

**Kills Dandelions, Henbit, Spurge,
Clover, Poison Ivy, and
Most Other Broadleaf Weeds**

Contains Trimec®

**Treats 4,000 Sq.Ft.(Claim for 1 Pint Size Container)
OR
Treats 8,000 Sq.Ft.(Claim for 1 Quart Size Container)**

Kills 33+ Weed Types, Roots & All

Active Ingredients:

- *Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid 3.66%
- **Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid 7.59%
- ***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid) 0.84%

Inert Ingredients: 87.91%
Total **100.00%**

This product contains:


- *0.260 lb. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 3.02%.
- +**0.543 lb. 2,4-Dichlorophenoxyacetic acid per gallon or 6.30%.
- ***0.059 lb. 3,6-dichloro-o-anisic acid per gallon or 0.69%.
- + Isomer Specific by AOAC Method No. 6.D01-5

Keep Out of Reach of Children

CAUTION

See back panel for additional precautionary statements.

NET _____ FL.OZ. (_____ ML)



[BACK CONTAINER PANEL]

SEE BACK PANEL FOR COMPLETE DIRECTIONS FOR USE

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, socks, goggles, shoes and chemical resistant gloves when using or applying this product. After using this product, wash non-disposable gloves thoroughly with soap and water before removing, remove clothing and launder separately before re-use, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried. Avoid contamination of food or feedstuffs. Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately! Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated and get medical attention. **If On Skin:** Immediately remove contaminated clothing and wash affected areas with plenty of soap and water. **If In Eyes:** Flush eyes with plenty of water. Get medical attention if irritation persists.


ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or run-off may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters, or pour the washwaters on the ground. Spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system.

DEXOL INDUSTRIES
1450 W. 228th Street
Torrance, CA 90501

EPA Reg. No. 192-118
EPA Est. No. 192-118

Questions Call - 800-421-2934




[CONTAINER SIDE PANEL]

Kills:

Buckhorn
 Carpet Weed
 Chickweed
 Clover
 Dandelion
 Frenchweed
 Hawkweed
 Jimson Weed
 Lambsquarter
 Mallow
 Mustard
 Pennywort
 Pigweed
 Poison Ivy
 Purslane
 Sheep Sorrel
 Smartweed
 Spurge
 Wild Carrot
 Wild Lettuce
 Wild Radish
and Most Other Broadleaf Weeds

Burdock
 Cocklebur
 Chicory
 Dock
 Dog Fennel
 Galin Sage
 Henbit
 Knot Weed
 Lippia
 Morning Glory
 Oxalis
 Peppergrass
 Plantain
 Poison Oak
 Ragweed
 Shepherdspurse
 Speedwell
 Thistle
 Wild Garlic
 Wild Onion
 Yarrow



[PAMPHLET LABEL]

DEXOL

LAWN WEED

KILLER

**Kills Dandelions, Henbit, Spurge,
Clover, Poison Ivy, and
Most Other Broadleaf Weeds**

Contains Trimec®

Treats 4,000 Sq.Ft.(Claim for 1 Pint Size Container)

OR

Treats 8,000 Sq.Ft.(Claim for 1 Quart Size Container)

Kills 33+ Weed Types, Roots & All

Active Ingredients:

| | |
|--|-------|
| *Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid | 3.66% |
| **Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid | 7.59% |
| ***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid) | 0.84% |

| | |
|-------------------------------------|----------------|
| Inert Ingredients: | <u>87.91%</u> |
| Total | 100.00% |

This product contains:

- *0.260 lb. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 3.02%.
- +**0.543 lb. 2,4-Dichlorophenoxyacetic acid per gallon or 6.30%.
- ***0.059 lb. 3,6-dichloro-o-anisic acid per gallon or 0.69%.
+ Isomer Specific by AOAC Method No. 6.D01-5

Keep Out of Reach of Children

C A U T I O N

See back panel for additional precautionary statements

10410

[PAMPHLET LABEL - PAGE 2]

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, socks, goggles, shoes and chemical resistant gloves when using or applying this product. After using this product, wash non-disposable gloves thoroughly with soap and water before removing, remove clothing and launder separately before re-use, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried. Avoid contamination of food or feedstuffs. Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated and get medical attention. **If On Skin:** Immediately remove contaminated clothing and wash affected areas with plenty of soap and water. **If In Eyes:** Flush eyes with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or run-off may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters, or pour the washwaters on the ground. Spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system.

**[THE FOLLOWING DIRECTIONS FOR USE WILL BE USED WITH PRODUCTS
PACKAGED "WITHOUT" A HOSE-END SPRAYER ATTACHMENT]**

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **This product is for use on home lawns and home recreational turf areas only! Do not apply this product to sites or areas not listed or prohibited on this label.**

USE PRECAUTIONS: **DO NOT** allow spray or drift to contact vegetables, flowers, ornamental plants, shrubs, trees or other desirable plants. **DO NOT** pour spray solution near these plants. **DO NOT** broadcast apply to Centipede, St. Augustine, Carpetgrass, Dichondra, Desirable Bentgrass or Clover as injury may occur. Using a tank-type sprayer and following recommended rates, "Spot Treatments" can be made in such sensitive lawn types to kill undesirable weeds. **DO NOT** apply to areas underlaid by roots of desirable trees and shrubs. **DO NOT** exceed recommended rates as injury to turf may occur.

PAMPHLET LABEL - PAGE 3

CONTROLS: Buckhorn, Burdock, Carpet Weed, Cocklebur, Chickweed, Chicory, Clover, Dock, Dandelion, Dog Fennel, Frenchweed, Galin Sage, Hawkweed, Henbit, Jimson Weed, Knot Weed, Lambsquarter, Lippia, Mallow, Morning Glory, Mustard, Oxalis, Pennywort, Peppergrass, Pigweed, Plantains, Poison Ivy, Poison Oak, Purslane, Ragweed, sheep Sorrel, Shepherdspurse, Smartweed, Speedwell, Spurge, Thistle, Wild Carrot, Wild Garlic, Wild Lettuce, Wild Onion, Wild Radish, Yarrow and Most Other Broadleaf Weeds.

WHERE TO USE: Dexol Lawn Weed Killer may be used to effectively kill weeds in Bluegrass, Bermuda or Zoysia home turf areas. After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-kill broadleaf weeds may require a second treatment in 3 - 4 weeks.

WHEN TO APPLY: Apply anytime during the growing season when weeds are actively growing. Treat Chickweed, Henbit, Wild Onion and Garlic in the Fall or in the Spring, as needed. For new lawns, wait until the turf has reached a height of 2 inches and turf has been mowed at least 3 times. Do not re-seed or plant stolons for 3 - 4 weeks following application of this product. Poor weed control may result if treatment is made during drought or just prior to rainfall. For best results, mow lawn a few days before treating. Do not water lawn within 48 hours after treatment. Do not mow lawn within 48 hours after application. The maximum number of broadcast applications per treatment site is 2 per year.

This product can reach groundwater as a result of mixing and loading. To minimize groundwater contamination from spills during mixing, loading and cleaning of equipment, take the following steps:

MIXING & LOADING: When mixing, loading or applying this product, wear long-sleeved shirt, long pants, socks, shoes, goggles and chemical resistant gloves. The mixing and loading of spray mixtures into the spray equipment must be carried out on an impervious pad (i.e., concrete slab, plastic sheeting) large enough to catch any spilled material. If spills occur, contain the spill using an absorbent material (e.g., sand, earth or synthetic absorbent). Dispose of the contaminated material by placing in a plastic bag and follow the disposal instructions on this label. Triple rinse empty containers and add rinse water to the mixing tank.

CLEANING EQUIPMENT: When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

HOW TO USE: Use a commercially available hose-end sprayer or tank type application sprayer. Use recommended amount of Dexol Lawn Weed Killer (Column 1) and add water to indicated level (Column 2). Spray to cover amount of area indicated (Column 3).

| Column 1 | | Column 2 | Column 3 |
|--|---|----------------------------------|------------------------|
| Amount of Dexol Lawn Weed Killer To Use (Tbsp.) (Fl.Oz.) | | Amount of Water to Use (Gallons) | Area to Treat (Sq.Ft.) |
| 2 | 1 | 1 | 250 |

[PAMPHLET LABEL - PAGE 4]

| | | | |
|----|----|----|-------|
| 10 | 5 | 5 | 1,250 |
| 20 | 10 | 10 | 2,500 |
| 30 | 15 | 15 | 3,750 |
| 32 | 16 | 16 | 4,000 |
| 40 | 20 | 20 | 5,000 |
| 64 | 32 | 32 | 8,000 |

STORAGE & DISPOSAL

Storage: Store in a cool, dry place away from fertilizers, seeds, insecticides, or fungicides. Keep in original container and preferably in a locked storage area away from children and pets. Do not store below 32°F. **Disposal:** Securely wrap original container in several layers of newspaper and discard in trash.

[THE FOLLOWING DIRECTIONS FOR USE WILL BE USED WITH PRODUCT PACKAGED WITH A HOSE-END SPRAYER ATTACHMENT]

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is for use on home lawns and home recreational turf areas only. Do not apply this product to sites or areas not listed or prohibited on this label.

USE PRECAUTIONS: DO NOT allow spray or drift to contact vegetables, flowers, ornamental plants, shrubs, trees or other desirable plants. DO NOT pour spray solution near these plants. DO NOT broadcast apply to Centipede, St. Augustine, Carpetgrass, Dichondra, Desirable Bentgrass or Clover as injury may occur. DO NOT apply to areas underlaid by roots of desirable trees and shrubs. DO NOT exceed recommended rates as injury to turf may occur.

CONTROLS: Buckhorn, Burdock, Carpet Weed, Cocklebur, Chickweed, Chicory, Clover, Dock, Dandelion, Dog Fennel, Frenchweed, Galin Sage, Hawkweed, Henbit, Jimson Weed, Knot Weed, Lambsquarter, Lippia, Mallow, Morning Glory, Mustard, Oxalis, Pennywort, Peppergrass, Pigweed, Plantains, Poison Ivy, Poison Oak, Purslane, Ragweed, Sheep Sorrel, Shepherdspurse, Smartweed, Speedwell, Spurge, Thistle, Wild Carrot, wild Garlic, Wild Lettuce, Wild Onion, Wild Radish, Yarrow and Most Other Broadleaf Weeds.

WHERE TO USE: Dexol Lawn Weed Killer may be used to effectively kill weeds in Bluegrass, Bermuda or Zoysia home turf areas. After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-kill broadleaf weeds may require a second treatment in 3 - 4 weeks.


WHEN TO APPLY: Apply anytime during the growing season when weeds are actively growing. Treat Chickweed, Henbit, Wild Onion and Garlic in the Fall or in the Spring, as needed. For new lawns, wait until the turf has reached a height of 2 inches and turf has been mowed at least 3 times. Do not re-seed or plant stolons for 3 - 4 weeks following application of this product. Poor weed control may result if treatment is made during drought or just

prior to rainfall. For best results, mow lawn a few days before treating. Do not water lawn within 48 hours after treatment. Do not mow lawn within 48 hours after application. The maximum number of broadcast applications per treatment site is 2 per year. This product can reach groundwater as a result of spills. To minimize groundwater contamination from spills during attachment of hose-end applicator take the following steps: **LOADING:** When attaching hose-end sprayer attachment and applying this product, wear long-sleeved shirt, long pants, socks, shoes, goggles and chemical resistant gloves.


HOW TO USE: Determine size of spraying job. Measure area to be sprayed to determine the number of square feet of lawn area to be treated. Follow hose-end spray attachment and spraying instructions given below. Apply 1 pint to cover 4,000 Sq.Ft. (or 1 Quart to cover 8,000 sq. Ft.).

OPTION 1


HOSE-END SPRAYER ATTACHMENT INSTRUCTIONS: 1) Remove cap and foil liner from bottle. 2) Place siphonage tube into bottle. 3) Turn sprayer off by turning on/off valve 1/4 turn. Securely screw hose into hose-end sprayer attachment.



SPRAYER INSTRUCTIONS: The hose-end sprayer attachment has been precalibrated to deliver 2 teaspoons per 1 gallon of water. 1) Turn on water. **TO START FLOW OF PRODUCT**, turn sprayer attachment on. Product will be automatically diluted at proper ratio. Hold about 3 feet above area to be treated moving at a steady pace to ensure consistent coverage. When applying, hold container by placing sprayer attachment in palm of hand and securely grasping container handle with fingers. 2) **TO STOP FLOW OF PRODUCT**, turn sprayer attachment off. **NOTE:** To ensure adequate coverage, use moderate to high water pressure when applying.



[OPTION 2]



Product Control Button Turn triangular knob clockwise until point aligns with the small arrowhead. Push in to ALLOW product flow. When finished, push in from opposite side to STOP product flow. Turn the knob counterclockwise to prevent accidental discharge of product.

EASY TO USE

1. Make sure the ON/OFF Water Control Knob is in the OFF position
2. Shake well before applying
3. Connect spray nozzle to hose with convenient swivel end.
4. Turn the triangular knob on Product Control Button to align with the small arrowhead, then push the button in all the way. Avoid squeezing bottle, as contents may spray through nozzle opening.
5. Turn water on at faucet.
6. When ready to spray, point nozzle toward lawn, then turn Water Control Knob to ON position.
7. When finished, push Product Control Button to OFF position to stop product flow. Turn Water Control Knob to OFF and turn off faucet. Turn Water Control Knob to ON to release water pressure, then turn OFF again.
8. To prevent accidental discharge when not in use, turn the triangular knob so that it is not aligned with the small arrowhead and cannot be pushed in. Store out of reach of children.

STORAGE & DISPOSAL

Storage: Store in a cool, dry place away from fertilizers, seeds, insecticides, or fungicides. Keep in original container and preferably in a locked storage area away from children and pets. Do not store below 32°F. **Disposal:** Do not re-use empty container or hose-end sprayer attachment. Securely wrap original container and hose-end sprayer attachment in several layers of newspaper and discard in trash.

NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS AND PRECAUTIONS.

DEXOL INDUSTRIES
 1450 W. 228th Street
 Torrance, CA 90501
 Questions Call - 800-421-2934

EPA Reg. No. 192-118
EPA Est. No. 192-CA-1