



192-118

8-26-2003

115

Use read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
--	---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 192-118	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Dexol Lawn Weed Killer	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Value Garden Supply, LLC. P. O. Box 585 St. Joseph, MO 64502 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION AUG 26 2003
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container		

3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/> _____
--	-----------------------------	---

6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued Stenciled	<input type="checkbox"/> Other _____
--	--------------------------------------

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Carrie Crawford	Title Regulatory Affairs Manager	Telephone No. (include Area Code) 540-864-8490
-------------------------	-------------------------------------	---

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.	6. Date Application Received (Stamped)
--	--

2. Signature 	3. Title Regulatory Affairs Manager	
4. Typed Name Carrie Crawford	5. Date July 17, 2003	

2/5

DEXOL LAWN WEED KILLER

**Kills Dandelions, Henbit, Spurge, Clover, Poison Ivy,
and Most Other Broadleaf Weeds**
Contains Trimec®
Treats 4,000 Sq. Ft. (Claim for 1 Pint Size Container)
Treats 8,000 Sq. Ft. (Claim for 1 Quart Size Container)
Kills 33+ Weed Types, Roots & All

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid.....	3.66%
**Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid.....	7.59%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid).....	0.84%
INERT INGREDIENTS:.....	87.91%
TOTAL	100.00%

EPA Reg. No. 192-118
 EPA Est. NO. 44616-MO-3

NOTIFICATION

AUG 26 2003

This product contains:

- *0.260 lb. 2-(2-methyl-4-chlorophenoxy) propionic-acid per gallon or 3.02%.
- + **0.543 lb. 2,4-Dichlorophenoxyacetic acid per gallon or 6.30%.
- ***0.059 lb. 3,6-dichloro-o-anisic acid per gallon or 0.69%.
- +Isomer Specific by AOAC Method No. 6.D01-5

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back/side panel for additional precautionary statements.

NET CONTENTS: _____

FIRST AID

- If swallowed:**
 - Call poison control center or doctor immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by the poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.
- If inhaled:**
 - Move person to fresh air.
 - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
 - Call a poison control center or doctor for further treatment advice.
- If on skin or clothing:**
 - Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.
- If in eyes:**
 - Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
 - Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

For information of this product (including health concerns, medical emergencies or pesticide incidents) call the National Pesticide Information Center at 1-800-858-7378.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, socks, goggles, shoes and chemical resistant gloves when using or applying this product. After using the product, wash non-disposable gloves thoroughly with soap and water before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried. Avoid contamination of food or feedstuffs. Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or run-off may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters, or pour the washwaters on the ground. Spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system.

KILLS: Buckhorn, Burdock, Carpet Weed, Chicory, Chickweed, Clover, Cocklebur, Dandelion, Dock, Dog Fennel, Frenchweed, Galin Sage, Hawkweed, Henbit, Jimson Weed, Knot Weed, Lambsquarter, Lippia, Mallow, Morning Glory, Mustard, Oxalis, Pennywort, Peppergrass, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Sheep Sorrel, Shepherdspurse, Smartweed, Speedwell, Spurge, Thistle, Wild Carrot, Wild Garlic, Wild Lettuce, Wild Onion, Wild Radish, Yarrow, and Most Other Broadleaf Weeds

[THE FOLLOWING DIRECTIONS FOR USE WILL BE USED WITH PRODUCTS PACKAGED "WITHOUT" A HOSE-END SPRAYER ATTACHMENT]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is for use on home lawns and home recreational turf areas only. Do not apply this product to sites or areas not listed or prohibited on this label.

USE PRECAUTIONS: DO NOT allow spray or drift to contact vegetables, flowers, ornamental plants, shrubs, trees or other desirable plants. DO NOT pour spray solution near these plants. DO NOT broadcast apply to Centipede, St. Augustine, Carpetgrass, Dichondra, Desirable Bentgrass or Clover as injury may occur. Using a tank-type sprayer and following recommended rates, "Spot Treatments" can be made in such sensitive lawn types to kill undesirable weeds. DO NOT apply to areas underlaid by roots of desirable trees and shrubs. DO NOT exceed recommended rates as injury to turf may occur.

CONTROLS: Buckhorn, Burdock, Carpet Weed, Chicory, Chickweed, Clover, Cocklebur, Dandelion, Dock, Dog Fennel, Frenchweed, Galin Sage, Hawkweed, Henbit, Jimson Weed, Knot Weed, Lambsquarter, Lippia, Mallow, Morning Glory, Mustard, Oxalis, Pennywort, Peppergrass, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Sheep Sorrel, Shepherdspurse, Smartweed, Speedwell, Spurge, Thistle, Wild Carrot, Wild Garlic, Wild Lettuce, Wild Onion, Wild Radish, Yarrow, and Most Other Broadleaf Weeds.

WHERE TO USE: Dexol Lawn Weed Killer may be used to effectively kill weeds in Bluegrass, Bermuda or Zoysia home turf areas. After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-kill broadleaf weeds may require a second treatment in 3-4 weeks.

WHEN TO APPLY: Apply anytime during the growing season when weeds are actively growing. Treat Chickweed, Henbit, Wild Onion and Wild Garlic in the Fall or in the Spring, as needed. For new lawns, wait until the turf has reached a height of 2 inches and turf has been mowed 3 times. Do not re-seed or plant stolons for 3-4 weeks following application of this product. Poor weed control may result if treatment is made during drought or just prior to rainfall. For best results, mow lawn a few days before treating. Do not water lawn within 48 hours after treatment. Do not mow lawn within 48 hours after application. The maximum number of broadcast applications per treatment site is 2 per year.

415

This product can reach groundwater as a result of mixing and loading. To minimize groundwater contamination from spills during mixing, loading and cleaning of equipment, take the following steps: **MIXING AND LOADING:** When mixing, loading or applying this product, wear long-sleeved shirt, long pants, socks, shoes, goggles and chemical resistant gloves. The mixing and loading of spray mixtures into the spray equipment must be carried out on an impervious pad (i.e., concrete slab, plastic sheeting) large enough to catch any spilled material. If spills occur, contain the spill using an absorbent material (e.g., sand, earth or synthetic absorbent). Dispose of the contaminated material by placing in a plastic bag and follow the disposal instructions on this label. Triple rinse empty containers and add rinse water to the mixing tank.

CLEANING EQUIPMENT: When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

HOW TO USE: Use a commercially available hose-end sprayer or tank type application sprayer. Use recommended amount of Dexol Lawn Weed Killer (Column 1) and add water to indicated level (Column 2). Spray to cover amount of area indicated (Column 3).

Column 1 Amount of Dexol Lawn Weed Killer to Use (Tbsp.) (Fl. Oz.)		Column 2 Amount of Water to Use (Gallons)	Column 3 Area to Treat (Sq. Ft.)
2	1	1	250
10	5	5	1,250
20	10	10	2,500
30	15	15	3,750
32	16	16	4,000
40	20	20	5,000
64	32	32	8,000

[THE FOLLOWING DIRECTIONS FOR USE WILL BE USED WITH PRODUCT PACKAGED WITH A HOSE-END SPRAYER ATTACHMENT.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is for use on home lawns and home recreational turf areas only. Do not apply this product to sites or areas not listed or prohibited on this label.


USE PRECAUTIONS: DO NOT allow spray or drift to contact vegetables, flowers, ornamental plants, shrubs, trees or other desirable plants. DO NOT pour spray solution near these plants. DO NOT broadcast apply to Centipede, St. Augustine, Carpetgrass, Dichondra, Desirable Bentgrass or Clover as injury may occur. DO NOT apply to areas underlaid by roots of desirable trees and shrubs. DO NOT exceed recommended rates as injury to turf may occur.

CONTROLS: Buckhorn, Burdock, Carpet Weed, Chicory, Chickweed, Clover, Cocklebur, Dandelion, Dock, Dog Fennel, Frenchweed, Galin Sage, Hawkweed, Henbit, Jimson Weed, Knot Weed, Lambsquarter, Lippia, Mallow, Morning Glory, Mustard, Oxalis, Pennywort, Peppergrass, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Sheep Sorrel, Shepherdspurse, Smartweed, Speedwell, Spurge, Thistle, Wild Carrot, Wild Garlic, Wild Lettuce, Wild Onion, Wild Radish, Yarrow, and Most Other Broadleaf Weeds.

WHERE TO USE: Dexol Lawn Weed Killer may be used to effectively kill weeds in Bluegrass, Bermuda or Zoysia home turf areas. After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-kill broadleaf weeds may require a second treatment in 3-4 weeks.

WHEN TO APPLY: Apply anytime during the growing season when weeds are actively growing. Treat Chickweed, Henbit, Wild Onion and Wild Garlic in the Fall or in the Spring, as needed. For new lawns, wait until the turf has reached a height of 2 inches and turf has been mowed 3 times. Do not re-seed or plant stolons for 3-4 weeks following application of this product. Poor weed control may result if treatment is made during drought or just prior to rainfall. For best results, mow lawn a few days before treating. Do not water lawn within 48 hours after treatment. Do not mow lawn within 48 hours after application. The maximum number of broadcast applications per treatment site is 2 per year.

When using the attached hose-end sprayer follow the hose-end spraying instructions given below. Wear long-sleeved shirt, long pants, socks, shoes, goggles and chemical resistant gloves.



EASY TO USE:

1. Make sure the ON/OFF Water Control Knob is in the OFF position.
2. Shake Well before applying.
3. Connect spray nozzle to hose with convenient swivel end.
4. Turn the triangular knob on the Product Control Button to align with the small arrowhead, then push the button in all the way. Avoid squeezing bottle, as contents may spray through nozzle opening.
5. Turn water on at faucet.
6. When ready to spray, point nozzle toward the lawn, then turn Water Control Knob to ON position.
7. When finished, push Product Control Button to OFF position to stop product flow. Turn Water Control Knob to OFF and turn off faucet. Turn Water Control Knob to ON to release water pressure, then turn OFF again.
8. To prevent accidental discharge when not in use, turn the triangular knob so that it is not aligned with the small arrowhead and cannot be pushed in. Store out of reach of children.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry area away from fertilizers, seeds, insecticides, or fungicides. Keep in original container and preferably in a locked storage area inaccessible to children and pets. Do not store below 32°F.

Disposal: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.